

SUPPLEMENTARY TABLE S2. PARTICIPANT CHARACTERISTICS AMONG PRE-EXPOSURE PROPHYLAXIS (PrEP)-ELIGIBLE VERSUS -NONELIGIBLE NONUSERS AND PrEP- ELIGIBLE NONUSERS VERSUS PrEP USERS

| | <i>Eligible nonusers</i> | <i>Versus noneligible</i> | p | <i>Versus PrEP- eligible users (n=69)^a</i> | p |
|--|--------------------------|---------------------------|---------|---|---------|
| | (n = 1464) | (n = 803) | | (n = 69) ^a | |
| | n (%) / median (IQR) | n (%) / median (IQR) | | n (%) / median (IQR) | |
| Demographics/social background | | | | | |
| Race | | | | | |
| Black | 271 (19) | 169 (21) | 0.05 | 11 (16) | 0.55 |
| Hispanic | 563 (38) | 267 (33) | | 24 (35) | |
| White | 630 (43) | 367 (46) | | 34 (49) | |
| Age | 22 (20–23) | 22 (20–23) | 0.59 | 23 (22–24) | <0.01 |
| Education | | | | | |
| Less than high school | 76 (5) | 52 (6) | 0.51 | 1 (1) | 0.06 |
| High school/GED | 192 (13) | 112 (14) | | 7 (10) | |
| Less than bachelor degree | 906 (62) | 477 (59) | | 39 (57) | |
| Bachelor degree or higher | 287 (20) | 160 (20) | | 22 (32) | |
| Refused/did not know | 3 (0.2) | 2 (0.3) | | 0 | |
| Community type | | | | | |
| Large city or suburb | 574 (39) | 326 (41) | 0.40 | 39 (57) | 0.07 |
| Medium city or suburb | 493 (34) | 245 (31) | | 17 (25) | |
| Small city | 183 (13) | 119 (15) | | 6 (9) | |
| Town | 151 (10) | 82 (10) | | 4 (6) | |
| Rural area | 55 (4) | 28 (3) | | 3 (4) | |
| Refused/did not know | 8 (0.6) | 3 (0.4) | | 0 | |
| US Region | | | | | |
| Midwest | 337 (23) | 173 (22) | 0.83 | 13 (19) | 0.78 |
| South | 617 (42) | 337 (42) | | 33 (48) | |
| West | 274 (19) | 157 (20) | | 12 (17) | |
| Northeast | 236 (16) | 136 (17) | | 11 (16) | |
| Live alone | | | | | |
| Yes | 357 (24) | 206 (26) | 0.48 | 27 (39) | <0.01 |
| No | 1104 (75) | 593 (74) | | 42 (61) | |
| Refused/did not know | 3 (0.2) | 4 (0.5) | | 0 | |
| Healthcare access | | | | | |
| Have a PCP/clinic for care | | | | | |
| Yes | 990 (68) | 573 (71) | 0.04 | 64 (93) | <0.0001 |
| No | 446 (30) | 211 (26) | | 5 (7) | |
| Refused/did not know | 28 (2) | 19 (2) | | 0 | |
| Health Insurance | | | | | |
| Yes | 1091 (75) | 606 (75) | 0.64 | 60 (87) | 0.03 |
| No | 347 (24) | 183 (23) | | 9 (13) | |
| Refused/did not know | 26 (2) | 14 (2) | | 0 | |
| Sexual behavior/perceived risk | | | | | |
| Last CAI with a man | | | | | |
| Never | 11 (0.87) | 300 (37) | <0.0001 | 0 | 0.08 |
| Less than a month ago | 836 (57) | 0 | | 50 (72) | |
| Between 1 and 6 months ago | 600 (41) | 0 | | 19 (28) | |
| More than 6 months ago | 16 (1) | 500 (62) | | 0 | |
| Refused/did not know | 1 (0.1) | 3 (0.4) | | 0 | |
| Perceived risk of HIV infection | | | | | |
| Possible | 1159 (79) | 537 (67) | <0.0001 | 50 (72) | 0.03 |
| Not possible at all | 246 (17) | 249 (31) | | 19 (28) | |
| Refused/did not know | 59 (4) | 17 (2) | | 0 | |
| Casual CAI with a man | | | | | |
| No CAI with a man | 11 (0.8) | 297(37) | <0.0001 | 0 | 0.73 |
| No casual CAI with a man | 165 (11) | 113 (14) | | 6 (9) | |
| Casual CAI with a man | 1152 (79) | 361 (45) | | 50 (72) | |
| Refused/did not know | 149 (10) | 32 (4) | | 13 (19) | |
| Exchange CAI with a man | | | | | |

(continued)

SUPPLEMENTARY TABLE S2. (CONTINUED)

| | <i>Eligible nonusers</i> (n=1464) | <i>Versus noneligible</i> (n=803) | p | <i>Versus PrEP- eligible</i> <i>users (n=69)^a</i> | p |
|----------------------------|--------------------------------------|--------------------------------------|---------|---|------|
| | n (%) / <i>median (IQR)</i> | n (%) / <i>median (IQR)</i> | | n (%) / <i>median (IQR)</i> | |
| No CAI with a man | 11 (0.8) | 297 (37) | <0.0001 | 0 | 0.43 |
| No exchange CAI with a man | 1137 (78) | 420 (52) | | 50 (72) | |
| Exchange CAI with a man | 265 (18) | 67 (8) | | 16 (23) | |
| Refused/did not know | 51 (3) | 19 (2) | | 3 (4) | |
| Total main partners | 2 (1–5) | 0 (0–2) | <0.0001 | 3 (1–6) | 0.26 |
| Total casual partners | 4 (1–10) | 0 (0–2) | <0.0001 | 7 (0–16) | 0.16 |
| Total exchange partners | 0 (0) | 0 (0) | <0.0001 | 0 (0) | 0.16 |

^aOf the 80 ever PrEP users, 69 were eligible as per Centers for Disease Control and Prevention guidelines. CAI, condomless anal intercourse; GED, general equivalency diploma; PCP, primary care provider.