

Supplementary Table 2. Distribution of enphytic fungi isolated from halophyte native to the Dokdo Islands

Host plant	Taxonomy			Distribution ratio		
	Pylum	Class	Genus			
<i>Sedum oryzifolium</i>	Ascomycota (21)	Dothideomycetes (6)	<i>Cladosporium</i> (2)	9.1		
			<i>Stemphylium</i> (1)	4.5		
			<i>Alternaria</i> (3)	13.6		
		Eurotiomycetes (6)	<i>Penicillium</i> (6)	27.3		
			Sordariomycetes (9)	<i>Fusarium</i> (7)	31.8	
		<i>Lysimachia mauritiana</i>	Ascomycota (15)	Dothideomycetes (3)	<i>Cladosporium</i> (1)	6.7
					<i>Paraphoma</i> (2)	13.3
				Eurotiomycetes (10)	<i>Paecilomyces</i> (1)	6.7
					<i>Penicillium</i> (6)	40.0
					<i>Talaromyces</i> (2)	13.3
Sordariomycetes (2)	<i>Aspergillus</i> (1)			6.7		
	<i>Colletotrichum</i> (1)			6.7		
	<i>Fusarium</i> (1)			6.7		
	<i>Paraphoma</i> (2)			8.3		
	<i>Aspergillus</i> (2)			8.3		
<i>Aster sphathulifolius</i>	Ascomycota (24)	Dothideomycetes (2)	<i>Penicillium</i> (10)	41.7		
			<i>Phialophora</i> (3)	12.5		
		Eurotiomycetes (16)	<i>Talaromyces</i> (1)	4.2		
			<i>Diaporthe</i> (1)	4.2		
			<i>Fusarium</i> (3)	12.5		
		Sordariomycetes (6)	<i>Purpureocillium</i> (1)	4.2		
			<i>Plectosphaerella</i> (1)	4.2		