Table 1. Aspects covered by Pregnancy Questionnaire 1.

Domain	Item	Sub-items
Sociodemographic	Ethnicity	Country of birth
characteristics		Country of birth biological parents
		Ethnic origin
	Highest level of education	
	Work	
	Volunteer work and informal	
	care	
	Living situation	
Anthropometric data	Height	
·	Pre-pregnancy weight	
Medical conditions	Chronic hypertension	
	Cardiovascular disease	Туре
	Diabetes mellitus	Type
	Thromboembolism	
	Thyroid disease	Hypothyroidism
	,	Hyperthyroidism
	Kidney disease	Туре
	Autoimmune diseases	Systemic lupus erythematosus
		Antiphospholipid syndrome
	Lung diseases	Туре
	Gynaecologic history	Uterus anomaly
	o, massing a most of	Cervical surgery
Obstetric history	Parity	co. r.ca. ca. ge. y
,	Miscarriage	Date
	· · · · · · · · · · · · · · · · · · ·	Gestational age
	Termination	Date
	Terrimación.	Gestational age
		Indication
	Ectopic pregnancy	Date
	zecepie pi egitatie)	Gestational age
	Multiple birth	Costational age
	Pregnancy outcomes	Pre-eclampsia
	Tregnancy dateomes	HELLP syndrome
		Gestational diabetes mellitus
		Preterm birth
		Placental abruption
		Other
		Management
	Labour and delivery	Mode of delivery
		Hospital/home delivery
	Neonatal outcomes	Gender
	Neonatai outcomes	Birth weight
		Fetal mortality (antenatal,
		intrapartum)
		Neonatal mortality
Lifestyle	Smoking	Status
Linestyle	Sillokilig	Quantity
	Alcohol	Status
	Alconol	Jiaius

		Quantity
	Drugs	Status
	3.083	Type(s)
		Frequency
Medication	Name	Dose
Wedication	Name	Frequency
		Duration
Vitamin and mineral	Folic acid	Brand name
supplements	Prenatal vitamins	Duration
Supplements	General multivitamins	Dose
	Vitamin D	Frequency
	Calcium	rrequericy
	Iron	
Dietary intake	Fruit intake	
Dictary intake	Selected items from Food	Frequency
	Frequency Questionnaire	rrequericy
	tool:	
	Milk and buttermilk	
	Yoghurt and fromage frais	
	Yoghurt drinks and other	
	dairy beverages	
	Chocolate milk	Average daily amount
	Custard and pudding	
	Dutch cheese	
	Non-Dutch cheese and	
	cream cheese	
	Cheese spread	
	Bread spread	
	Cooking fat	
	Fish	
Sun exposure	Skin type	
Sun exposure	Sun exposure	Week days
	Suit exposure	Weekend
		Skin exposure
		Sunscreen use
	Solarium	Sunscieen use
Family history medical	Hypertension	
conditions (grandparents,	Heart disease	
parents and siblings)	Diabetes mellitus	Type
<u> </u>		Type Dra oclampsia
Family history obstetric	Adverse obstetric outcomes	Pre-eclampsia
outcomes	(mother and sister(s))	HELLP syndrome Gestational diabetes mellitus
		Preterm birth
		Low birth weight infant
		High birth weight infant
	Woman's hirth weight	Tilgii bii tii weigiit iiiidiit
	Women's birth weight	
	Women's gestation at	
Montal has ltts	delivery	Tune
Mental health	Mental disorder	Type
	Edinbourd December 2	Treatment
	Edinburgh Depression Scale	10-items

Health status	EuroQol-5D-3L	Mobility
		Self-care
		Usual activities
		Pain/discomfort
		Anxiety/depression
	Cognitive dimension	
	Evaluation overall health	Visual analogue scale
	status	
Current pregnancy	Due date	
	Conception	Method of conception
		Time to conception
	Caregiver (primary	
	care/secondary care)	
	Multiple pregnancy	
	Vaginal bleeding	Duration
		Quantity
Blood pressure measurement	Systolic and diastolic blood	Measurement
	pressure	Date of measurement
Heart rate measurement	Heart rate	Measurement
		Date of measurement

Table 2. Aspects covered by Postpartum Questionnaire 1.

Domain	Item	Sub-items
Pregnancy outcome	Miscarriage	Gestational age
	Termination	Gestational age
		Indication
	Ectopic pregnancy	Gestational age
	Delivery	
Pregnancy complications	Pregnancy induced	Gestational age
	hypertension	Treatment
	Pre-eclampsia	Gestational age
	·	Treatment
		HELLP syndrome
	Gestational diabetes mellitus	Gestational age
		Treatment
	Threatened preterm labour	Preterm premature rupture of
	·	membranes
		Admission
		Treatment
	Growth disorders	Small-for-gestational-age infant
		Low-for-gestational-age infant
		Gestational age
Labour and delivery	Date	
	Gestational age	
	Hospital/home birth	
	Primary/secondary/tertiary	Referral (indication)
	care	
	Mode of delivery	
	Assisted birth	
Neonatal outcomes	Multiple birth	
	Gender	
	Birth weight	
	Mortality	Antenatal
		Intrapartum
		Postpartum within 24 hours
		Postpartum ≥24 hours
	Admission	Indication
		Duration
		Neonatal intensive care unit
	Congenital anomalies	
	Child's growth	Weight
		Date measurement
Biological father	Ethnicity	Country of birth
Ü		Country of birth biological
		parents
		Ethnic origin
	Anthropometric data	Length
		Weight
	Father's birth weight	
	Father's gestation at delivery	

Table 3. Aspects covered by Pregnancy Questionnaires 2, and 3 and Postpartum Questionnaire 2.

Domain	regnancy Questionnaires 2, and 3 and Item	Sub-items
Pregnancy status (pregnancy	Pregnant	Gestational age
questionnaire 2 and 3)	Miscarriage	Gestational age
	Termination	Gestational age
		Indication
	Ectopic pregnancy	Gestational age
	Gave birth	Date
	Gave siren	Referral to postpartum
		questionnaire 1 and 2
Maternal health status	EuroQol-5D-3L	Mobility
		Self-care
		Usual activities
		Pain/discomfort
		Anxiety/depression
	Cognitive dimension	rumeey, depression
	Evaluation overall health status	Visual analogue scale
Patient satisfaction	Patient Satisfaction Questionnaire	18-items capturing the most
r delette satisfaction	Short Form (PSQ-18)	important characteristics of
	311011111111111111111111111111111111111	services and providers that
		might influence patient
		satisfaction with care
		(pregnancy questionnaire 2 and
		3).
	Pregnancy and Childbirth	Quality of care during
	Questionnaire (PCQ)	pregnancy and delivery as
		perceived by woman who
		recently gave birth (postpartum
		questionnaire 2).
	Primary/secondary care	Referral
		Information
		Collaboration
	Appointments (pregnancy	
	questionnaire 2 and 3)	
	Information (pregnancy	Health
	questionnaire 2 and 3)	Medical examination(s)
		Treatment(s)
	Intended place of birth	
	(postpartum questionnaire 2)	
	Overall grade care during	
	pregnancy (pregnancy	
	questionnaire 2 and 3)	
	Overall grade care during labour	
	and delivery (postpartum	
	questionnaire 2)	
Anxiety	State anxiety of the State-Trait	20-items
	Anxiety Inventory (pregnancy	
	questionnaire 2)	
	Concerns	
Costs of current pregnancy –	General practitioner	Consultation(s) (type and

care for pregnant woman	Emergency department	frequency)
and their newborn(s) from	Midwifery care] ' '
the beginning of pregnancy	Obstetrician	1
up to ±6 weeks after the due	Other medical specialist(s)	
date	Other caregivers (e.g. dietician, physiotherapist)	
	Home care (domestic help and nursing)	
	Well-baby clinic (postpartum questionnaire 2)	
	Fetal ultrasound(s)	Type and frequency
	Admission(s)	Indication
		Duration
		Department
	Maternity care (postpartum questionnaire 2)	Duration
	Medication	Name
		Dose
		Duration
		Frequency
	Over-the-counter medicines and	Name
	vitamins/supplements	Duration
		Frequency
		Cost
	Medical aid	Туре
		Cost

Table 4. Data extracted from medical records and letters of discharge.

Domain	Item	Sub-items
Obstetric history	Gravidity	
	Parity	
Caregiver	Primary/secondary/tertiary	
	care	
	Referral	Date
		Indication
Current pregnancy	Due date	
	Pregnancy outcome	Miscarriage
		Termination
		Ectopic pregnancy
		Gave birth
	Method of conception	
	Medical indication secondary	
	care/tertiary care	
	Admission	Date
		Indication
	Highest diastolic blood	
	pressure	
	Proteinuria	
	Complication (letter of	Hypertensive disorder
	discharge)	Gestational diabetes mellitus
Labour and delivery	Onset of labour	
	Mode of delivery	
	Assisted birth	
	Hospital/home delivery	
	Pain medication	
	Birth placenta	
	Amount of blood loss	
	Admission	Indication
		Duration
Neonatal outcomes	Gestational age	
	Gender	
	Birth weight	
	Apgar score 1, 5, and 10	
	minutes	
	pH umbilical cord	Arterial
		Venous
	Congenital anomalies	
	Paediatric consultation	
	Admission	Department
	Mortality	Date