

Table 3. Body areas with discomfort in each test condition

Participant	sitting								
	Neck	Shoulders	Arms	Upper back	Lower back	Buttocks	Upper legs	Lower legs	Feet
1	0	0	0	1	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	1	0	0	0	0	0	0	0	1
4	0	1	1	0	0	1	0	0	0
5	0	0	0	0	0	0	0	0	0
6	1	1	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0
9	1	0	0	0	0	0	0	0	0
10	1	0	0	0	0	0	0	0	0
11	1	0	0	0	0	0	0	0	0
12	0	0	0	0	1	0	0	0	0
13	1	0	0	0	0	0	0	0	0
14	1	0	0	0	0	0	0	0	0
15	1	0	0	0	0	0	0	0	0
16	1	1	0	0	0	0	0	0	0
17	1	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0
19	1	0	0	0	0	0	0	0	0
20	0	0	0	1	0	0	0	0	0
21	1	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0
23	1	0	0	0	0	0	0	0	0
24	0	0	0	1	0	0	0	0	0

