

Supplementary information S1 (table)			
Gene	Location	Reference	Notes
<i>mcr1</i>	Shanghai	1	First report of <i>mcr1</i>
<i>mcr1</i>	Pennsylvania	2	
<i>mcr1</i>	Estonia	3	
<i>mcr1</i>	Venezuela	4	
<i>mcr1</i>	Brazil	5	
<i>mcr1</i>	Ecuador	6	
<i>mcr1</i>	Singapore	7	
<i>mcr1</i>	Hong Kong	8	
<i>mcr1</i>	Italy	9	
<i>mcr1</i>	Algeria	10	
<i>mcr1</i>	Laos	10	
<i>mcr1</i>	France	10	
<i>mcr1</i>	Thailand	10	
<i>mcr1</i>	Nigeria	10	
<i>mcr1</i>	Japan	11	
<i>mcr1</i>	Vietnam	12	
<i>mcr1</i>	Cambodia	13	
<i>mcr1</i>	Malaysia	14	
<i>mcr1</i>	Denmark	15	
<i>mcr1</i>	United Kingdom	16	
<i>mcr1</i>	Netherlands	17	
<i>mcr1</i>	Portugal	14	
<i>mcr1</i>	Switzerland	18	
<i>mcr1</i>	Germany	19	
<i>mcr1</i>	Belgium	20	
<i>mcr1</i>	Tamil Nadu, India	21	
<i>mcr1</i>	New Jersey	22	
<i>mcr1</i>	Bethesda, Maryland	23	
<i>mcr1</i>	South Africa	24	
<i>qnr</i>	Alabama	25	First report of <i>qnr</i>
<i>qnr</i>	Calgary	26	
<i>qnr</i>	Hawaii	26	
<i>qnr</i>	Minnesota	26	
<i>qnr</i>	Colorado	26	
<i>qnr</i>	Louisiana	26	
<i>qnr</i>	Illinois	26	
<i>qnr</i>	Maine	26	

<i>qnr</i>	New York	26	
<i>qnr</i>	Georgia	26	
<i>qnr</i>	Liverpool	26	
<i>qnr</i>	Santander	26	
<i>qnr</i>	Paris	26	
<i>qnr</i>	Berlin	26	
<i>qnr</i>	Utrecht	26	
<i>qnr</i>	Istanbul	26	
<i>qnr</i>	Jerusalem	26	
<i>qnr</i>	Cairo	26	
<i>qnr</i>	Coimbatore	26	
<i>qnr</i>	Bangkok	26	
<i>qnr</i>	Anhui province	26	
<i>qnr</i>	Seoul	26	
<i>qnr</i>	Aichu Prefecture	26	
<i>qnr</i>	Shanghai	26	
<i>qnr</i>	Hong Kong	26	
<i>qnr</i>	Ho Chi Minh City	26	
<i>qnr</i>	Sydney	26	
<i>qnr</i>	Taiwan	27	
<i>qnr</i>	Croatia	28	
<i>qnr</i>	Kuwait	29	
<i>qnr</i>	Hamadan, Iran	30	
<i>qnr</i>	Casablanca, Morocco	31	
<i>qnr</i>	Karaj, Iran	32	
<i>qnr</i>	Czech Republic	33	
<i>qnr</i>	Uruguay	34	
<i>qnr</i>	Peru	35	

<i>qnr</i>	Brazil	35	
<i>ndm1</i>	New Delhi	36	First report of <i>ndm1</i>
<i>ndm1</i>	Casablanca, Morocco	31	
<i>ndm1</i>	St. Louis, MO	37	
<i>ndm1</i>	Pakistan	37	
<i>ndm1</i>	Henan Province, China	38	
<i>ndm1</i>	Algeria	39	
<i>ndm1</i>	Pune, India	40	
<i>ndm1</i>	Croatia	41	
<i>ndm1</i>	Los Angeles	42	
<i>ndm1</i>	Afghanistan	43	
<i>ndm1</i>	Washington DC	43	
<i>ndm1</i>	Maryland	43	
<i>ndm1</i>	Virginia	43	
<i>ndm1</i>	Hawaii	43	
<i>ndm1</i>	Iraq	43	
<i>ndm1</i>	North Carolina	43	
<i>ndm1</i>	South Africa	44	
<i>ndm1</i>	Singapore	45	
<i>ndm1</i>	Nepal	46	
<i>ndm1</i>	Taiwan	47	
<i>ndm1</i>	Nigeria	48	
<i>ndm1</i>	Egypt	49	
<i>ndm1</i>	Morocco	50	
<i>ndm1</i>	Kenya	51	
<i>ndm1</i>	Paris	52	
<i>ndm1</i>	Switzerland	53	
<i>ndm1</i>	Slovenia	53	
<i>ndm1</i>	Germany	53	
<i>ndm1</i>	St. Petersburg, Russia	54	
<i>ndm1</i>	Argentina	55	
<i>ndm1</i>	Brazil	56	
<i>ndm1</i>	Paraguay	57	
<i>ndm1</i>	Colombia	58	
<i>ndm1</i>	Mexico City	59	
<i>ndm1</i>	Alberta, Canada	60	
<i>ndm1</i>	Colorado	61	
<i>ndm1</i>	Melbourne Australia	62	
<i>kpc</i>	North Carolina	63	First report of
<i>kpc</i>	St. Louis, MO	37	

<i>kpc</i>	Pakistan	37	
<i>kpc</i>	Los Angeles	42	
<i>kpc</i>	Taiwan	47	
<i>kpc</i>	St. Petersburg, Russia	54	
<i>kpc</i>	Alberta, Canada	60	
<i>kpc</i>	Colorado	61	
<i>kpc</i>	Korea	64	
<i>kpc</i>	Portugal	65	
<i>kpc</i>	Venezuela	66	
<i>kpc</i>	Tunisia	67	
<i>kpc</i>	New York City	68	
<i>kpc</i>	Greece	69	
<i>kpc</i>	Italy	69	
<i>kpc</i>	Belgium	70	
<i>kpc</i>	Iran	71	
<i>kpc</i>	China	72	
<i>kpc</i>	Chicago	73	
<i>kpc</i>	Ethiopia	74	
<i>kpc</i>	Brazil	75	
<i>kpc</i>	Spain	76	
<i>kpc</i>	Puerto Rico	77	
<i>kpc</i>	Netherlands	78	
<i>kpc</i>	Houston, Texas	79	
<i>kpc</i>	Perth, Australia	80	
<i>kpc</i>	Cleveland, Ohio	81	

References

- 1 Liu, Y. Y. *et al.* Emergence of plasmid-mediated colistin resistance mechanism *MCR1* in animals and human beings in China: a microbiological and molecular biological study. *Lancet Infect Dis* **16**, 161-168, doi:10.1016/s1473-3099(15)00424-7 (2016).
- 2 Kline, K. E. *et al.* Investigation of First Identified *mcr1* Gene in an Isolate from a U.S. Patient - Pennsylvania, 2016. *MMWR Morb Mortal Wkly Rep* **65**, 977-978, doi:10.15585/mmwr.mm6536e2 (2016).
- 3 Brauer, A. *et al.* Plasmid with colistin resistance gene *mcr1* in ESBL-producing *Escherichia coli* strains isolated from pig slurry in Estonia. *Antimicrob Agents Chemother*, doi:10.1128/aac.00443-16 (2016).
- 4 Delgado-Blas, J. F., Ovejero, C. M., Abadia-Patino, L. & Gonzalez-Zorn, B. Coexistence of *mcr1* and *bla_{NDM1}* in *Escherichia coli* from Venezuela. *Antimicrob Agents Chemother* **60**, 6356-6358, doi:10.1128/aac.01319-16 (2016).
- 5 Fernandes, M. R. *et al.* First Report of the Globally Disseminated IncX4 Plasmid Carrying the *mcr1* Gene in a Colistin-Resistant *Escherichia coli* Sequence Type 101 Isolate from a Human Infection in Brazil. *Antimicrob Agents Chemother* **60**, 6415-6417, doi:10.1128/aac.01325-16 (2016).
- 6 Ortega-Paredes, D., Barba, P. & Zurita, J. Colistin-resistant *Escherichia coli* clinical isolate harbouring the *mcr1* gene in Ecuador. *Epidemiol Infect* **144**, 2967-2970, doi:10.1017/s0950268816001369 (2016).
- 7 Teo, J. Q. *et al.* *mcr1* in Multidrug-Resistant *bla_{KPC-2}*-Producing Clinical Enterobacteriaceae Isolates in Singapore. *Antimicrob Agents Chemother* **60**, 6435-6437, doi:10.1128/aac.00804-16 (2016).
- 8 Wong, S. C. *et al.* Colistin-Resistant Enterobacteriaceae Carrying the *mcr1* Gene among Patients in Hong Kong. *Emerg Infect Dis* **22**, 1667-1669, doi:10.3201/eid2209.160091 (2016).
- 9 Carnevali, C. *et al.* Occurrence of *MCR1* colistin-resistant *Salmonella* isolates recovered from human and animals in Italy, 2012-2015. *Antimicrob Agents Chemother*, doi:10.1128/aac.01803-16 (2016).
- 10 Olaitan, A. O., Chabou, S., Okdah, L., Morand, S. & Rolain, J. M. Dissemination of the *mcr1* colistin resistance gene. *Lancet Infect Dis* **16**, 147, doi:10.1016/s1473-3099(15)00540-x (2016).
- 11 Suzuki, S., Ohnishi, M., Kawanishi, M., Akiba, M. & Kuroda, M. Investigation of a plasmid genome database for colistin-resistance gene *mcr1*. *Lancet Infect Dis* **16**, 284-285, doi:10.1016/s1473-3099(16)00008-6 (2016).
- 12 Malhotra-Kumar, S. *et al.* Colistin-resistant *Escherichia coli* harbouring *mcr1* isolated from food animals in Hanoi, Vietnam. *Lancet Infect Dis* **16**, 286-287, doi:10.1016/s1473-3099(16)00014-1 (2016).
- 13 Stoesser, N., Mathers, A. J., Moore, C. E., Day, N. P. & Crook, D. W. Colistin resistance gene *mcr1* and pHNSHP45 plasmid in human isolates of *Escherichia coli* and *Klebsiella pneumoniae*. *Lancet Infect Dis* **16**, 285-286, doi:10.1016/s1473-3099(16)00010-4 (2016).
- 14 Hu, Y., Liu, F., Lin, I. Y., Gao, G. F. & Zhu, B. Dissemination of the *mcr1* colistin resistance gene. *Lancet Infect Dis* **16**, 146-147, doi:10.1016/s1473-3099(15)00533-2 (2016).
- 15 Hasman, H. *et al.* Detection of *mcr1* encoding plasmid-mediated colistin-resistant *Escherichia coli* isolates from human bloodstream infection and imported chicken meat, Denmark 2015. *Euro Surveill* **20**, doi:10.2807/1560-7917.es.2015.20.49.30085 (2015).

- 16 Webb, H. E. *et al.* Dissemination of the *mcr1* colistin resistance gene. *Lancet Infect Dis* **16**, 144-145, doi:10.1016/s1473-3099(15)00538-1 (2016).
- 17 Arcilla, M. S. *et al.* Dissemination of the *mcr1* colistin resistance gene. *Lancet Infect Dis* **16**, 147-149, doi:10.1016/s1473-3099(15)00541-1 (2016).
- 18 Haenni, M. *et al.* Co-occurrence of extended spectrum beta lactamase and *MCR1* encoding genes on plasmids. *Lancet Infect Dis* **16**, 281-282, doi:10.1016/s1473-3099(16)00007-4 (2016).
- 19 Falgenhauer, L. *et al.* Colistin resistance gene *mcr1* in extended-spectrum beta-lactamase-producing and carbapenemase-producing Gram-negative bacteria in Germany. *Lancet Infect Dis* **16**, 282-283, doi:10.1016/s1473-3099(16)00009-8 (2016).
- 20 Malhotra-Kumar, S. *et al.* Colistin resistance gene *mcr1* harboured on a multidrug resistant plasmid. *Lancet Infect Dis* **16**, 283-284, doi:10.1016/s1473-3099(16)00012-8 (2016).
- 21 Veeraraghavan, B. *et al.* Draft Genome Sequence of Colistin-Resistant *Acinetobacter baumannii* Strain VB22595 Isolated from a Central Line-Associated Bloodstream Infection. *Genome Announc* **4**, doi:10.1128/genomeA.00835-16 (2016).
- 22 Mediavilla, J. R. *et al.* Colistin- and Carbapenem-Resistant *Escherichia coli* Harboring *mcr1* and blaNDM-5, Causing a Complicated Urinary Tract Infection in a Patient from the United States. *MBio* **7**, doi:10.1128/mBio.01191-16 (2016).
- 23 McGann, P. *et al.* *Escherichia coli* Harboring *mcr1* and blaCTX-M on a Novel IncF Plasmid: First Report of *mcr1* in the United States. *Antimicrob Agents Chemother* **60**, 4420-4421, doi:10.1128/aac.01103-16 (2016).
- 24 Coetzee, J. *et al.* Emergence of plasmid-mediated colistin resistance (*MCR1*) among *Escherichia coli* isolated from South African patients. *S Afr Med J* **106**, 35-36, doi:10.7196/SAMJ.2016.v106i5.10710 (2016).
- 25 Martinez-Martinez, L., Pascual, A. & Jacoby, G. A. Quinolone resistance from a transferable plasmid. *Lancet* **351**, 797-799, doi:10.1016/s0140-6736(97)07322-4 (1998).
- 26 Robicsek, A., Jacoby, G. A. & Hooper, D. C. The worldwide emergence of plasmid-mediated quinolone resistance. *Lancet Infect Dis* **6**, 629-640, doi:10.1016/s1473-3099(06)70599-0 (2006).
- 27 Kao, C. Y. *et al.* Plasmid-mediated quinolone resistance determinants in quinolone-resistant *Escherichia coli* isolated from patients with bacteremia in a university hospital in Taiwan, 2001-2015. *Sci Rep* **6**, 32281, doi:10.1038/srep32281 (2016).
- 28 Bedenic, B. *et al.* Emergence of multidrug-resistant *Proteus mirabilis* in a long-term care facility in Croatia. *Wien Klin Wochenschr* **128**, 404-413, doi:10.1007/s00508-016-1005-x (2016).
- 29 Vali, L., Dashti, A. A., Jadaon, M. M. & El-Shazly, S. The emergence of plasmid mediated quinolone resistance *qnrA2* in extended spectrum beta-lactamase producing *Klebsiella pneumoniae* in the Middle East. *Daru* **23**, 34, doi:10.1186/s40199-015-0116-7 (2015).
- 30 Sedighi, I., Arabestani, M. R., Rahimbakhsh, A., Karimitabar, Z. & Alikhani, M. Y. Dissemination of Extended-Spectrum beta-Lactamases and Quinolone Resistance Genes Among Clinical Isolates of Uropathogenic *Escherichia coli* in Children. *Jundishapur J Microbiol* **8**, e19184, doi:10.5812/jjm.19184v2 (2015).
- 31 Barguigua, A. *et al.* Occurrence of OXA-48 and *ndm1* carbapenemase-producing *Klebsiella pneumoniae* in a Moroccan university hospital in Casablanca, Morocco. *Infect Genet Evol* **31**, 142-148, doi:10.1016/j.meegid.2015.01.010 (2015).

- 32 Seyedpour, S. M. & Eftekhari, F. Quinolone Susceptibility and Detection of qnr and aac(6')-Ib-cr Genes in Community Isolates of *Klebsiella pneumoniae*. *Jundishapur J Microbiol* **7**, e11136, doi:10.5812/jjm.11136 (2014).
- 33 Dolejska, M. *et al.* Dissemination of IncFII(K)-type plasmids in multiresistant CTX-M-15-producing Enterobacteriaceae isolates from children in hospital paediatric oncology wards. *Int J Antimicrob Agents* **40**, 510-515, doi:10.1016/j.ijantimicag.2012.07.016 (2012).
- 34 Bado, I. *et al.* Detection of class 1 and 2 integrons, extended-spectrum beta-lactamases and qnr alleles in enterobacterial isolates from the digestive tract of Intensive Care Unit inpatients. *Int J Antimicrob Agents* **36**, 453-458, doi:10.1016/j.ijantimicag.2010.06.042 (2010).
- 35 Bonelli, R. R., Moreira, B. M. & Picao, R. C. Antimicrobial resistance among Enterobacteriaceae in South America: history, current dissemination status and associated socioeconomic factors. *Drug Resist Updat* **17**, 24-36, doi:10.1016/j.drug.2014.02.001 (2014).
- 36 Castanheira, M. *et al.* Early dissemination of *ndm1*- and OXA-181-producing Enterobacteriaceae in Indian hospitals: report from the SENTRY Antimicrobial Surveillance Program, 2006-2007. *Antimicrob Agents Chemother* **55**, 1274-1278, doi:10.1128/aac.01497-10 (2011).
- 37 Pesesky, M. W. *et al.* *kpc* and *ndm1* genes in related Enterobacteriaceae strains and plasmids from Pakistan and the United States. *Emerg Infect Dis* **21**, 1034-1037, doi:10.3201/eid2106.141504 (2015).
- 38 Qin, S. *et al.* High incidence and endemic spread of *ndm1*-positive Enterobacteriaceae in Henan Province, China. *Antimicrob Agents Chemother* **58**, 4275-4282, doi:10.1128/aac.02813-13 (2014).
- 39 Ramoul, A. *et al.* Co-occurrence of *bla**ndm1* with *bla*OXA-23 or *bla*OXA-58 in clinical multidrug-resistant *Acinetobacter baumannii* isolates in Algeria. *J Glob Antimicrob Resist* **6**, 136-141, doi:10.1016/j.jgar.2016.05.003 (2016).
- 40 Ranjan, A. *et al.* Molecular epidemiology and genome dynamics of New Delhi metallo-beta-lactamase (NDM) producing extraintestinal pathogenic *E. coli* (ExPEC) strains from India. *Antimicrob Agents Chemother*, doi:10.1128/aac.01345-16 (2016).
- 41 Bedenic, B. *et al.* Molecular characterization of class b carbapenemases in advanced stage of dissemination and emergence of class d carbapenemases in Enterobacteriaceae from Croatia. *Infect Genet Evol* **43**, 74-82, doi:10.1016/j.meegid.2016.05.011 (2016).
- 42 Pannaraj, P. S., Bard, J. D., Cerini, C. & Weissman, S. J. Pediatric carbapenem-resistant Enterobacteriaceae in Los Angeles, California, a high-prevalence region in the United States. *Pediatr Infect Dis J* **34**, 11-16, doi:10.1097/inf.0000000000000471 (2015).
- 43 McGann, P. *et al.* Complete sequence of a novel 178-kilobase plasmid carrying *bla*(*ndm1*) in a *Providencia stuartii* strain isolated in Afghanistan. *Antimicrob Agents Chemother* **56**, 1673-1679, doi:10.1128/aac.05604-11 (2012).
- 44 Lowman, W. *et al.* *ndm1* has arrived: first report of a carbapenem resistance mechanism in South Africa. *S Afr Med J* **101**, 873-875 (2011).
- 45 Chen, Y. T., Lin, A. C., Siu, L. K. & Koh, T. H. Sequence of closely related plasmids encoding *bla*(*ndm1*) in two unrelated *Klebsiella pneumoniae* isolates in Singapore. *PLoS ONE* **7**, e48737, doi:10.1371/journal.pone.0048737 (2012).
- 46 Tada, T. *et al.* Dissemination of multidrug-resistant *Klebsiella pneumoniae* clinical isolates with various combinations of carbapenemases (*ndm1* and OXA-72) and 16S rRNA methylases (ArmA, RmtC and RmtF) in Nepal. *Int J Antimicrob Agents* **42**, 372-374, doi:10.1016/j.ijantimicag.2013.06.014 (2013).

- 47 Chiu, S. K. *et al.* National surveillance study on carbapenem non-susceptible *Klebsiella pneumoniae* in Taiwan: the emergence and rapid dissemination of *kpc-2* carbapenemase. *PLoS ONE* **8**, e69428, doi:10.1371/journal.pone.0069428 (2013).
- 48 Walkty, A. *et al.* Isolation of multiple carbapenemase-producing Gram-negative bacilli from a patient recently hospitalized in Nigeria. *Diagn Microbiol Infect Dis* **81**, 296-298, doi:10.1016/j.diagmicrobio.2015.01.005 (2015).
- 49 El-Sayed-Ahmed, M. A. *et al.* High prevalence of *bla(ndm1)* carbapenemase-encoding gene and 16S rRNA *armA* methyltransferase gene among *Acinetobacter baumannii* clinical Isolates in Egypt. *Antimicrob Agents Chemother* **59**, 3602-3605, doi:10.1128/aac.04412-14 (2015).
- 50 Barguigua, A. *et al.* First report of a *Klebsiella pneumoniae* strain coproducing *ndm1*, VIM-1 and OXA-48 carbapenemases isolated in Morocco. *Apmis* **121**, 675-677, doi:10.1111/apm.12034 (2013).
- 51 Revathi, G., Siu, L. K., Lu, P. L. & Huang, L. Y. First report of *ndm1*-producing *Acinetobacter baumannii* in East Africa. *Int J Infect Dis* **17**, e1255-1258, doi:10.1016/j.ijid.2013.07.016 (2013).
- 52 Bonnin, R. A., Cuzon, G., Poirel, L. & Nordmann, P. Multidrug-resistant *Acinetobacter baumannii* clone, France. *Emerg Infect Dis* **19**, 822-823, doi:10.3201/eid1905.121618 (2013).
- 53 Bonnin, R. A. *et al.* Dissemination of New Delhi metallo-beta-lactamase-1-producing *Acinetobacter baumannii* in Europe. *Clin Microbiol Infect* **18**, E362-365, doi:10.1111/j.1469-0691.2012.03928.x (2012).
- 54 Ageevets, V. A. *et al.* Emergence of carbapenemase-producing Gram-negative bacteria in Saint Petersburg, Russia. *Int J Antimicrob Agents* **44**, 152-155, doi:10.1016/j.ijantimicag.2014.05.004 (2014).
- 55 Brovedan, M. *et al.* Complete Sequence of a *bla(ndm1)*-Harboring Plasmid in an *Acinetobacter bereziniae* Clinical Strain Isolated in Argentina. *Antimicrob Agents Chemother* **59**, 6667-6669, doi:10.1128/aac.00367-15 (2015).
- 56 Andrade, L. N. & Darini, A. L. Response to detection of New Delhi metallo-beta-lactamase-producing bacteria, Brazil. *Emerg Infect Dis* **21**, 1069-1071, doi:10.3201/eid2106.140113 (2015).
- 57 Pasteran, F. *et al.* Emergence of genetically unrelated *ndm1*-producing *Acinetobacter pittii* strains in Paraguay. *J Antimicrob Chemother* **69**, 2575-2578, doi:10.1093/jac/dku139 (2014).
- 58 Escobar Perez, J. A. *et al.* Outbreak of *ndm1*-producing *Klebsiella pneumoniae* in a neonatal unit in Colombia. *Antimicrob Agents Chemother* **57**, 1957-1960, doi:10.1128/aac.01447-12 (2013).
- 59 Torres-Gonzalez, P. *et al.* Outbreak caused by Enterobacteriaceae harboring *ndm1* metallo-beta-lactamase carried in an IncFII plasmid in a tertiary care hospital in Mexico City. *Antimicrob Agents Chemother* **59**, 7080-7083, doi:10.1128/aac.00055-15 (2015).
- 60 Peirano, G., Ahmed-Bentley, J., Fuller, J., Rubin, J. E. & Pitout, J. D. Travel-related carbapenemase-producing Gram-negative bacteria in Alberta, Canada: the first 3 years. *J Clin Microbiol* **52**, 1575-1581, doi:10.1128/jcm.00162-14 (2014).
- 61 Epon, E. E. *et al.* Carbapenem-resistant *Klebsiella pneumoniae* producing New Delhi metallo-beta-lactamase at an acute care hospital, Colorado, 2012. *Infect Control Hosp Epidemiol* **35**, 390-397, doi:10.1086/675607 (2014).
- 62 Shoma, S., Kamruzzaman, M., Ginn, A. N., Iredell, J. R. & Partridge, S. R. Characterization of multidrug-resistant *Klebsiella pneumoniae* from Australia carrying *blandm1*. *Diagn Microbiol Infect Dis* **78**, 93-97, doi:10.1016/j.diagmicrobio.2013.08.001 (2014).

- 63 Yigit, H. *et al.* Novel carbapenem-hydrolyzing beta-lactamase, *kpc-1*, from a carbapenem-resistant strain of *Klebsiella pneumoniae*. *Antimicrob Agents Chemother* **45**, 1151-1161, doi:10.1128/aac.45.4.1151-1161.2001 (2001).
- 64 Jeong, S. H. *et al.* Prevalence and Molecular Characteristics of Carbapenemase-Producing Enterobacteriaceae From Five Hospitals in Korea. *Ann Lab Med* **36**, 529-535, doi:10.3343/alm.2016.36.6.529 (2016).
- 65 Vubil, D. *et al.* Outbreak of *kpc-3*-producing ST15 and ST348 *Klebsiella pneumoniae* in a Portuguese hospital. *Epidemiol Infect*, 1-5, doi:10.1017/s0950268816002442 (2016).
- 66 Falco, A., Ramos, Y., Franco, E., Guzman, A. & Takiff, H. A cluster of *kpc-2* and VIM-2-producing *Klebsiella pneumoniae* ST833 isolates from the pediatric service of a Venezuelan Hospital. *BMC Infect Dis* **16**, 595, doi:10.1186/s12879-016-1927-y (2016).
- 67 Ben Tanfous, F. *et al.* First Description of *kpc-2*-Producing *Escherichia coli* and ST15 OXA-48-Positive *Klebsiella pneumoniae* in Tunisia. *Microb Drug Resist*, doi:10.1089/mdr.2016.0090 (2016).
- 68 Abdallah, M. *et al.* Rise and fall of *kpc*-producing *Klebsiella pneumoniae* in New York City. *J Antimicrob Chemother* **71**, 2945-2948, doi:10.1093/jac/dkw242 (2016).
- 69 Papagiannitsis, C. C. *et al.* Characterization of *kpc*-encoding plasmids from two endemic settings, Greece and Italy. *J Antimicrob Chemother* **71**, 2824-2830, doi:10.1093/jac/dkw227 (2016).
- 70 De Laveleye, M. *et al.* Increasing incidence of carbapenemase-producing *Escherichia coli* and *Klebsiella pneumoniae* in Belgian hospitals. *Eur J Clin Microbiol Infect Dis*, doi:10.1007/s10096-016-2782-x (2016).
- 71 Sadeghi, M., Ghotaslou, R., Akhi, M. T., Hasani, A. & Asgharzadeh, M. Molecular Characterization of Extended-Spectrum-beta-Lactamase, Plasmid-Mediated AmpC cephalosporinase, and Carbapenemase Genes among Enterobacteriaceae Isolates in Five Medical Centers of East and West Azerbaijan, Iran. *J Med Microbiol*, doi:10.1099/jmm.0.000356 (2016).
- 72 Lin, X. *et al.* Emergence of *Serratia marcescens* isolates possessing carbapenem-hydrolysing beta-lactamase *kpc-2* from China. *J Hosp Infect* **94**, 65-67, doi:10.1016/j.jhin.2016.04.006 (2016).
- 73 Haverkate, M. R. *et al.* Duration of Colonization With *Klebsiella pneumoniae* Carbapenemase-Producing Bacteria at Long-Term Acute Care Hospitals in Chicago, Illinois. *Open Forum Infect Dis* **3**, ofw178, doi:10.1093/ofid/ofw178 (2016).
- 74 Desta, K. *et al.* High Gastrointestinal Colonization Rate with Extended-Spectrum beta-Lactamase-Producing Enterobacteriaceae in Hospitalized Patients: Emergence of Carbapenemase-Producing *K. pneumoniae* in Ethiopia. *PLoS ONE* **11**, e0161685, doi:10.1371/journal.pone.0161685 (2016).
- 75 Rossi Goncalves, I. *et al.* Outbreaks of colistin-resistant and colistin-susceptible *kpc*-producing *Klebsiella pneumoniae* in a Brazilian intensive care unit. *J Hosp Infect*, doi:10.1016/j.jhin.2016.08.019 (2016).
- 76 Oteo, J. *et al.* The spread of *kpc*-producing Enterobacteriaceae in Spain: WGS analysis of the emerging high-risk clones of *Klebsiella pneumoniae* ST11/*kpc-2*, ST101/*kpc-2* and ST512/*kpc-3*. *J Antimicrob Chemother*, doi:10.1093/jac/dkw321 (2016).
- 77 Martinez, T., Martinez, I., Vazquez, G. J., Aquino, E. E. & Robledo, I. E. Genetic environment of the *kpc* gene in *Acinetobacter baumannii* ST2 clone from Puerto Rico and genomic insights into its drug resistance. *J Med Microbiol* **65**, 784-792, doi:10.1099/jmm.0.000289 (2016).

- 78 Vlek, A. L. *et al.* Detection and epidemiology of carbapenemase producing Enterobacteriaceae in the Netherlands in 2013-2014. *Eur J Clin Microbiol Infect Dis* **35**, 1089-1096, doi:10.1007/s10096-016-2636-6 (2016).
- 79 Castanheira, M. *et al.* Rapid expansion of *kpc-2*-producing *Klebsiella pneumoniae* isolates in two Texas hospitals due to clonal spread of ST258 and ST307 lineages. *Microb Drug Resist* **19**, 295-297, doi:10.1089/mdr.2012.0238 (2013).
- 80 Partridge, S. R. *et al.* Emergence of *bla_{kpc}* carbapenemase genes in Australia. *Int J Antimicrob Agents* **45**, 130-136, doi:10.1016/j.ijantimicag.2014.10.006 (2015).
- 81 Endimiani, A. *et al.* Presence of plasmid-mediated quinolone resistance in *Klebsiella pneumoniae* isolates possessing *bla_{kpc}* in the United States. *Antimicrob Agents Chemother* **52**, 2680-2682, doi:10.1128/aac.00158-08 (2008).