

279 **Supplemental Table 1.** Incidence of non-hematologic toxicities (highest grade  
 280 per patient), N=40

281

Toxicity	Grade		
	1-2	3	4
Diarrhea	21 (53%)	1 (3%)	0
Fatigue	14 (35%)	2 (5%)	0
Nausea	5 (13%)	0	0
Rash/Acne	28 (70%)	2 (5%)	0
Hypomagnesemia	6 (15%)	0	0
Keratitis	0	1 (3%)	0

282

283

284 **FIGURE LEGENDS**

285

286 **Supplemental Figure 1.** Kaplan-Meier curves for overall survival (A) and  
287 progression-free survival (B). The dashed lines depict the 95% confidence  
288 interval.

289

1 **Supplemental Table 1.** Incidence of non-hematologic toxicities (highest grade  
 2 per patient), N=40


3

Toxicity	Grade		
	1-2	3	4
Diarrhea	21 (53%)	1 (3%)	0
Fatigue	14 (35%)	2 (5%)	0
Nausea	5 (13%)	0	0
Rash/Acne	28 (70%)	2 (5%)	0
Hypomagnesemia	6 (15%)	0	0
Keratitis	0	1 (3%)	0

4

5

# Overall Survival



# Progression Free Survival

