

Supplemental Table 1: Unadjusted Receipt of Aggressive End of Life Care in Last Month of Life (n=4,521)

	Total		Survival Time (Time from Diagnosis Until Death)						P-Value
	N	%	≤6 months		6-12 months		>12 months		
			N	%	N	%	N	%	
	4,521	100	1,752	38.8	729	16.1	2,040	45.1	
Median Survival (months)	9.8		2.5		8.6		27.2		
Hospital									
Any Hospitalization measure	1,306	28.9	620	35.4	174	23.9	512	25.1	<0.0001
ED Visit	641	14.2	260	14.8	87	11.9	294	14.4	0.15
Hospitalization	762	16.9	372	21.2	97	13.3	372	21.2	<0.0001
Hospital LOS >14 days	556	12.3	304	17.4	73	10.0	179	8.8	<0.0001
Mean LOS (days)	10.0		10.9		9.2		9.1		<0.0001
Intensive Care Unit									
ICU admission	742	16.4	330	18.8	104	14.3	308	15.1	0.002
Mean ICU LOS (days)	4.5		5.0		4.3		4.2		0.09
Hospice									
Hospice initiated within 3 days of death	378	8.4	146	8.3	57	7.8	175	8.6	0.82
Hospice LOS (days)	10.9		10.9		11.0		10.8		0.97
Other Measures									
IV Chemotherapy within last 14 days of life	391	8.7	131	7.5	65	8.9	195	9.6	0.07
≥10 Physician encounters in the last 6 months of life	2,052	45.4	892	50.9	335	46.0	825	40.4	<0.0001
Any Life Sustaining Measure									
Feeding Tube	61	1.4	31	1.8	- ^a	- ^a	25	1.2	0.08
Ventilation	267	5.9	126	7.2	42	5.8	99	4.9	0.01
Resuscitation	62	1.4	28	1.6	14	1.9	20	1.0	0.10
Any Aggressive EOL Care	2,748	60.8	1,177	67.2	415	56.9	1,156	56.7	<0.0001

^an<11