Supplemental Table 1: Results of Validity Tests for Discharge Destination (nursing home) as a Surrogate of (unfavorable) Outcome Defined by the MRS at 3 and 12 Months Under Various Assumptions by Age Group Strata ≥65

Discharge Destinations	Positive Predictive Value (%)			Negative Predictive Value (%)			Positive Likelihood Ratio (95% CI)			Negative Likelihood Ratio (95% CI)		
	MRS 2-6	MRS 3–6	MRS 4–6	MRS 2-6	MRS 3-6	MRS 4–6	MRS 2-6	MRS 3-6	MRS 4–6	MRS 2-6	MRS 3-6	MRS 4-6
Outcome Defined by	the MRS	at 3mo	Under Va	arious As	sumption	ns						
Home	25	15	12	14	22	40	0.2 (0.1-0.3)	0.1 (0.1-0.2)	0.1 (0.1-0.3)	3.8 (2.7-5.3)	3.1 (2.4-4.0)	2.1 (1.7-2.5)
Relative's/friend's home	44	39	22	36	45	57	0.5 (0.1–1.2)	0.5 (0.2–1.3)	0.4 (0.1–1.2)	1.05 (0.9–1.11)	1.0 (0.9–1.0)	1.1 (1.0–1.1)
Rehabilitation facility	89	78	55	54	62	68	4.5 (2.8–7.4)	3.0 (2.1–4.3)	1.7 (1.3–2.2)	0.5 (0.4–0.6)	0.5 (0.4–0.6)	0.6 (0.5–0.8)
Nursing home	96	94	86	43	53	67	14 (3.5-58)	14 (4.3-43)	8.8 (4.1-19)	0.77 (0.7-0.8)	0.7 (0.6-0.8)	0.7 (0.6-0.7)
Any nursing home discharge	90	82	64	72	82	87	5.7 (3.6–8.9)	4.00 (2.9–5.4)	2.5 (2.0–3.0)	0.2 (0.2–0.3)	0.1 (0.1–0.3)	0.2 (0.1–0.3)
Outcome Defined by	the MRS	at 12mo	Under \	√arious A	ssumptio	ons						
Home	29	19	17	17	26	24	0.2 (0.1-0.3)	0.20 (0.1-0.3)	0.3 (0.2-0.4)	2.9 (2.2-4.0)	2.5 (2.0-3.2)	1.8 (1.5-2.2)
Relative's/friend's home	53	41	35	37	46	58	0.6 (0.2–1.6)	0.61 (0.2–1.5)	0.77 (0.2–2.0)	1.0 (0.9–1.1)	1.0 (0.9–1.0)	1.0 (0.9–1.0)
Rehabilitation facility	83	72	49	51	60	64	2.8 (1.8–4.1)	2.27 (1.6–3.1)	1.37 (1.0–1.8)	0.5 (0.4–0.6)	0.6 (0.5–0.7)	0.8 (0.6–0.9)
Nursing home	96	92	82	43	54	66	14 (3.4-56)	9.82 (3.6-27)	6.2 (3.2-12)	0.7 (0.7-0.84)	0.7 (0.6-0.8)	0.7 (0.6-0.8)
Any nursing home discharge	86	78	58	68	78	81	3.7 (2.5–5.3)	3.0 (2.3–4.0)	1.9 (1.6–2.4)	0.3 (0.2–0.4)	0.2 (0.2–0.3)	0.3 (0.2–0.4)

Supplemental Table 2: Results of Validity Tests for Discharge Destination (nursing home) as a Surrogate of (unfavorable) Outcome Defined by the MRS at 3 and 12 Months Under Various Assumptions by Age Group Strata <65

Discharge Destinations	Positive Predictive Value (%)			Negative Predictive Value (%)			Positive Likelihood Ratio (95% CI)			Negative Likelihood Ratio (95% CI)		
	MRS 2-6	MRS 3-6	MRS 4-6	MRS 2-6	MRS 3-6	MRS 4-6	MRS 2-6	MRS 3-6	MRS 4-6	MRS 2-6	MRS 3-6	MRS 4-6
Outcome Defined by	the MR	S at 3mo	o Under	Various	Assump	tions						
Home	30	22	19	11	28	60	0.3 (0.2-0.5)	0.3 (0.18-0.42)	0.3 (0.1-0.5)	6.3 (3.5-11)	3.8 (2.6-5.5)	2.5 (1.9-3.2)
Relative's/friend's home	67	67	0	45	69	79	1.6 (0.1–1)	3.0 (0.3–33)	0.0 (0.03–9.9)	0.9 (0.9–1.0)	0.9 (0.9–1.0)	1.0 (0.9–1.1)
Rehabilitation facility	89	71	37	64	78	88	6.7 (3.4–13)	3.6 (2.4–5.5)	2.2 (1.61–3.09)	0.4 (0.3–0.5)	0.4 (0.3–0.5)	0.5 (0.3–0.7)
Nursing home	90	80	70	46	62	81	7.2 (0.9-56)	6.1 (1.3-28)	8.7 (2.3-3)	0.9 (0.8-0.9)	0.9 (0.8-0.9)	0.8 (0.7-0.9)
Any nursing home discharge	89	72	41	69	83	93	6.8 (3.61–13)	3.8 (2.6–5.6)	2.6 (2.0–3.4)	0.4 (0.3–0.5)	0.31 (0.21–0.45)	0.3 (0.1–0.5)
Outcome Defined by	the MR	S at 12m	no Unde	r Various	s Assum	ptions						
Home	30	19	10	20	40	69	0.4 (0.3-0.5)	0.4 (0.2-0.6)	0.5 (0.3-0.8)	3.7 (2.4-5.8)	2.5 (1.8-3.5)	1.8 (1.4-2.5)
Relative's/friend's home	50	50	0	48	63	81	0.9 (0.1–15)	1.7 (0.1–27)	0.00 (0.04–1)	1.00 (0.97–1.03)	0.9 (0.9–1.0)	1.0 (0.9–1.0)
Rehabilitation facility	81	59	27	66	76	86	3.9 (2.3–6.5)	2.4 (1.7–3.5)	1.6 (1.1–2.3)	0.49 (0.38–0.62)	0.5 (0.4–0.7)	0.7 (0.5–1.0)
Nursing home	80	70	60	50	65	83	3.7 (0.8-17)	3.9 (1.1-15)	6.4 (1.9-22)	0.94 (0.88-1.00)	0.9 (0.8-1.0)	0.8 (0.7-0.9)
Any nursing home discharge	81	60	31	70	80	90	3.9 (2.4–6.2)	2.5 (1.8–3.6)	1.9 (1.4–2.6)	0.4 (0.3–0.5)	0.4 (0.3–0.6)	0.5 (0.3–0.7)