

Table E1. Baseline Characteristics of Recalled Patients and Patients Recommended for Short-Interval Follow-up Excluding Second DBT Examination

Characteristic	Cohort 1: DM (n = 10 728)	Cohort 2: DBT (n = 13 878)	P Value
No. of women	1112 (10.4)	1266 (9.1)	.001
Age (y)	54.2 ± 10.4	53.6 (10.6)	.127
Age categories (y)			
<40	30 (2.7)	36 (2.8)	.306
40–49	415 (37.3)	508 (40.1)	...
50–59	350 (31.5)	401 (31.7)	...
60–69	224 (20.1)	213 (16.8)	...
≥70	93 (8.4)	108 (8.5)	...
Body mass index*	29.5 ± 7.4	29.6 ± 7.2	.804
Race			
White	429 (38.6)	471 (37.2)	.209
Black	589 (53.0)	673 (53.2)	...
Hispanic	11 (1.0)	22 (1.7)	...
Asian	37 (3.3)	32 (2.5)	...
Other/Unknown	46 (4.1)	68 (5.4)	...
Breast density			
BI-RADS category 1 (0%–25%)	69 (6.2)	91 (7.2)	.573
BI-RADS category 2 (26%–50%)	598 (53.8)	672 (53.1)	...
BI-RADS category 3 (51%–75%)	429 (38.6)	478 (37.8)	...
BI-RADS category 4 (76%– 100%)	16 (1.4)	25 (2.0)	...
Prior study			
No	247 (22.2)	298 (23.5)	.443
Yes	865 (77.8)	968 (76.5)	...

Note.—Unless otherwise indicated, data are the number of patients and data in parentheses are percentages.

* Data are means ± standard deviation.