

Cutaneous melanoma primary site is linked to nevus density

SUPPLEMENTARY MATERIALS

Supplementary Table 1: Distribution of non-synonymous MC1R variants in melanoma patients (No.=829)

MC1R variant	Number of patients (%)	MAF (%)
C35Y	1 (0.1)	0.1
L46F	1 (0.1)	0.1
L48P	1 (0.1)	0.1
V59M	1 (0.1)	0.1
V60L	285 (34.4)	18.9
A64T	1 (0.1)	0.1
R67W	1 (0.1)	0.1
R67Q	1 (0.1)	0.1
S83P	4 (1.0)	0.4
D84E	8 (1.0)	0.5
V92M	92 (11.1)	5.7
T95M	2 (0.2)	0.1
M128T	1 (0.1)	0.1
R142H	23 (2.8)	1.4
R142S	1 (0.1)	0.1
S145F	1 (0.1)	0.1
A149T	2 (0.2)	0.1
R151C	74 (9.4)	5.0
Y152X	1 (0.5)	0.3
I155T	29 (3.5)	1.9
V156L	1 (0.1)	0.1
R160W	65 (7.8)	4.0
R163Q	32 (3.8)	2.0
S172I	1 (0.1)	0.1
R213W	2 (0.2)	0.1
L264I	1 (0.1)	0.1
D294H	67 (8.1)	4.4
C1969DelC	2 (0.2)	0.1