

1 **A gene expression study of ornamental fin shape in**
2 ***Neolamprologus brichardi*, an African cichlid species**

3

4

5 Ehsan Pashay Ahi¹,
6 Email: ehsan.pashay-ahi@uni-graz.at

7

8 Florian Richter¹
9 Email : florianrichter1@outlook.com

10

11 Kristina M. Sefc¹,
12 Email: kristina.sefc@uni-graz.at

13

14


15 1. Institute of Zoology, University of Graz, Universitätsplatz 2, A-8010 Graz, Austria

16

17 Corresponding Author: Ehsan Pashay Ahi,
18 Email: ehsan.pashay-ahi@uni-graz.at

19

20



21

22

23 **Supplementary Figure 1. The unpaired fins of *Neolamprologus brichardi*.** (A) An adult
 24 *N. brichardi*, prior to fin amputation (B) Alizarin red stained fin rays, red and blue arrows
 25 specify rays included in the tissue samples of the elongated and short fin regions,
 26 respectively, of the anal, dorsal and caudal fin. Green arrows specify the fin rays situated in
 27 the white-coloured, leucophore- or/and iridophore-rich margins of the fins, which were
 28 removed from the tissue samples prior to RNA extraction in order to avoid confusion with
 29 colour-specific expression patterns.

30


31

32

33

34

35



36

37

38 **Supplementary figure 2. Significant expression correlations between the 13 focus target**
 39 **genes.** Numbers indicate Pearson correlation coefficients ($P < 0.01$ in 2-tailed tests). Blue
 40 shading represents positive and red shading represents negative expression correlation.