

Supplementary Table 2

Supplementary Table 2. A list of the 29 isolates found associated with an erroneous or modified identity in this study and their identities as used in this study.

Local CBS	ATCC	IMI	Isolate numbers			(Sub)clade	Identity in this study	Original identity
			Gallegly	WPC	Other			
33F4			p226		MNT63 (Blanchette)	1a	<i>P. aff. hedraiaandra</i>	<i>P. hedraiaandra</i> (Gallegly & Hong 2008, Schwingle <i>et al.</i> 2006)
29B3			p185		333 (Hansen)	1a	<i>P. aff. pseudotsugae</i>	<i>P. pseudotsugae</i> (Gallegly & Hong 2008, Hamm & Hansen 1983)
26H4			p32		678 (Tsao)	2a	<i>P. aff. citrophthora</i>	<i>P. citrophthora</i> (Gallegly & Hong 2008)
61G4	128754	342898		P10341		2a	<i>P. aff. colocasiae-1</i>	(Martin <i>et al.</i> 2014)
46C3	66767		p385	P6713	NP86	2a	<i>P. aff. himalsilva</i>	<i>P. himalsilva</i> (Vettraino <i>et al.</i> 2011)
					Moy 1413	2a	<i>P. sp. 46C3</i>	<i>P. botryosa</i>
					Rajalakshmy #46	2a	<i>P. sp. P6262</i>	<i>P. sp. aff. colocasiae-2</i> (Martin <i>et al.</i> 2014)
					#066	2a	<i>P. sp. P6310</i>	<i>P. citrophthora</i> (Martin <i>et al.</i> 2014)
22F5	15427, MYA-4035		p9		N14	2b	<i>P. aff. capsici</i>	<i>P. capsici</i> (Gallegly & Hong 2008)
22F3			p33		S813	2c	<i>P. sp. 22F3</i>	<i>P. pini</i> (Hong <i>et al.</i> 2011), <i>P. citricola</i> Cil I (Gallegly & Hong 2008)
					PH-15-21-93	6a	<i>P. inundata</i>	<i>P. sp. drechsleri-like</i> (Blair <i>et al.</i> 2008)
22J5	16698		p16		N65	6b	<i>P. sp. gregata-like</i>	<i>P. erythroseptica</i> (Gallegly & Hong 2008)
23A1			p81		Hansen 61	6b	<i>P. sp. megasperma-like</i>	<i>P. megasperma</i> Meg I (Gallegly & Hong 2008)
23A3	MYA-3660		p79		Hansen 50	6b	<i>P. sp. megasperma-like</i>	<i>P. megasperma</i> Meg I (Gallegly & Hong 2008)
33F7			p229		Balci BM4/6	7a	<i>P. sp. europaea SW</i>	<i>P. europaea</i> (Gallegly & Hong 2008)
01D5			p312			7b	<i>P. niederhauserii</i>	<i>P. drechsleri</i> (Gallegly & Hong 2008)
23J6	MYA-4163		p57		Ribeiro Israel 2	7b	<i>P. niederhauserii</i>	<i>P. drechsleri</i> (Gallegly & Hong 2008)
22G2	308.62	15402, MYA-4161	p12	325907	N57	8a	<i>P. aff. cryptogea</i>	<i>P. cryptogea</i> (Gallegly & Hong 2008)
22J4	MYA-4041		p50		S720	8a	<i>P. aff. erythroseptica</i>	<i>P. erythroseptica</i> (Gallegly & Hong 2008)
33A1			p207		Lambert 2004S-1	8a	<i>P. aff. erythroseptica</i>	<i>P. erythroseptica</i> (Gallegly & Hong 2008)
32E6				P10728	Breton 143-1	8b	<i>P. dauci</i>	<i>P. sp. aff. brassicae-1</i> (Martin <i>et al.</i> 2014)
32E7			p194		Breton 148-1	8b	<i>P. dauci</i>	<i>P. porri</i> (Gallegly & Hong 2008)
61E3	133815				SCRACE5388	8b	<i>P. aff. cichorii</i>	<i>P. cichorii</i> (Bertier <i>et al.</i> 2013)
29E7					Man in't Veld PD92/214	8b	<i>P. sp. 29E7</i>	<i>P. porri</i> (Gallegly & Hong 2008)
					Banihashemi PH-15-19-92, PH-21-4-08, SUC19	9a	<i>P. aff. parsiana G1</i>	<i>P. parsiana</i> (Mostowfizadeh-Ghalamfarsa <i>et al.</i> 2008), <i>P. sp. zentmyei</i> (WPS)
47C5				P8618	SURf6, Banihashemi PH-21-6-08	9a	<i>P. aff. parsiana G2</i>	<i>P. parsiana</i> (Mostowfizadeh-Ghalamfarsa <i>et al.</i> 2008)
47C6				395328	SURf17, Banihashemi PH-21-7-08	9a	<i>P. aff. parsiana G2</i>	<i>P. parsiana</i> (Mostowfizadeh-Ghalamfarsa <i>et al.</i> 2008)
				395330				
				395331				

Supplementary Table 2. (Continued).

Local	CBS	ATCC	IMI	Isolate numbers			(Sub)clade	Identity in this study	Original identity
				Gallegly	WPC	Other			
22G7		MYA-3893			S833	10	<i>P. gondwanensis</i>	<i>P. boehmeriae</i> (Gallegly & Hong 2008)	
45F8	357,52	60173	32199	p350	P1378	10	<i>P. sp. boehmeriae</i> -like	<i>P. boehmeriae</i> (Gallegly & Hong 2008)	

References:

- Bertier L, Brouwer H, De Cock A, Cooke DEL, Olsson CHB, et al. (2013) The expansion of *Phytophthora* clade 8b: three new species associated with winter grown vegetable crops. *Persoonia* **31**: 63–76.
- Blair JE, Coffey MD, Park S-Y, Geiser DM, Kang S (2008) A multi-locus phylogeny for *Phytophthora* utilizing markers derived from complete genome sequences. *Fungal Genetics and Biology* **45**: 266–277.
- Gallegly ME, Hong C (2008) *Phytophthora*: identifying species by morphology and DNA fingerprints. St Paul, MN: American Phytopathological Society Press.
- Hamm P, Hansen EM (1983) *Phytophthora pseudotsugae*, a new species causing root rot of Douglas-fir. *Canadian Journal of Botany* **61**: 2626–2631.
- Hong C, Gallegly ME, Richardson PA, Kong P (2011) *Phytophthora pini* Leonian resurrected to distinct species status. *Mycologia* **103**: 351–360.
- Martin FN, Blair JE, Coffey MD (2014) A combined mitochondrial and nuclear multilocus phylogeny of the genus *Phytophthora*. *Fungal Genetics and Biology* **66**: 19–32.
- Mostowfizadeh-Ghalamfarsa R, Cooke DEL, Banhashemi Z (2008) *Phytophthora parsiana* sp. nov., a new high-temperature tolerant species. *Mycological Research* **112**: 783–794.
- Schwingle BW, Smith JA, Blanchette RA, Gould S, Blanchette BL, et al. (2006) First report of dieback and leaf lesions on *Rhododendron* sp. caused by *Phytophthora hedraiaandra* in the United States. *Plant Disease* **90**: 109.
- Vettraino AM, Brasier CM, Brown AV, Vannini A (2011) *Phytophthora himalsilva* sp. nov. an unusually phenotypically variable species from a remote forest in Nepal. *Fungal Biology* **115**: 275–287.