

Supplementary data

Overall summary of subject incidence of treatment-emergent adverse events in double-blind phase

| | Cinacalcet (N = 33) | Placebo (N = 34) |
|---|--------------------------------------|-----------------------------------|
| Subjects with treatment-emergent adverse events, n (%) | 27 (81.8) | 20 (58.8) |
| Serious adverse events | 3 (9.1) | 4 (11.8) |
| Leading to discontinuation of investigational product | 2 (6.1) | 1 (2.9) |
| Leading to discontinuation from study | 0 (0.0) | 1 (2.9) |
| Fatal adverse events | 1 (3.0) | 0 (0.0) |
| Subjects with treatment-related treatment emergent adverse events, n (%) | 14 (42.4) | 8 (23.5) |
| Serious adverse events | 0 (0.0) | 0 (0.0) |
| Leading to discontinuation of investigational product | 1 (3.0) | 0 (0.0) |
| Leading to discontinuation from study | 0 (0.0) | 0 (0.0) |
| Fatal adverse events | 0 (0.0) | 0 (0.0) |
| Identified risks, n (%) | | |
| Hypocalcemia | 0 (0.0) | 0 (0.0) |
| Seizure/convulsions | 0 (0.0) | 0 (0.0) |
| Hypotension | 1 (3.0) | 1 (2.9) |
| Cardiac failure | 0 (0.0) | 0 (0.0) |
| Hypersensitivity | 0 (0.0) | 1 (2.9) |
| Potential risks, n (%) | | |
| Acute pancreatitis | 0 (0.0) | 0 (0.0) |
| Drug-related hepatic disorders | 1 (3.0) | 0 (0.0) |
| Fractures | 3 (9.1) | 1 (2.9) |
| Ischemic heart disease | 0 (0.0) | 1 (2.9) |

| | | |
|--|----------------|----------------|
| Nervous system disorders | 7 (21.2) | 7 (20.6) |
| Ventricular tachyarrhythmias | 0 (0.0) | 0 (0.0) |
| Subjects reporting events adjudicated by the CEC, n (%) | 1 (3.0) | 1 (2.9) |
| Death | 1 (3.0) | 0 (0.0) |
| Hospitalization for unstable angina | 0 (0.0) | 1 (2.9) |
| Events confirmed by adjudication, n (%) | 1 (3.0) | 0 (0.0) |
| Death | 1 (3.0) | 0 (0.0) |