

Beta-caryophyllene protects against alcoholic steatohepatitis by attenuating inflammation and metabolic dysregulation

Running Title: Beta-caryophyllene is hepatoprotective

Zoltan V. Varga¹, Csaba Matyas¹, Katalin Erdelyi¹, Resat Cinar², Daniela Nieri³, Andrea Chicca³, Balazs Tamas Nemeth¹, Janos Paloczi¹, Tamas Lajtos¹, Lukas Corey¹, Gyorgy Hasko⁴, Bin Gao⁵, George Kunos², Jürg Gertsch³ and Pal Pacher¹

Affiliations:

¹Laboratory of Cardiovascular Physiology and Tissue Injury, National Institutes of Health/NIAAA, Bethesda, MD 20852, USA.

²Laboratory of Physiologic Studies, National Institutes of Health/NIAAA, Bethesda, MD 20852, USA.

³Institute of Biochemistry and Molecular Medicine, National Center of Competence in Research TransCure, University of Bern, CH-3012 Bern, Switzerland.

⁴Departments of Surgery, Rutgers New Jersey Medical School, Newark, NJ 07103, USA.

⁵Laboratory of Liver Diseases, National Institutes of Health/NIAAA, Bethesda, MD 20852, USA.

Contact:

Pal Pacher, MD, PhD, FAHA, FACC

Laboratory of Cardiovascular Physiology and Tissue Injury

5625 Fishers Lane, Room 2N-17; Bethesda, MD 20892-9413

Phone: (301)443-4830 Email: pacher@mail.nih.gov

Conflict of interest disclosure: All Authors declare no conflict of interest.

Supplementary Table 1.

Primer sequences used in the present study

Gene symbol	Accession number	Forward primer	Reverse primer
Actb/B-actin	NM_007393.5	CACCCGCGAGCACAGCTTCTT	TTTGCACATGCCGGAGCCGTT
RPLP0	NM_007475.5	TCCAGGCTTTGGGCATCA	CTTTATCAGCTGCACATCACTCAGA
TNFA	NM_013693.3	TCTCATTCCTGCTTGTGGCAG	TCCACTTGGTGGTTTGCTACG
II1B	NM_008361.4	TGCCACCTTTTGACAGTGATGA	AGGTCCACGGGAAAGACACA
ICAM1/CD54	NM_010493.2	AACTTTTCAGCTCCGGTCCTG	TCAGTGTGAATTGGACCTGCG
F4/80/Adgre1	NM_010130.4	CTTTGGCTATGGGCTTCCAGTC	GCAAGGAGGACAGAGTTTATCGTG
CD68	NM_001291058.1	TGCGGCTCCCTGTGTGT	TCTTCCTCTGTTCCCTGGGCTAT
Iba-1/AIF1	NM_019467.2	CAGACTGCCAGCCTAAGACA	AGGAATTGCTTGTTGATCCC
CD11b/Itgam	NM_001082960.1	GGATCCGGAAAGTAGTGAGAGAA C	CCGAATTTTTCTCCATCTGTGAT
Il6	NM_001314054.1	AACCACGGCCTTCCCTACTT	TGCCATTGCACAACTCTTTTCTC
CCL2/MCP-1	NM_011333.3	GGCTCAGCCAGATGCAGTTA	TCCTTCTTGGGGTCAGCACA
CCL4/MIP-1b	NM_013652.2	CTGTGCAAACCTAACCCCGA	ATACCACAGCTGGCTTGGAG
CXCL2/MIP-2	NM_009140.2	AGTGAACCTGCGCTGTCAATGC	AGGCAAACTTTTTGACCGCC
Arg1	NM_007482.3	TTTTAGGGTTACGGCCGGTG	CCTCGAGGCTGTCCTTTTGA
Mrc2	NM_008626.3	CAGACTGCCAGCCTAAGACA	AGGAATTGCTTGTTGATCCC
Mgl1/Clec10a	NM_001204252.1	AAGAACAACGGCTCGGAAGTGG	GAGCTCCTAGCTCTCCTTGGC

CD163	NM_001170395.1	GCCTCTGCTGTCACTAACGC	AGATCCATCTGAGCAGGTCCT
Clec7a	NM_001309637.1	GGCGACACAATTCAGGGAGA	AGTTTGGGATGCCTTGGAGG
IL10	NM_010548.2	GGCGCTGTCATCGATTTCTC	GCCTTGTAGACACCTTGGTCTTG
Ly6G	NM_001310438.1	TGCGTTGCTCTGGAGATAGA	CAGAGTAGTGGGGCAGATGG
SELE	NM_011345.2	AGCAGAGTTTCACGTTGCAGG	TGGCGCAGATAAAGGCTTCA
SELP	NM_011347.2	GCCAGTTCATGTGCGATGAA	GGCGAAGATTCCTGGACACTT
Ppara	NM_001113418.1	TCGGCCTGGCCTTCTAAACATAG	TCTTGCAACAGTGGGTGCAGCG
Pparg	NM_001127330.2	CTGTGGACCTCTCCGTGATG	GCCTGTTGTAGAGCTGGGTC
Ppard	NM_011145.3	ATCGTCAACAAAGACGGGCT	GCTTCTACCTGGGGCACATT
Ppargc1a/PGC1a	NM_008904.2	AGACAGGTGCCTTCAGTTCAC	AGCAGCACACTCTATGTCCT
Ppargc1b/PGC1b	NM_133249.2	TGGAGACTGCTCTGGAAGGT	TGCTGCTGTCCTCAAATACG
G6PC	NM_008061.4	AAAGTCAACCGCCATGCAAAGGA C	TAGCAAAGAAAGACAGGGCTACCAG
Pck1/PEPCK	NM_011044.2	GGAAGGACAAAGATGGCAAGTTC	AGGCGTTTTCTTAGGGATGTAG
PFK	NM_001163487.1	CTCCTCCCCGTGTTTCGCCAAG	TGCCACCCAGCTGAAGCATCATAG
HMGCS2	NM_008256.4	TGGTTCAAGACAGGGACACAGAA C	AGAGGAATACCAGGGCCCAACAAT
FGF21	NM_020013.4	CCAGATGTGGGCTCCT	AGAAACAGCCCTAGATTCAGGAAGA GT
SIRT1	NM_019812.3	TGTGAAGTTACTGCAGGAGTGTA AA	GCATAGATACCGTCTCTTGATCTGAA

Legends for Supplementary figures

Supplementary Figure 1.

Supplementary Fig.1 shows colocalization of the two utilized macrophage marker, F4/80 and Iba-1. F4/80 stains the cell membrane of macrophages, while Iba-1 as an actin-binding protein gives a detailed picture of cytoskeletal organization and cell shape. The two markers are highly colocalized.

A

