

Web-only table 1.The prevalence of demographic, psychosocial and structural factors among MSM/TG, IBBS 2012 Nepal.

Factors	MSM/TG*	MSM/TG RDS Adjusted (CI)
	Frequency (%)	
Total	400 (100)	
HIV prevalence		3.3 (1.9-5.9)
HTC not utilized	221(55)	68.6 (54.3-80.1)
Demographic		
Age in years		
16-19	69 (17)	17.7(11.5-26.1)
20-24	129 (32)	31.3(22.5-41.8)
≥25	202 (51)	51.0(39.2-62.5)
Illiterate	13(3)	3.1(1.2-7.9)
Married	111(28)	23.3(16.2-32.2)
Behavioural		
Condom use in last sex	339(85)	75.8(64.8-84.2)
Drinking Alcohol	323(81)	81.0(71.3-88.1)
Structural		
Ever Participated in HIV awareness programs	185(46)	35.6(23.9-49.2)
Physical assault in last year	57(14)	6.3(3.6-10.8)
Housing instability		
Own Home	75(19)	19.9(12.4-30.3)
Forced sex in last year	52(13)	5.5(3.3-9.1)
Discrimination in Job	79(20)	5.9(3.9-8.8)
Psychosocial		
Stigma	253(63)	63.2(52.0-73.2)
Suicidal thought	107(27)	14.2(9.8-20.1)
Depression		
Distressed	83(21)	14.9(10.3-21.1)
Depressed	97(24)	18.2(11.9-26.7)
SSQS^		
Satisfied	390(97)	98.5(96.1-99.4)
Dissatisfied	10(3)	1.5(0.5-3.8)
Number of seed	8	
Maximum no. of recruitment wave (mean)	8 (3.67)	

*MSM/TG – Men who have sex with men/transgender, HIV- Human Immunodeficiency Virus., AIDS-Acquired immune deficiency syndrome, HTC-HIV Testing and Counselling, ^SSQS- The Social Support Questionnaire Score.