

Web-only table 3. Factors associated with non-utilization of HIV Testing and Counselling (HTC) centres among Men having Sex with Men/Transgender using RDS weights

Variables			HTC not Utilised [@]	Adj PR ^{**}
		N	n(%) [‡]	
Total		400	221(55)	
Demographic factors				
Age in years	16-19	69	54(78)	1.3(1.0-1.7)*
	20-24	129	73(57)	1.1(0.8-1.4)
	>25	202	94(47)	Ref
Educational Status	Illiterate	13	7(54)	-
	Literate	387	214(55)	-
Marital Status	Unmarried	289	163(56)	-
	Married	111	58(52)	-
Behavioural				
Condom use at last sex	Yes	339	177(72)	Ref.
	No	61	44(52)	1.2(1.1-1.4)*
Drinking Alcohol	Yes	323	186(58)	1.1(0.9-1.3)
	No	77	35(45)	Ref.
Structural				
Ever Participated in HIV awareness programs	Yes	185	62(34)	2.2(1.3-3.7)*
	No	215	159(74)	Ref.
Physical assault in last year	Yes	57	10(18)	1.2(.8-1.7)
	No	343	211(62)	Ref.
Housing instability	Homeless	8	4(50)	-
	Own home	75	42(56)	-
	Rented	317	175(55)	-
Forced sex in last year	Yes	52	10(19)	0.5(0.2-1.1)***
	No	348	211(61)	Ref.
Discrimination in Job	Yes	79	17(22)	Ref.
	No	321	204(64)	0.9(0.6-1.5)
Psychosocial factors				
Stigma towards HIV	Yes	253	138(54)	-
	No	147	83(56)	-
Suicidal thought Ever	Yes	107	33(31)	0.8(0.6-1.3)
	No	293	188(64)	Ref.
Depression [#]	Euthymic	220	121(59)	-
	Distressed	83	49(53)	-
	Depressed	97	51(55)	-
SSQS [^]	Satisfied	390	216(55)	-
	Dissatisfied	10	5(50)	-

‡Unweighted descriptive statistics. For RDS-weighted estimates refer to web-only table 2; @Not utilised in last one year; * p<0.05; ***p=0.07 **Adjusted prevalence ratio using Poisson regression with robust variance estimates (enter method); factors with Unadjusted PR with p<0.2 included in model and collinearity checked; #Depression measured using a CES-D scale; ^SSQS- The Social Support Questionnaire Score.