

Supplemental Material


Targeted plasma proteomics identifies a novel, robust association between cornulin and Swedish moist snuff

Anneli Sundkvist¹, Robin Myte¹, Stina Bodén¹, Stefan Enroth², Ulf Gyllensten², Sophia Harlid¹,
Bethany van Guelpen¹

¹ Department of Radiation Sciences, Oncology, Umeå University, Umeå, Sweden.

² Department of Immunology, Genetics, and Pathology, Biomedical Center, Science for Life Laboratory
Uppsala University, Uppsala, Sweden

| <u>Table of Contents:</u> | | <u>Page</u> |
|---------------------------|---|-------------|
| Supplementary Figure S1 | Log2-Normalized Protein eXpression (NPX) levels of lifestyle behavior-associated proteins per individual and sample | 2 |
| Supplementary Table S1 | Proteins included in Proseek Multiplex® immunoassay panels | 3-7 |



Supplementary Figure 1. Log2-Normalized Protein eXpression (NPX) levels of lifestyle behavior-associated proteins per individual and sample. ICC: Intraclass correlation coefficient, i.e., proportion of total variance due to variation between individuals.

Supplementary Table S1. Proteins included in Proseek Multiplex® immunoassay panels

| Protein | UniProt No | Immunoassay panel | Comment |
|--|------------|-------------------|-------------------------|
| Hepatocyte growth factor (HGF) | P14210 | Both | |
| Interleukin-6 (IL-6) | P05231 | Both | |
| Stem cell factor (SCF) | P21583 | Both | Excluded from one panel |
| TNF-related apoptosis-inducing ligand (TRAIL, TNFSF10) | P50591 | Both | Excluded from one panel |
| Transforming growth factor alpha (TGF-alpha) | P01135 | Both | |
| Vascular endothelial growth factor A (VEGF-A) | P15692 | Both | |
| Adenosine Deaminase (ADA) | P00813 | Inflammation | |
| Artemin (ARTN) | Q5T4W7 | Inflammation | Excluded (>50% missing) |
| Axin-1 (AXIN1) | O15169 | Inflammation | |
| Beta-nerve growth factor (Beta-NGF) P01138 | P01138 | Inflammation | |
| Brain-derived neurotrophic factor (BDNF) | P23560 | Inflammation | |
| Caspase 8 (CASP-8) | Q14790 | Inflammation | |
| C-C motif chemokine 19 (CCL19) | Q99731 | Inflammation | |
| C-C motif chemokine 20 (CCL20) | P78556 | Inflammation | |
| C-C motif chemokine 23 (CCL23) | P55773 | Inflammation | |
| C-C motif chemokine 25 (CCL25) | O15444 | Inflammation | |
| C-C motif chemokine 28 (CCL28) | Q9NRJ3 | Inflammation | |
| C-C motif chemokine 4 (CCL4) | P13236 | Inflammation | |
| CD40L receptor (CD40) | P25942 | Inflammation | |
| CUB domain-containing protein 1 (CDCP1) | Q9HV8 | Inflammation | |
| C-X-C motif chemokine 1 (CXCL1) | P09341 | Inflammation | |
| C-X-C motif chemokine 10 (CXCL10) | P02778 | Inflammation | |
| C-X-C motif chemokine 11 (CXCL11) | O14625 | Inflammation | |
| C-X-C motif chemokine 5 (CXCL5) | P42830 | Inflammation | |
| C-X-C motif chemokine 6 (CXCL6) | P80162 | Inflammation | |
| C-X-C motif chemokine 9 (CXCL9) | Q07325 | Inflammation | |
| Cystatin D (CST5) | P28325 | Inflammation | |
| Delta and Notch-like epidermal growth factor-related recep (DNER) | Q8NFT8 | Inflammation | |
| Eotaxin-1 (CCL11) | P51671 | Inflammation | |
| Eukaryotic translation initiation factor 4E-binding protein 1 (4E-BP1) | Q13541 | Inflammation | |
| Fibroblast growth factor 19 (FGF-19) | O95750 | Inflammation | |
| Fibroblast growth factor 21 (FGF-21) | Q9NSA1 | Inflammation | |
| Fibroblast growth factor 23 (FGF-23) | Q9GZV9 | Inflammation | |
| Fibroblast growth factor 5 (FGF-5) | Q8NF90 | Inflammation | |
| Fms-related tyrosine kinase 3 ligand (Flt3L) | P49771 | Inflammation | |
| Fractalkine (CX3CL1) | P78423 | Inflammation | |
| Glia cell line-derived neurotrophic factor (hGDNF) | P39905 | Inflammation | |

Table continues on next page

Table S1. Cont.

| Protein | UniProt No | Immunoassay panel | Comment |
|--|------------|-------------------|-------------------------|
| Interferon gamma (IFN-gamma) | P01579 | Inflammation | Excluded (>50% missing) |
| Interleukin-1 alpha (IL-1 alpha) | P01583 | Inflammation | Excluded (>50% missing) |
| Interleukin-10 (IL-10) | P22301 | Inflammation | |
| Interleukin-10 receptor subunit alpha (IL-10RA) | Q13651 | Inflammation | Excluded (>50% missing) |
| Interleukin-10 receptor subunit beta (IL-10RB) | Q08334 | Inflammation | |
| Interleukin-12 subunit beta (IL-12B) | P29460 | Inflammation | |
| Interleukin-13 (IL-13) | P35225 | Inflammation | Excluded (>50% missing) |
| Interleukin-15 receptor subunit alpha (IL-15RA) | Q13261 | Inflammation | |
| Interleukin-17A (IL-17A) | Q16552 | Inflammation | |
| Interleukin-17C (IL-17C) | Q9P0M4 | Inflammation | |
| Interleukin-18 (IL-18) | Q14116 | Inflammation | |
| Interleukin-18 receptor 1 (IL-18R1) | Q13478 | Inflammation | |
| Interleukin-2 (IL-2) | P60568 | Inflammation | Excluded (>50% missing) |
| Interleukin-2 receptor subunit beta (IL-2RB) | P14784 | Inflammation | Excluded (>50% missing) |
| Interleukin-20 (IL-20) | Q9NYY1 | Inflammation | Excluded (>50% missing) |
| Interleukin-20 receptor subunit alpha (IL-20RA) | Q9UHF4 | Inflammation | Excluded (>50% missing) |
| Interleukin-22 receptor subunit alpha-1 (IL-22 RA1) | Q8N6P7 | Inflammation | Excluded (>50% missing) |
| Interleukin-24 (IL-24) | Q13007 | Inflammation | Excluded (>50% missing) |
| Interleukin-33 (IL-33) | O95760 | Inflammation | Excluded (>50% missing) |
| Interleukin-4 (IL-4) | P05112 | Inflammation | Excluded (>50% missing) |
| Interleukin-5 (IL-5) | P05113 | Inflammation | Excluded (>50% missing) |
| Interleukin-7 (IL-7) | P13232 | Inflammation | |
| Interleukin-8 (IL-8) | P10145 | Inflammation | |
| Latency-associated peptide transforming growth factor beta 1 (LAP TGF-beta-1, TGFB1) | P01137 | Inflammation | |
| Leukemia inhibitory factor (LIF) | P15018 | Inflammation | Excluded (>50% missing) |
| Leukemia inhibitory factor receptor (LIF-R) | P42702 | Inflammation | |
| Macrophage colony-stimulating factor 1 (CSF-1) | P09603 | Inflammation | |
| Macrophage inflammatory protein 1-alpha (MIP-1 alpha, CCL3) | P10147 | Inflammation | |
| Matrix metalloproteinase-1 (MMP-1) | P03956 | Inflammation | |
| Matrix metalloproteinase-10 (MMP-10) | P09238 | Inflammation | |
| Monocyte chemoattractant protein 1 (MCP-1) | P13500 | Inflammation | |
| Monocyte chemoattractant protein 2 (MCP-2, 8CCL89) | P80075 | Inflammation | |
| Monocyte chemoattractant protein 3 (MCP-3) | P80098 | Inflammation | |
| Monocyte chemoattractant protein 4 (MCP-4) | Q99616 | Inflammation | |
| Natural killer cell receptor 2B4 (BDNF4) | Q9BZW8 | Inflammation | |
| Neurotrophin-3 (NT-3) | P20783 | Inflammation | |
| Neurturin (NRTN) | Q99748 | Inflammation | Excluded (>50% missing) |

Table continues on next page

Table S1. Cont.

| Protein | UniProt No | Immunoassay panel | Comment |
|--|------------------|-------------------|-------------------------|
| Oncostatin-M (OSM) | P13725 | Inflammation | |
| Osteoprotegerin (OPG) | O00300 | Inflammation | |
| Programmed cell death 1 ligand 1 (PD-L1) | Q9NZQ7 | Inflammation | |
| Protein S100-A12 (EN-RAGE) | P80511 | Inflammation | |
| Signaling lymphocytic activation molecule (SLAMF1) | Q13291 | Inflammation | |
| SIR2-like protein 2 (SIRT2) | Q8IXJ6 | Inflammation | |
| STAM-binding protein (STAMPB) | O95630 | Inflammation | |
| Sulfotransferase 1A1 (ST1A1) | P50225 | Inflammation | |
| T cell surface glycoprotein CD6 isoform (CD6) | Q8WWJ7 | Inflammation | |
| T-cell surface glycoprotein CD5 (CD5) | P06127 | Inflammation | |
| Thymic stromal lymphopoietin (TSLP) | Q969D9 | Inflammation | Excluded (>50% missing) |
| TNF-beta (TNFB) | P01374 | Inflammation | |
| TNF-related activation-induced cytokine (TRANCE) | O14788 | Inflammation | |
| Tumor necrosis factor (Ligand) superfamily, member 12 (TWEAK) | Q4ACW9 | Inflammation | |
| Tumor necrosis factor (TNF) | P01375 | Inflammation | Excluded (>50% missing) |
| Tumor necrosis factor ligand superfamily member 14 (TNFSF14) | O43557 | Inflammation | |
| Tumor necrosis factor receptor superfamily member 9 (TNFRSF9) | Q07011 | Inflammation | |
| Urokinase-type plasminogen activator (uPA) | P00749 | Inflammation | |
| 5'-nucleotidase (5'-NT) | P21589 | Oncology II | |
| A disintegrin and metalloproteinase with thrombospondin motifs 15 (ADAM-TS 15) | Q8TE58 | Oncology II | |
| A/B (MIC-A/B) | Q29980 Q29983 | Oncology II | |
| Alpha-taxilin (TXLNA) | P40222 | Oncology II | |
| AmPhiregulin (AR) | P15514 | Oncology II | |
| Annexin A1 (ANXA1) | P04083 | Oncology II | |
| Carbonic anhydrase 9 (CA9) | Q16790 | Oncology II | |
| Carboxypeptidase E (CPE) | P16870 | Oncology II | |
| Carcinoembryonic antigen-related celladhesion molecule 1 (CEACAM1) | P13688 | Oncology II | |
| Carcinoembryonic antigen-related celladhesion molecule 5 (CEA, CEACAM5) | P06731 | Oncology II | |
| Cathepsin L2 (CTSV) | O60911 | Oncology II | |
| CD160 antigen (CD160) | O95971 | Oncology II | |
| CD27 antigen (CD27) | P26842 | Oncology II | |
| CD48 antigen (CD48) | P09326 | Oncology II | |
| CD70 antigen (CD70) | P32970 | Oncology II | |
| Cornulin (CRNN) | Q9UBG3 | Oncology II | |
| C-type lectin domain family 4 member K(CD207) | Q9UJ71 | Oncology II | |
| C-X-C motif chemokine 13 (CXCL13) | O43927 | Oncology II | |
| Cyclin-dependent kinase inhibitor 1 (CDKN1A) | P38936 | Oncology II | |

Table continues on next page

Table S1. Cont.

| Protein | UniProt No | Immunoassay panel | Comment |
|---|------------|-------------------|---------|
| Delta-like protein 1 (DLL1) | O00548 | Oncology II | |
| Disintegrin and metalloproteinase domain-containing protein (ADAM8) | P78325 | Oncology II | |
| Endothelial cell-specific molecule 1 (ESM-1) | Q9NQ30 | Oncology II | |
| Ephrin type-A receptor 2 (EPHA2) | P29317 | Oncology II | |
| FAS-associated death domain protein (FADD) | Q13158 | Oncology II | |
| Fc receptor-like B (FCRLB) | Q6BAA4 | Oncology II | |
| Fibroblast growth factor-binding Protein 1(FGF-BP1) | Q14512 | Oncology II | |
| Folate receptor alpha (FR-alpha) | P15328 | Oncology II | |
| Folate receptor gamma (FR-gamma) | P41439 | Oncology II | |
| Furin (FURIN) | P09958 | Oncology II | |
| Galectin-1 (Gal-1) | P09382 | Oncology II | |
| Glypican-1 (GPC1) | P35052 | Oncology II | |
| Granzyme B (GZMB) | P10144 | Oncology II | |
| Granzyme H (GZMH) | P20718 | Oncology II | |
| ICOS ligand (ICOSLG) | O75144 | Oncology II | |
| Insulin-like growth factor 1 receptor (IGF1R) | P08069 | Oncology II | |
| Integrin alpha-V (ITGAV) | P06756 | Oncology II | |
| Integrin beta-5 (ITGB5) | P18084 | Oncology II | |
| Interferon gamma receptor 1 (IFN-gamma-R1) | P15260 | Oncology II | |
| Kallikrein-11 (hK11) | Q9UBX7 | Oncology II | |
| Kallikrein-13 (KLK13) | Q9UKR3 | Oncology II | |
| Kallikrein-14 (hK14) | Q9P0G3 | Oncology II | |
| Kallikrein-8 (hK8) | O60259 | Oncology II | |
| Ly6/PLAUR domain-containing Protein 3 (LYPD3) | O95274 | Oncology II | |
| Melanoma-derived growth regulatory Protein (MIA) | Q16674 | Oncology II | |
| Mesothelin (MSLN) | Q13421 | Oncology II | |
| Methionine aminoPeptidase 2 (MetAp2) | P50579 | Oncology II | |
| Midkine (Mk) | P21741 | Oncology II | |
| Mothers against decapentaplegic homolog 5 (MAD homolog 5) | Q99717 | Oncology II | |
| Mucin-16 (MUC-16) | Q8WXI7 | Oncology II | |
| Nectin-4 (PVRL4) | Q96NY8 | Oncology II | |
| Pancreatic prohormone (PPY) | P01298 | Oncology II | |
| Podocalyxin (PODXL) | O00592 | Oncology II | |
| Pro-epidermal growth factor (EGF) | P01133 | Oncology II | |
| Protein CYR61 (CYR61) | O00622 | Oncology II | |
| Protein S100-A11 (S100A11) | P31949 | Oncology II | |
| Protein S100-A4 (S100A4) | P26447 | Oncology II | |

Table continues on next page

Table S1. Cont.

| Protein | UniProt No | Immunoassay panel | Comment |
|--|------------|-------------------|---------|
| Proto-oncogene tyrosine-protein kinase receptor Ret (RET) | P07949 | Oncology II | |
| Receptor tyrosineprotein kinase erbB-2(ERBB2) | P04626 | Oncology II | |
| Receptor tyrosineprotein kinase erbB-3 (ERBB3) | P21860 | Oncology II | |
| Receptor tyrosineprotein kinase erbB-4 (ERBB4) | Q15303 | Oncology II | |
| R-spondin-3 (RSPO3) | Q9BXY4 | Oncology II | |
| Secretory carrier-associated membraneprotein 3 (SCAMP3) | O14828 | Oncology II | |
| Seizure 6-like protein (SEZ6L) | Q9BYH1 | Oncology II | |
| SPARC (SPARC) | P09486 | Oncology II | |
| Syndecan-1 (SYND1) | P18827 | Oncology II | |
| T-cell leukemia / lymphoma Protein 1A (TCL1A) | P56279 | Oncology II | |
| TGF-beta receptor type-2 (TGFR-2) | P37173 | Oncology II | |
| Tissue factor pathway inhibitor 2 (TFPI-2) | P48307 | Oncology II | |
| T-lymphocyte surface antigen Ly-9 (LY9) | Q9HBG7 | Oncology II | |
| Toll-like receptor 3 (TLR3) | O15455 | Oncology II | |
| Transmembrane glycoprotein NMB (GPNMB) | Q14956 | Oncology II | |
| Tumor necrosis factor ligand superfamilymember 13 (TNFSF13, APRIL) | O75888 | Oncology II | |
| Tumor necrosis factor ligand superfamilymember 6 (FASLG) | P48023 | Oncology II | |
| Tumor necrosis factor receptor superfamilymember 19 (TNFRSF19) | Q9NS68 | Oncology II | |
| Tumor necrosis factor receptor superfamilymember 4 (TNFRSF4) | P43489 | Oncology II | |
| Tumor necrosis factor receptor superfamilymember 6B (TNFRSF6B) | O95407 | Oncology II | |
| Tyrosineprotein kinase ABL1 (ABL1) | P00519 | Oncology II | |
| Tyrosineprotein kinase Lyn (LYN) | P07948 | Oncology II | |
| Vascular endothelial growth factor receptor 2 (VEGFR-2) | P35968 | Oncology II | |
| Vascular endothelial growth factor receptor 3 (VEGFR-3) | P35916 | Oncology II | |
| VEGF-co regulated chemokine 1 (CXCL17) | Q6UXB2 | Oncology II | |
| Vimentin (VIM) | P08670 | Oncology II | |
| WAP four-disulfide core domain protein 2 (WFDC2, HE4) | Q14508 | Oncology II | |
| Wnt inhibitory factor 1 (WIF-1) | Q9Y5W5 | Oncology II | |
| WNT1-inducible-signaling pathway protein 1 (WISP-1) | O95388 | Oncology II | |
| Xaa-pro aminopeptidase 2 (XPNPEP2) | O43895 | Oncology II | |