

**SUPPORTING TABLE 1.** Breast Cancer: Number of Cases for Females (Ages 15-99 Years) Diagnosed 2001-2009 and Distribution by SEER Summary Stage 2000 at Diagnosis by Race, Calendar Period of Diagnosis, and US Census Region and States<sup>a</sup>

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
<b>UNITED STATES</b>							
	No. of patients	446,106	385,888	42,401	926,271	782,220	100,611
	Localized (%)	59.1	60.5	47.5	59.1	60.5	48.5
	Regional (%)	29.8	29.1	35.3	30.2	29.6	35.2
	Distant (%)	4.4	4.2	6.8	5.2	4.9	7.8
	Unknown (%)	6.7	6.2	10.3	5.4	5.0	8.4
<b>NORTHEAST</b>							
<b>New England</b>							
Connecticut (SEER)	No. of patients	7886	7252	501	15,600	14,177	1036
	Localized (%)	62.8	63.4	57.3	64.6	65.6	53.9
	Regional (%)	30.3	29.9	33.9	28.8	28.0	36.4
	Distant (%)	4.3	4.3	5.0	4.9	4.7	6.9
	Unknown (%)	2.5	2.4	3.8	1.7	1.6	2.8
Massachusetts (NPCR)	No. of patients	14,464	13,633	494	29,427	27,403	1255
	Localized (%)	65.6	66.0	55.3	66.8	67.3	58.6
	Regional (%)	27.5	27.1	37.0	27.2	26.8	34.4
	Distant (%)	4.4	4.4	5.3	4.5	4.5	5.2
	Unknown (%)	2.5	2.5	2.4	1.4	1.4	1.8
New Hampshire (NPCR)	No. of patients	2735	2679	11	5727	5626	25
	Localized (%)	63.6	63.6	45.5	66.4	66.5	48.0
	Regional (%)	29.1	29.2	45.5	27.6	27.6	40.0
	Distant (%)	3.9	3.8	9.1	4.3	4.3	8.0
	Unknown (%)	3.4	3.3	0.0	1.8	1.6	4.0
Rhode Island (NPCR)	No. of patients	2317	2222	65	4817	4568	171
	Localized (%)	64.6	65.0	52.3	-	-	-
	Regional (%)	27.6	27.3	43.1	-	-	-
	Distant (%)	3.7	3.6	3.1	-	-	-
	Unknown (%)	4.2	4.1	1.5	-	-	-
<b>Mid Atlantic</b>							
New Jersey (NPCR/SEER)	No. of patients	18,005	15,440	1867	36,462	30,633	4052
	Localized (%)	56.4	57.7	47.7	59.8	61.2	50.7
	Regional (%)	34.1	33.4	38.6	31.3	30.3	37.0
	Distant (%)	5.5	5.3	8.7	6.2	5.9	8.8
	Unknown (%)	4.0	3.6	5.0	2.8	2.6	3.4
New York (NPCR)	No. of patients	38,454	31,977	4698	77,190	62,615	10,619
	Localized (%)	58.6	60.4	49.3	60.9	62.5	51.5
	Regional (%)	28.6	27.7	35.2	30.7	29.4	37.3
	Distant (%)	4.8	4.6	6.9	5.5	5.1	8.1
	Unknown (%)	7.9	7.3	8.6	3.0	2.9	3.1
Pennsylvania (NPCR)	No. of patients	27,278	24,710	2107	54,241	48,490	4670
	Localized (%)	61.5	62.5	50.8	61.0	61.8	52.0
	Regional (%)	29.5	28.9	36.2	30.6	30.1	36.0
	Distant (%)	5.4	5.3	7.7	6.5	6.2	9.5
	Unknown (%)	3.5	3.3	5.3	1.9	1.8	2.5
<b>SOUTH</b>							
<b>South Atlantic</b>							
Delaware (NPCR)	No. of patients	1641	1368	244	3533	2832	627
	Localized (%)	64.7	65.6	60.2	63.8	64.7	60.1
	Regional (%)	29.2	28.7	32.0	29.8	29.1	33.0
	Distant (%)	3.2	3.0	4.9	5.2	5.0	6.1
	Unknown (%)	2.9	2.8	2.9	1.2	1.2	0.8
Florida (NPCR)	No. of patients	37,256	33,411	3242	74,468	65,115	7545
	Localized (%)	61.3	62.6	48.4	61.1	62.5	49.0
	Regional (%)	29.0	28.1	38.1	30.7	29.8	38.2
	Distant (%)	4.5	4.2	7.5	5.2	4.8	9.0
	Unknown (%)	5.2	5.1	6.0	3.0	2.9	3.7
Georgia (NPCR/SEER)	No. of patients	15,028	11,425	3398	32,583	23,327	8643
	Localized (%)	59.4	62.1	50.6	60.4	63.5	52.4
	Regional (%)	33.6	31.8	39.4	32.4	30.2	38.1
	Distant (%)	4.0	3.3	6.6	5.5	4.6	8.0
	Unknown (%)	2.9	2.8	3.3	1.7	1.7	1.5

**SUPPORTING TABLE 1.** *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Maryland (NPCR)	No. of patients	10,190	7597	2243	20,197	14,385	4875
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
	Unknown (%)	-	-	-	-	-	-
North Carolina (NPCR)	No. of patients	16,183	13,037	2895	35,870	28,268	6853
	Localized (%)	60.5	62.9	50.0	60.5	62.6	52.2
	Regional (%)	31.8	30.2	38.9	31.9	30.5	37.2
	Distant (%)	5.0	4.4	7.4	5.1	4.5	7.5
	Unknown (%)	2.7	2.5	3.7	2.5	2.4	3.0
South Carolina (NPCR)	No. of patients	8174	6210	1881	17,651	13,066	4345
	Localized (%)	61.0	64.2	50.6	60.6	63.2	52.9
	Regional (%)	30.4	28.3	37.1	32.8	31.1	38.2
	Distant (%)	4.1	3.3	7.0	5.2	4.5	7.4
	Unknown (%)	4.5	4.2	5.3	1.4	1.3	1.5
West Virginia (NPCR)	No. of patients	3764	3654	93	7460	7226	182
	Localized (%)	60.3	60.8	39.8	61.2	61.5	51.6
	Regional (%)	28.5	28.1	46.2	30.3	30.1	37.4
	Distant (%)	5.2	5.3	5.4	5.7	5.6	7.1
	Unknown (%)	6.0	5.9	8.6	2.8	2.8	3.8
<b>East South Central</b>							
Alabama (NPCR)	No. of patients	8559	6725	1751	18,195	13,801	4132
	Localized (%)	60.3	63.2	50.1	56.4	58.7	48.6
	Regional (%)	31.9	30.0	38.6	35.4	34.2	40.3
	Distant (%)	4.2	3.6	6.6	5.6	4.8	8.2
	Unknown (%)	3.6	3.2	4.7	2.5	2.3	2.9
Kentucky (NPCR/SEER)	No. of patients	8108	7532	522	16,782	15,529	1091
	Localized (%)	60.9	61.2	56.9	61.8	62.3	54.8
	Regional (%)	30.4	30.2	33.1	30.7	30.5	34.1
	Distant (%)	4.2	4.1	5.2	5.5	5.3	8.5
	Unknown (%)	4.5	4.4	4.8	2.0	1.9	2.6
Mississippi (NPCR)	No. of patients	1572	1100	462	10,552	7156	3316
	Localized (%)	57.5	61.6	47.8	55.8	59.2	48.3
	Regional (%)	33.7	30.5	41.8	35.3	33.2	39.9
	Distant (%)	5.0	4.1	6.9	6.7	5.4	9.3
	Unknown (%)	3.8	3.8	3.5	2.3	2.2	2.5
Tennessee (NPCR)	No. of patients	3590	3070	484	24,406	20,697	3392
	Localized (%)	59.9	61.6	49.6	58.2	60.0	48.1
	Regional (%)	33.0	31.8	39.9	33.1	31.9	40.2
	Distant (%)	3.9	3.8	5.2	5.5	5.0	8.2
	Unknown (%)	3.2	2.8	5.4	3.3	3.1	3.5
<b>West South Central</b>							
Louisiana (NPCR/SEER)	No. of patients	8282	5926	2311	16,279	11,499	4650
	Localized (%)	57.9	62.0	47.6	59.0	61.9	51.8
	Regional (%)	34.9	32.3	41.4	33.5	31.6	38.0
	Distant (%)	5.5	4.2	8.8	6.2	5.2	8.8
	Unknown (%)	1.7	1.6	2.2	1.3	1.3	1.3
Oklahoma (NPCR)	No. of patients	7348	6377	409	14,378	12,203	859
	Localized (%)	57.8	58.9	46.7	56.3	57.3	48.8
	Regional (%)	28.0	27.2	37.2	31.6	31.1	37.4
	Distant (%)	5.9	5.8	7.8	6.1	5.8	8.7
	Unknown (%)	8.2	8.1	8.3	6.1	5.7	5.1
Texas (NPCR)	No. of patients	35,959	31,282	3686	74,903	63,984	8425
	Localized (%)	55.5	56.5	46.6	55.9	57.1	47.6
	Regional (%)	30.2	29.8	35.2	31.7	31.1	36.0
	Distant (%)	4.9	4.6	8.1	6.0	5.6	9.3
	Unknown (%)	9.4	9.1	10.1	6.4	6.2	7.0
<b>MIDWEST</b>							
<b>East North Central</b>							
Michigan (NPCR/SEER)	No. of patients	20,290	17,675	2245	39,181	33,076	4716
	Localized (%)	60.7	62.1	51.3	57.2	58.8	45.8
	Regional (%)	28.9	28.0	35.4	26.2	25.9	28.5
	Distant (%)	4.1	3.6	8.1	4.7	4.4	7.6
	Unknown (%)	6.2	6.3	5.2	11.9	10.9	18.1

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Ohio (NPCR)	No. of patients	23,345	20,755	2084	46,497	40,859	4709
	Localized (%)	60.9	61.6	54.4	60.1	60.9	53.1
	Regional (%)	28.3	27.7	33.1	31.3	30.8	36.2
	Distant (%)	4.5	4.4	6.4	5.5	5.3	7.6
	Unknown (%)	6.3	6.3	6.1	3.1	3.0	3.1
Wisconsin (NPCR)	No. of patients	11,295	10,746	380	22,106	20,921	815
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
	Unknown (%)	-	-	-	-	-	-
<b>West North Central</b>							
Iowa (SEER)	No. of patients	6205	6082	66	12,046	11,782	151
	Localized (%)	64.8	65.1	43.9	64.3	64.4	58.3
	Regional (%)	29.3	29.0	48.5	29.3	29.3	31.8
	Distant (%)	3.9	3.8	6.1	5.0	4.9	9.3
	Unknown (%)	2.1	2.1	1.5	1.4	1.4	0.7
Nebraska (NPCR)	No. of patients	3930	3797	78	7631	7308	206
	Localized (%)	60.7	60.7	65.4	61.6	62.1	48.5
	Regional (%)	30.8	30.9	28.2	31.8	31.6	39.8
	Distant (%)	3.9	4.0	5.1	4.2	4.1	8.3
	Unknown (%)	4.6	4.4	1.3	2.3	2.2	3.4
<b>WEST</b>							
<b>Mountain</b>							
Colorado (NPCR)	No. of patients	7935	7490	199	16,791	15,695	477
	Localized (%)	62.2	62.5	58.8	62.5	62.7	54.7
	Regional (%)	30.3	30.2	35.2	31.5	31.5	38.2
	Distant (%)	3.5	3.6	3.0	4.4	4.3	6.3
	Unknown (%)	4.0	3.8	3.0	1.7	1.4	0.8
Idaho (NPCR)	No. of patients	2351	2312	-	4899	4796	-
	Localized (%)	60.5	60.8	0.0	61.2	61.4	42.9
	Regional (%)	32.7	32.5	100.0	32.1	31.9	57.1
	Distant (%)	4.0	4.0	0.0	5.1	5.2	0.0
	Unknown (%)	2.8	2.8	0.0	1.6	1.5	0.0
Montana (NPCR)	No. of patients	1877	1767	-	3804	3598	-
	Localized (%)	63.6	64.3	33.3	63.1	63.6	66.7
	Regional (%)	30.0	29.5	33.3	31.1	30.7	33.3
	Distant (%)	3.4	3.3	0.0	4.4	4.4	0.0
	Unknown (%)	3.0	2.8	33.3	1.4	1.3	0.0
New Mexico (SEER)	No. of patients	3072	2908	34	6635	6169	83
	Localized (%)	60.5	60.8	61.8	63.0	63.7	56.6
	Regional (%)	30.7	30.5	38.2	29.6	29.3	36.1
	Distant (%)	4.6	4.4	0.0	5.1	4.9	7.2
	Unknown (%)	4.2	4.3	0.0	2.3	2.1	0.0
Utah (SEER)	No. of patients	2954	2882	16	6462	6284	28
	Localized (%)	60.7	60.8	50.0	59.0	59.1	60.7
	Regional (%)	33.6	33.7	25.0	35.5	35.5	32.1
	Distant (%)	4.2	4.1	12.5	4.6	4.6	7.1
	Unknown (%)	1.5	1.4	12.5	0.9	0.9	0.0
Wyoming (NPCR)	No. of patients	927	900	-	1841	1803	-
	Localized (%)	60.4	60.6	66.7	59.4	59.3	71.4
	Regional (%)	27.9	27.7	33.3	32.8	32.7	28.6
	Distant (%)	4.7	4.9	0.0	5.4	5.5	0.0
	Unknown (%)	6.9	6.9	0.0	2.4	2.4	0.0
<b>Pacific</b>							
Alaska (NPCR)	No. of patients	980	762	21	2093	1593	54
	Localized (%)	58.8	57.7	57.1	59.1	59.3	42.6
	Regional (%)	34.0	34.5	38.1	30.1	30.2	38.9
	Distant (%)	3.9	4.1	0.0	5.1	5.2	13.0
	Unknown (%)	3.4	3.7	4.8	5.7	5.3	5.6
California (NPCR/SEER)	No. of patients	61,104	51,327	3592	124,572	101,282	7926
	Localized (%)	61.3	61.9	52.3	61.9	62.4	54.4
	Regional (%)	32.9	32.5	38.2	32.0	31.8	36.3
	Distant (%)	4.1	4.0	6.9	4.9	4.7	8.1
	Unknown (%)	1.7	1.6	2.5	1.2	1.1	1.2

**SUPPORTING TABLE 1.** *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Hawaii (SEER)	No. of patients	2469	687	12	4995	1392	36
	Localized (%)	67.9	71.2	41.7	66.5	65.8	58.3
	Regional (%)	27.2	24.7	41.7	27.5	27.9	36.1
	Distant (%)	3.9	3.3	16.7	4.5	4.6	5.6
	Unknown (%)	0.9	0.7	0.0	1.5	1.7	0.0
Oregon (NPCR)	No. of patients	7881	7456	82	15,867	14,886	159
	Localized (%)	66.0	66.0	53.7	64.4	64.6	49.1
	Regional (%)	28.0	28.0	40.2	29.3	29.2	37.7
	Distant (%)	3.8	3.8	4.9	4.7	4.6	11.9
	Unknown (%)	2.2	2.3	1.2	1.7	1.7	1.3
Washington (NPCR/SEER)	No. of patients	12,698	11,715	220	20,130	18,176	471
	Localized (%)	63.2	63.4	52.7	63.0	63.4	52.9
	Regional (%)	31.7	31.5	40.5	31.4	31.2	38.2
	Distant (%)	3.7	3.7	5.5	4.4	4.3	6.8
	Unknown (%)	1.4	1.4	1.4	1.1	1.1	2.1

Abbreviations: NPCR indicates National Program of Cancer Registries; SEER indicates Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Information on stage was not available for 2 states (Maryland and Wisconsin) or for Rhode Island for cases diagnosed between 2004 and 2009.

**SUPPORTING TABLE 2.** Breast Cancer: Age-Standardized Net Survival (%) at 1 Year, 3 Years, and 5 Years for Females (Ages 15-99 Years) Diagnosed 2001-2009 by Race, Calendar Period of Diagnosis, and US Census Region and States<sup>a</sup>

	Years	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
<b>UNITED STATES</b>													
	1	<b>96.5</b>	96.4-96.6	<b>96.8</b>	96.7-96.9	<b>92.6</b>	92.2-93.0	<b>96.7</b>	96.7-96.8	<b>97.0</b>	97.0-97.1	<b>93.6</b>	93.3-93.8
	3	<b>91.8</b>	91.6-91.9	<b>92.5</b>	92.4-92.7	<b>83.1</b>	82.5-83.7	<b>92.1</b>	92.0-92.2	<b>92.9</b>	92.7-93.0	<b>84.3</b>	83.9-84.8
	5	<b>88.2</b>	88.0-88.3	<b>89.1</b>	88.9-89.3	<b>76.9</b>	76.2-77.6	<b>88.6</b>	88.4-88.8	<b>89.6</b>	89.4-89.8	<b>78.4</b>	77.7-79.1
<b>NORTHEAST</b>													
<b>New England</b>													
<b>Connecticut (SEER)</b>													
	1	<b>96.8</b>	96.3-97.4	<b>96.9</b>	96.3-97.5	<b>95.4</b>	92.4-98.4	<b>97.2</b>	96.8-97.6	<b>97.3</b>	96.9-97.8	<b>93.5</b>	91.0-96.0
	3	<b>93.4</b>	92.4-94.4	<b>93.8</b>	92.8-94.7	<b>86.9</b>	82.0-91.8	<b>93.1</b>	92.2-93.9	<b>93.6</b>	92.8-94.5	<b>82.0</b>	77.8-86.2
	5	<b>89.7</b>	88.4-90.9	<b>90.3</b>	88.9-91.6	<b>77.2</b>	70.9-83.4	<b>90.4</b>	89.0-91.7	<b>91.1</b>	89.8-92.5	<b>75.6</b>	69.0-82.2
<b>Massachusetts (NPCR)</b>													
	1	<b>97.1</b>	96.7-97.5	<b>97.2</b>	96.7-97.6	<b>93.1</b>	90.0-96.3	<b>97.7</b>	97.4-98.0	<b>97.7</b>	97.4-98.0	<b>96.4</b>	94.6-98.2
	3	<b>93.3</b>	92.6-94.0	<b>93.3</b>	92.6-94.0	<b>87.6</b>	82.7-92.5	<b>94.5</b>	93.9-95.1	<b>94.6</b>	94.0-95.2	<b>90.8</b>	87.5-94.2
	5	<b>90.1</b>	89.2-91.1	<b>90.2</b>	89.2-91.2	<b>80.4</b>	74.4-86.4	<b>92.0</b>	90.9-93.0	<b>92.1</b>	91.0-93.2	<b>81.9</b>	74.7-89.1
<b>New Hampshire (NPCR)</b>													
	1	<b>97.5</b>	96.5-98.5	<b>97.4</b>	96.3-98.4	<i>100.0</i>	-	<b>98.1</b>	97.5-98.8	<b>98.3</b>	97.7-98.9	<i>100.0</i>	<i>100.0-100.0</i>
	3	<b>92.8</b>	91.0-94.5	<b>92.7</b>	90.9-94.4	<i>93.1</i>	<i>76.1-100.0</i>	<b>94.6</b>	93.3-95.9	<b>94.8</b>	93.5-96.1	<i>85.1</i>	<i>62.7-100.0</i>
	5	<b>89.7</b>	87.4-92.1	<b>89.9</b>	87.5-92.2	<i>87.1</i>	<i>64.3-100.0</i>	<b>92.4</b>	90.2-94.6	<b>92.8</b>	90.5-95.0	<i>86.1</i>	<i>63.4-100.0</i>
<b>Rhode Island (NPCR)</b>													
	1	<b>97.3</b>	96.3-98.3	<b>97.4</b>	96.4-98.4	<i>91.8</i>	<i>84.7-98.9</i>	<b>97.7</b>	97.0-98.4	<b>97.7</b>	97.0-98.4	<b>97.4</b>	93.4-100.0
	3	<b>94.1</b>	92.3-95.8	<b>94.2</b>	92.4-95.9	<i>86.2</i>	<i>76.8-95.6</i>	<b>93.5</b>	92.1-94.9	<b>93.6</b>	92.2-95.0	<b>88.7</b>	80.3-97.1
	5	<b>88.7</b>	86.3-91.1	<b>88.7</b>	86.3-91.2	<i>81.4</i>	<i>70.4-92.5</i>	<b>92.3</b>	89.8-94.7	<b>92.6</b>	90.1-95.1	<b>75.5</b>	61.9-89.1
<b>Mid Atlantic</b>													
<b>New Jersey (NPCR/SEER)</b>													
	1	<b>95.8</b>	95.4-96.2	<b>96.1</b>	95.7-96.6	<b>91.8</b>	90.0-93.6	<b>96.1</b>	95.8-96.4	<b>96.5</b>	96.1-96.8	<b>92.8</b>	91.5-94.0
	3	<b>90.5</b>	89.8-91.1	<b>91.3</b>	90.6-92.0	<b>81.0</b>	78.3-83.7	<b>90.9</b>	90.4-91.5	<b>91.9</b>	91.3-92.5	<b>82.5</b>	80.3-84.7
	5	<b>86.3</b>	85.4-87.2	<b>87.6</b>	86.7-88.5	<b>73.1</b>	69.8-76.4	<b>87.0</b>	86.0-87.9	<b>88.3</b>	87.3-89.3	<b>73.7</b>	69.7-77.7
<b>New York (NPCR)</b>													
	1	<b>96.0</b>	95.7-96.3	<b>96.4</b>	96.1-96.7	<b>92.8</b>	91.7-93.8	<b>96.7</b>	96.5-96.9	<b>96.9</b>	96.7-97.2	<b>94.2</b>	93.6-94.9
	3	<b>91.0</b>	90.5-91.4	<b>91.9</b>	91.5-92.4	<b>82.2</b>	80.6-83.8	<b>92.2</b>	91.8-92.6	<b>93.0</b>	92.7-93.4	<b>84.7</b>	83.5-86.0
	5	<b>87.5</b>	86.9-88.1	<b>88.8</b>	88.1-89.4	<b>75.7</b>	73.8-77.6	<b>88.7</b>	88.1-89.4	<b>89.8</b>	89.1-90.5	<b>79.2</b>	77.4-81.0
<b>Pennsylvania (NPCR)</b>													
	1	<b>96.3</b>	96.0-96.7	<b>96.6</b>	96.3-96.9	<b>92.6</b>	91.0-94.2	<b>96.4</b>	96.2-96.7	<b>96.5</b>	96.3-96.8	<b>94.9</b>	94.0-95.9
	3	<b>90.9</b>	90.4-91.4	<b>91.5</b>	91.0-92.1	<b>83.8</b>	81.4-86.3	<b>91.9</b>	91.5-92.3	<b>92.3</b>	91.8-92.8	<b>86.6</b>	84.8-88.5
	5	<b>87.1</b>	86.4-87.8	<b>87.8</b>	87.1-88.5	<b>78.0</b>	75.0-81.0	<b>88.1</b>	87.4-88.9	<b>88.7</b>	88.0-89.5	<b>80.4</b>	77.5-83.4



**SUPPORTING TABLE 2.** *Continued*

	Years	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Nebraska (NPCR)	1	<b>95.9</b>	95.1-96.8	<b>96.0</b>	95.1-96.8	<b>90.0</b>	83.8-96.2	<b>97.7</b>	97.2-98.3	<b>97.8</b>	97.2-98.4	<b>95.9</b>	91.7-100.0
	3	<b>92.0</b>	90.6-93.4	<b>92.3</b>	90.9-93.6	<b>69.4</b>	59.6-79.2	<b>93.3</b>	92.1-94.5	<b>93.5</b>	92.3-94.7	<b>89.7</b>	81.1-98.3
	5	<b>88.4</b>	86.6-90.2	<b>88.6</b>	86.8-90.5	<b>68.4</b>	58.0-78.7	<b>91.8</b>	89.7-93.8	<b>92.0</b>	89.9-94.1	<b>87.1</b>	74.4-99.8
<b>WEST</b>													
<b>Mountain</b>													
Colorado (NPCR)	1	<b>97.3</b>	96.7-98.0	<b>97.2</b>	96.6-97.9	<b>96.7</b>	92.3-100.0	<b>97.9</b>	97.5-98.3	<b>97.9</b>	97.4-98.3	<b>96.3</b>	93.3-99.3
	3	<b>93.2</b>	92.1-94.2	<b>93.1</b>	92.0-94.1	<b>86.0</b>	78.2-93.8	<b>94.6</b>	93.7-95.4	<b>94.6</b>	93.7-95.4	<b>87.3</b>	81.6-93.0
	5	<b>91.2</b>	89.8-92.6	<b>90.9</b>	89.5-92.3	<b>80.9</b>	72.1-89.7	<b>91.1</b>	89.5-92.6	<b>91.0</b>	89.4-92.6	<b>86.2</b>	78.0-94.4
Idaho (NPCR)	1	<b>97.5</b>	96.5-98.6	<b>97.5</b>	96.5-98.5		-	<b>97.3</b>	96.5-98.0	<b>97.2</b>	96.4-98.0		-
	3	<b>95.1</b>	93.5-96.8	<b>95.3</b>	93.6-97.0		-	<b>92.5</b>	90.9-94.0	<b>92.5</b>	90.9-94.0		-
	5	<b>91.7</b>	89.4-94.1	<b>91.7</b>	89.3-94.1		-	<b>90.2</b>	87.6-92.7	<b>90.3</b>	87.7-92.8		-
Montana (NPCR)	1	<b>97.8</b>	96.7-98.9	<b>97.8</b>	96.7-98.9		-	<b>97.2</b>	96.3-98.0	<b>97.1</b>	96.3-98.0		-
	3	<b>93.7</b>	91.7-95.7	<b>94.0</b>	92.0-96.0		-	<b>93.5</b>	91.8-95.2	<b>93.6</b>	91.8-95.3		-
	5	<b>91.1</b>	88.3-93.9	<b>91.7</b>	88.8-94.5		-	<b>89.6</b>	86.2-92.9	<b>89.7</b>	86.3-93.1		-
New Mexico (SEER)	1	<b>97.1</b>	96.2-98.1	<b>97.3</b>	96.3-98.2	<i>92.3</i>	<i>82.8-100.0</i>	<b>96.5</b>	95.7-97.2	<b>96.6</b>	95.9-97.3	<b>97.6</b>	92.1-100.0
	3	<b>92.7</b>	91.1-94.2	<b>92.8</b>	91.2-94.4	<i>73.2</i>	<i>57.1-89.4</i>	<b>91.2</b>	89.8-92.6	<b>91.6</b>	90.2-93.0	<b>86.1</b>	72.9-99.4
	5	<b>88.3</b>	86.1-90.5	<b>88.8</b>	86.6-91.0	<i>65.3</i>	<i>47.8-82.8</i>	<b>85.4</b>	82.8-88.0	<b>85.7</b>	83.0-88.3	<b>81.3</b>	64.6-98.0
Utah (SEER)	1	<b>95.7</b>	94.6-96.8	<b>95.7</b>	94.7-96.8	<i>89.3</i>	<i>73.3-100.0</i>	<b>96.4</b>	95.7-97.2	<b>96.5</b>	95.8-97.2	<i>100.0</i>	<i>100.0-100.0</i>
	3	<b>90.4</b>	88.6-92.1	<b>90.5</b>	88.8-92.2	<i>84.3</i>	<i>65.4-100.0</i>	<b>90.8</b>	89.4-92.2	<b>90.9</b>	89.5-92.3	<i>80.4</i>	<i>57.6-100.0</i>
	5	<b>88.0</b>	85.8-90.2	<b>87.9</b>	85.7-90.1	<i>100.0</i>	<i>75.7-100.0</i>	<b>86.3</b>	83.8-88.8	<b>86.4</b>	83.9-88.9	<i>81.3</i>	<i>58.2-100.0</i>
Wyoming (NPCR)	1	<b>97.0</b>	95.2-98.7	<b>97.1</b>	95.3-98.8		-	<b>96.4</b>	95.1-97.7	<b>96.6</b>	95.3-97.9		-
	3	<b>91.3</b>	88.2-94.5	<b>91.2</b>	88.0-94.4		-	<b>92.0</b>	89.6-94.5	<b>92.2</b>	89.8-94.7		-
	5	<b>87.2</b>	83.0-91.4	<b>87.2</b>	82.9-91.4		-	<b>87.5</b>	83.1-92.0	<b>87.7</b>	83.2-92.2		-
<b>Pacific</b>													
Alaska (NPCR)	1	<b>98.2</b>	96.5-100.0	<b>98.2</b>	96.3-100.0	<i>96.4</i>	<i>87.4-100.0</i>	<b>97.2</b>	95.9-98.6	<b>97.0</b>	95.4-98.6	<i>95.4</i>	<i>88.6-100.0</i>
	3	<b>94.4</b>	91.1-97.7	<b>94.6</b>	90.8-98.3	<i>82.2</i>	<i>65.1-99.4</i>	<b>91.8</b>	89.1-94.4	<b>92.3</b>	89.4-95.2	<i>91.8</i>	<i>81.7-100.0</i>
	5	<b>88.7</b>	84.1-93.2	<b>88.5</b>	83.4-93.7	<i>79.3</i>	<i>60.6-98.1</i>	<b>89.3</b>	85.2-93.3	<b>90.0</b>	85.4-94.5	<i>83.4</i>	<i>68.0-98.8</i>
California (NPCR/SEER)	1	<b>97.4</b>	97.2-97.6	<b>97.5</b>	97.3-97.7	<b>93.8</b>	92.6-95.0	<b>97.4</b>	97.2-97.5	<b>97.6</b>	97.4-97.7	<b>93.7</b>	92.9-94.5
	3	<b>92.9</b>	92.6-93.3	<b>93.2</b>	92.9-93.6	<b>85.1</b>	83.2-87.0	<b>93.1</b>	92.8-93.4	<b>93.4</b>	93.1-93.8	<b>85.6</b>	84.1-87.1
	5	<b>89.6</b>	89.1-90.0	<b>90.0</b>	89.6-90.5	<b>78.5</b>	76.2-80.9	<b>89.7</b>	89.1-90.2	<b>90.0</b>	89.4-90.6	<b>80.1</b>	77.7-82.4
Hawaii (SEER)	1	<b>97.9</b>	97.0-98.8	<b>98.9</b>	97.5-100.0	<i>75.8</i>	<i>52.2-99.3</i>	<b>97.5</b>	96.8-98.3	<b>96.7</b>	95.1-98.2	<i>94.9</i>	<i>87.3-100.0</i>
	3	<b>93.1</b>	91.4-94.8	<b>93.1</b>	89.8-96.4	<i>75.8</i>	<i>52.2-99.3</i>	<b>93.8</b>	92.4-95.2	<b>93.2</b>	90.4-96.1	<i>83.6</i>	<i>67.7-99.5</i>
	5	<b>90.0</b>	87.8-92.3	<b>88.9</b>	84.4-93.4	<i>75.8</i>	<i>52.2-99.3</i>	<b>89.4</b>	86.5-92.2	<b>89.0</b>	83.6-94.3	<i>53.8</i>	<i>20.2-87.4</i>
Oregon (NPCR)	1	<b>97.8</b>	97.2-98.3	<b>97.8</b>	97.3-98.3	<b>92.7</b>	85.8-99.5	<b>97.4</b>	97.0-97.8	<b>97.4</b>	97.0-97.9	<b>92.8</b>	86.7-99.0
	3	<b>94.6</b>	93.6-95.5	<b>94.5</b>	93.5-95.4	<b>85.9</b>	75.0-96.7	<b>93.2</b>	92.4-94.0	<b>93.1</b>	92.3-93.9	<b>77.0</b>	64.8-89.2
	5	<b>91.8</b>	90.5-93.0	<b>91.6</b>	90.3-92.9	<b>83.0</b>	71.1-94.9	<b>90.5</b>	89.0-91.9	<b>90.2</b>	88.7-91.6	<b>68.1</b>	53.8-82.4
Washington (NPCR)	1	<b>97.8</b>	97.4-98.3	<b>97.9</b>	97.5-98.3	<b>93.0</b>	87.9-98.2	<b>98.1</b>	97.8-98.5	<b>98.2</b>	97.8-98.5	<b>92.8</b>	89.0-96.5
	3	<b>94.6</b>	93.9-95.4	<b>94.8</b>	94.1-95.6	<b>77.1</b>	68.4-85.7	<b>94.7</b>	94.0-95.4	<b>94.8</b>	94.1-95.5	<b>82.6</b>	76.5-88.7
	5	<b>91.6</b>	90.6-92.7	<b>91.7</b>	90.6-92.7	<b>73.3</b>	64.1-82.4	<b>92.0</b>	90.8-93.2	<b>92.1</b>	90.9-93.4	<b>74.1</b>	64.2-84.0

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Unstandardized estimates are italicized.

**SUPPORTING TABLE 3.** Breast Cancer: 5-Year Age-Standardized Net Survival (%) for Females (Ages 15-99 Years) Diagnosed 2001-2009 by SEER Summary Stage 2000 at Diagnosis, Race, Calendar Period of Diagnosis, and US Census Region and States<sup>a</sup>

	SEER Summary Stage 2000	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
<b>UNITED STATES</b>													
All stages		<b>88.2</b>	88.0-88.3	<b>89.1</b>	88.9-89.3	<b>76.9</b>	76.2-77.6	<b>88.6</b>	88.4-88.8	<b>89.6</b>	89.4-89.8	<b>78.4</b>	77.7-79.1
Localized		<b>98.0</b>	97.8-98.2	<b>98.2</b>	98.0-98.4	<b>92.8</b>	91.9-93.7	<b>98.3</b>	98.1-98.6	<b>98.6</b>	98.3-98.8	<b>94.3</b>	93.4-95.2
Regional		<b>81.2</b>	80.8-81.6	<b>82.3</b>	82.0-82.7	<b>69.9</b>	68.5-71.2	<b>82.3</b>	81.9-82.7	<b>83.5</b>	83.0-83.9	<b>71.8</b>	70.4-73.2









**SUPPORTING TABLE 3.** *Continued*

	SEER Summary Stage 2000	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
California (NPCR/SEER)	All stages	<b>89.6</b>	89.1-90.0	<b>90.0</b>	89.6-90.5	<b>78.5</b>	76.2-80.9	<b>89.7</b>	89.1-90.2	<b>90.0</b>	89.4-90.6	<b>80.1</b>	77.7-82.4
	Localized	<b>98.2</b>	97.7-98.8	<b>98.4</b>	97.8-98.9	<b>93.7</b>	90.9-96.5	<b>98.4</b>	97.8-99.0	<b>98.5</b>	97.9-99.1	<b>94.2</b>	91.3-97.2
	Regional	<b>82.4</b>	81.5-83.4	<b>82.9</b>	81.9-83.9	<b>70.9</b>	66.7-75.1	<b>82.4</b>	81.3-83.5	<b>82.6</b>	81.4-83.8	<b>71.9</b>	67.6-76.1
	Distant	<b>22.6</b>	20.7-24.4	<b>23.6</b>	21.6-25.7	<b>14.7</b>	9.6-19.8	<b>26.6</b>	24.5-28.7	<b>27.4</b>	25.0-29.7	<b>15.6</b>	11.1-20.1
	Unknown	<b>52.1</b>	48.3-56.0	<b>54.8</b>	50.5-59.1	<b>38.8</b>	27.0-50.5	<b>46.7</b>	42.0-51.4	<b>44.3</b>	39.1-49.5	<b>47.5</b>	31.1-63.9
Hawaii (SEER)	All stages	<b>90.0</b>	87.8-92.3	<b>88.9</b>	84.4-93.4	75.8	52.2-99.3	<b>89.4</b>	86.5-92.2	<b>89.0</b>	83.6-94.3	53.8	20.2-87.4
	Localized	<b>97.1</b>	94.8-99.4	<b>94.7</b>	90.1-99.3		-	<b>98.8</b>	95.6-100.0	<b>98.5</b>	92.4-100.0	72.2	31.7-100.0
	Regional	<b>83.6</b>	78.2-89.0	<b>87.8</b>	74.6-100.0		-	<b>76.9</b>	71.2-82.5	<b>77.6</b>	66.9-88.3	0.0	0.0-0.0
	Distant	<b>11.9</b>	5.8-17.9	4.7	0.0-12.2		-	<b>19.1</b>	12.0-26.2	<b>26.4</b>	16.7-36.0		-
Oregon (NPCR)	All stages	<b>91.8</b>	90.5-93.0	<b>91.6</b>	90.3-92.9	<b>83.0</b>	71.1-94.9	<b>90.5</b>	89.0-91.9	<b>90.2</b>	88.7-91.6	<b>68.1</b>	53.8-82.4
	Localized	<b>99.2</b>	97.8-100.0	<b>99.0</b>	97.7-100.0	99.2	89.2-100.0	<b>98.4</b>	96.7-100.0	<b>97.9</b>	96.2-99.6	<b>93.5</b>	77.8-100.0
	Regional	<b>85.2</b>	82.4-87.9	<b>84.9</b>	82.1-87.8	81.1	65.9-96.4	<b>86.6</b>	83.6-89.6	<b>86.6</b>	83.6-89.6	58.7	37.4-80.0
	Distant	<b>27.6</b>	21.8-33.4	<b>27.7</b>	21.8-33.6		-	<b>23.8</b>	18.5-29.0	<b>24.2</b>	18.9-29.5	0.2	0.0-0.7
	Unknown	<b>48.6</b>	39.8-57.4	<b>48.2</b>	39.2-57.2		-	<b>35.5</b>	27.6-43.4	<b>34.7</b>	26.5-42.8		-
Washington (NPCR)	All stages	<b>91.6</b>	90.6-92.7	<b>91.7</b>	90.6-92.7	<b>73.3</b>	64.1-82.4	<b>92.0</b>	90.8-93.2	<b>92.1</b>	90.9-93.4	<b>74.1</b>	64.2-84.0
	Localized	<b>98.4</b>	97.3-99.6	<b>98.4</b>	97.3-99.6	<b>87.9</b>	76.0-99.8	<b>99.2</b>	97.9-100.0	<b>99.2</b>	97.8-100.0	<b>82.7</b>	67.1-98.3
	Regional	<b>85.5</b>	83.4-87.5	<b>85.9</b>	83.8-88.0	<b>64.0</b>	51.7-76.2	<b>84.5</b>	82.1-86.9	<b>84.7</b>	82.2-87.2	<b>72.8</b>	60.4-85.2
	Distant	<b>21.0</b>	17.1-25.0	<b>21.3</b>	17.2-25.4	33.9	8.5-59.2	<b>28.7</b>	23.9-33.5	<b>27.7</b>	22.6-32.8	28.5	7.0-50.1
	Unknown	<b>53.4</b>	44.1-62.8	<b>51.1</b>	41.6-60.6		-	<b>42.8</b>	33.2-52.4	<b>37.4</b>	27.5-47.3	41.2	6.8-75.5

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results Program.

<sup>a</sup> Information on stage was not available for 2 states (Maryland and Wisconsin) or for Rhode Island for cases diagnosed between 2004 and 2009. Unstandardized estimates are italicized.