

SUPPORTING TABLE 1. Stomach Cancer: Number of Males and Females (Ages 15-99 Years) Diagnosed During 2001-2009 and Distribution (Percentage) by SEER Summary Stage 2000 at Diagnosis by Race, Calendar Period of Diagnosis, and US Census Region and State^a

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
United States							
	No. of patients	49,225	38,036	7332	101,475	76,800	15,906
	Localized, %	22.1	22.2	21.2	24.9	24.8	24.6
	Regional, %	31.5	31.4	30.2	28.8	28.7	27.6
	Distant, %	28.9	29.1	28.5	30.8	31.4	30.1
	Unknown, %	17.5	17.3	20.1	15.4	15.1	17.7
NORTHEAST							
New England							
Connecticut (SEER)							
	No. of patients	974	850	104	1970	1717	204
	Localized, %	25.1	25.1	27.9	27.1	26.7	29.9
	Regional, %	34.0	34.7	27.9	32.0	31.8	30.4
	Distant, %	28.4	27.5	36.5	30.5	30.8	30.9
	Unknown, %	12.5	12.7	7.7	10.4	10.7	8.8
Massachusetts (NPCR)							
	No. of patients	1593	1436	97	3026	2669	205
	Localized, %	22.2	22.3	22.7	25.8	26.2	22.4
	Regional, %	33.0	32.8	30.9	30.9	30.1	34.1
	Distant, %	31.5	31.0	37.1	32.2	32.4	35.1
	Unknown, %	13.2	13.9	9.3	11.1	11.2	8.3
New Hampshire (NPCR)							
	No. of patients	209	201	-	472	457	-
	Localized, %	22.0	20.9	0.0	26.3	26.5	0.0
	Regional, %	32.5	32.8	100.0	29.7	29.5	75.0
	Distant, %	28.7	29.9	0.0	32.6	32.6	0.0
	Unknown, %	16.7	16.4	0.0	11.4	11.4	25.0
Rhode Island (NPCR)							
	No. of patients	329	309	15	554	510	32
	Localized, %	22.8	22.3	40.0	-	-	-
	Regional, %	29.2	29.4	20.0	-	-	-
	Distant, %	33.7	33.7	26.7	-	-	-
	Unknown, %	14.3	14.6	13.3	-	-	-
Mid Atlantic							
New Jersey (NPCR/SEER)							
	No. of patients	2452	1944	348	4737	3688	701
	Localized, %	24.3	24.2	26.4	24.7	24.5	25.1
	Regional, %	32.9	32.7	34.2	30.8	31.1	28.5
	Distant, %	28.5	29.0	26.1	29.6	29.6	30.4
	Unknown, %	14.3	14.1	13.2	14.9	14.8	16.0
New York (NPCR)							
	No. of patients	5611	4176	942	10,851	7739	1997
	Localized, %	21.1	21.3	20.3	25.4	25.0	24.2
	Regional, %	31.7	31.4	31.4	30.6	30.4	29.8
	Distant, %	25.8	25.8	26.0	30.0	30.5	31.9
	Unknown, %	21.5	21.5	22.3	14.0	14.2	14.0
Pennsylvania (NPCR)							
	No. of patients	3200	2749	352	6172	5237	746
	Localized, %	21.3	21.3	20.2	25.3	24.8	28.2
	Regional, %	36.7	37.4	33.2	31.5	31.4	30.8
	Distant, %	28.2	27.7	30.7	31.9	32.5	29.1
	Unknown, %	13.9	13.6	15.9	11.4	11.3	11.9
SOUTH							
South Atlantic							
Delaware (NPCR)							
	No. of patients	172	118	47	364	266	84
	Localized, %	27.3	28.0	27.7	22.8	20.7	29.8
	Regional, %	30.8	29.7	29.8	32.1	31.6	33.3
	Distant, %	30.8	32.2	29.8	34.3	35.3	33.3
	Unknown, %	11.0	10.2	12.8	10.7	12.4	3.6
Florida (NPCR)							
	No. of patients	4267	3524	652	8068	6526	1270
	Localized, %	20.4	20.4	20.1	23.8	23.7	24.0
	Regional, %	32.6	32.7	31.6	30.2	30.0	30.5
	Distant, %	27.8	27.4	30.8	28.6	28.6	29.7
	Unknown, %	19.2	19.5	17.5	17.4	17.7	15.8
Georgia (NPCR/SEER)							
	No. of patients	1408	804	554	3157	1804	1229
	Localized, %	24.9	24.9	26.0	28.2	28.3	27.7
	Regional, %	32.2	32.0	31.6	29.9	29.2	30.4
	Distant, %	29.3	28.4	30.1	32.8	33.0	33.0
	Unknown, %	13.6	14.8	12.3	9.1	9.4	8.9

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Maryland (NPCR)	No. of patients	955	561	294	1838	1106	566
	Localized, %	-	-	-	-	-	-
	Regional, %	-	-	-	-	-	-
	Distant, %	-	-	-	-	-	-
	Unknown, %	-	-	-	-	-	-
North Carolina (NPCR)	No. of patients	1449	977	426	3222	2142	957
	Localized, %	25.1	25.9	23.5	26.9	27.7	25.4
	Regional, %	29.9	29.8	29.1	29.3	29.6	28.3
	Distant, %	31.6	30.8	34.0	31.2	31.0	31.7
	Unknown, %	13.4	13.5	13.4	12.7	11.7	14.6
South Carolina (NPCR)	No. of patients	877	494	364	1893	1082	778
	Localized, %	22.3	22.9	21.7	28.8	31.8	25.3
	Regional, %	35.9	35.8	36.3	27.8	27.5	28.3
	Distant, %	26.9	26.7	26.9	29.7	28.9	30.2
	Unknown, %	14.8	14.6	15.1	13.7	11.7	16.2
West Virginia (NPCR)	No. of patients	397	383	14	775	737	33
	Localized, %	25.9	25.6	35.7	25.2	25.6	18.2
	Regional, %	35.0	35.8	14.3	30.6	30.5	30.3
	Distant, %	22.9	23.2	14.3	28.9	28.5	33.3
	Unknown, %	16.1	15.4	35.7	15.4	15.3	18.2
East South Central							
Alabama (NPCR)	No. of patients	900	586	303	1838	1171	635
	Localized, %	25.8	27.8	21.5	32.4	35.1	27.2
	Regional, %	33.9	35.3	31.7	27.0	26.2	28.7
	Distant, %	26.9	24.7	31.4	28.2	27.3	30.2
	Unknown, %	13.4	12.1	15.5	12.3	11.4	13.9
Kentucky (NPCR/SEER)	No. of patients	729	655	71	1548	1387	132
	Localized, %	26.7	27.3	21.1	29.7	29.7	28.0
	Regional, %	30.5	29.6	36.6	27.8	28.1	25.8
	Distant, %	26.2	26.7	22.5	29.5	29.1	34.8
	Unknown, %	16.6	16.3	19.7	13.0	13.0	11.4
Mississippi (NPCR)	No. of patients	193	110	82	1210	623	566
	Localized, %	32.6	40.9	22.0	25.4	26.2	24.0
	Regional, %	29.5	26.4	34.1	29.5	29.2	30.0
	Distant, %	20.2	16.4	25.6	28.2	28.9	27.7
	Unknown, %	17.6	16.4	18.3	16.9	15.7	18.2
Tennessee (NPCR)	No. of patients	317	262	50	2217	1716	450
	Localized, %	26.8	27.5	24.0	29.2	30.3	24.9
	Regional, %	36.0	34.4	42.0	29.0	28.6	30.0
	Distant, %	22.1	23.7	16.0	27.2	27.3	27.6
	Unknown, %	15.1	14.5	18.0	14.6	13.9	17.6
West South Central							
Louisiana (NPCR/SEER)	No. of patients	1037	578	441	2123	1159	933
	Localized, %	24.9	25.8	24.3	30.4	33.0	27.8
	Regional, %	31.9	29.1	34.2	27.2	24.9	29.3
	Distant, %	28.3	30.1	26.5	31.5	31.2	32.2
	Unknown, %	14.9	15.1	15.0	10.9	10.8	10.8
Oklahoma (NPCR)	No. of patients	631	493	60	1248	943	126
	Localized, %	25.8	26.8	26.7	27.5	27.7	33.3
	Regional, %	28.4	27.4	30.0	25.5	25.2	26.2
	Distant, %	28.4	28.4	23.3	28.0	27.9	21.4
	Unknown, %	17.4	17.4	20.0	19.1	19.2	19.0
Texas (NPCR)	No. of patients	3911	3182	592	8411	6748	1260
	Localized, %	20.2	20.3	18.6	24.5	24.5	24.7
	Regional, %	31.8	31.9	32.6	28.0	28.2	26.3
	Distant, %	29.4	29.4	30.1	31.9	32.0	32.9
	Unknown, %	18.6	18.5	18.8	15.6	15.2	16.2
MIDWEST							
East North Central							
Michigan (NPCR/SEER)	No. of patients	2099	1628	426	4193	3236	799
	Localized, %	24.5	24.4	25.1	25.0	24.7	25.8
	Regional, %	29.5	30.2	26.3	25.9	26.8	23.7
	Distant, %	27.9	27.6	30.3	27.1	27.1	26.9
	Unknown, %	18.1	17.8	18.3	22.0	21.4	23.7

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Ohio (NPCR)	No. of patients	2174	1756	351	4511	3718	667
	Localized, %	20.7	20.4	19.4	21.6	21.3	22.3
	Regional, %	29.3	29.4	29.1	28.8	29.2	28.0
	Distant, %	25.3	25.4	27.4	30.5	30.8	30.0
	Unknown, %	24.7	24.7	24.2	19.2	18.7	19.6
Wisconsin (NPCR)	No. of patients	890	820	41	1587	1423	110
	Localized, %	-	-	-	-	-	-
	Regional, %	-	-	-	-	-	-
	Distant, %	-	-	-	-	-	-
West North Central Iowa (SEER)	No. of patients	531	503	15	1123	1081	26
	Localized, %	23.2	22.5	33.3	26.4	26.7	15.4
	Regional, %	25.8	25.8	26.7	27.2	26.9	38.5
	Distant, %	37.5	38.4	33.3	37.2	37.1	38.5
	Unknown, %	13.6	13.3	6.7	9.2	9.3	7.7
Nebraska (NPCR)	No. of patients	334	312	13	667	616	30
	Localized, %	21.6	21.8	30.8	18.7	19.5	6.7
	Regional, %	28.4	28.5	15.4	31.9	32.6	26.7
	Distant, %	30.2	30.4	38.5	33.6	33.0	36.7
	Unknown, %	19.8	19.2	15.4	15.7	14.9	30.0
WEST							
Mountain							
Colorado (NPCR)	No. of patients	619	557	28	1352	1211	59
	Localized, %	22.9	23.2	25.0	20.5	19.7	27.1
	Regional, %	28.6	28.5	21.4	28.1	27.6	20.3
	Distant, %	31.5	31.2	46.4	38.7	39.5	44.1
	Unknown, %	17.0	17.1	7.1	12.7	13.2	8.5
Idaho (NPCR)	No. of patients	204	197	-	403	378	-
	Localized, %	22.5	23.4	-	19.1	18.8	0.0
	Regional, %	36.3	35.0	-	28.5	28.6	100.0
	Distant, %	28.9	28.9	-	37.7	38.6	0.0
	Unknown, %	12.3	12.7	-	14.6	14.0	0.0
Montana (NPCR)	No. of patients	201	190	-	332	299	-
	Localized, %	20.9	21.6	-	24.4	24.7	-
	Regional, %	37.8	36.3	-	31.6	32.1	-
	Distant, %	28.9	28.9	-	32.5	31.1	-
	Unknown, %	12.4	13.2	-	11.4	12.0	-
New Mexico (SEER)	No. of patients	356	305	-	865	746	18
	Localized, %	26.1	26.9	40.0	33.5	33.9	55.6
	Regional, %	32.9	31.1	40.0	25.0	24.5	16.7
	Distant, %	30.9	31.5	0.0	30.1	29.5	22.2
	Unknown, %	10.1	10.5	20.0	11.4	12.1	5.6
Utah (SEER)	No. of patients	274	253	-	509	475	-
	Localized, %	34.3	33.2	50.0	30.6	31.2	25.0
	Regional, %	24.8	24.5	50.0	24.0	22.7	0.0
	Distant, %	32.5	33.2	0.0	36.5	37.3	50.0
	Unknown, %	8.4	9.1	0.0	8.8	8.8	25.0
Wyoming (NPCR)	No. of patients	68	67	-	159	155	-
	Localized, %	16.2	14.9	-	25.8	26.5	-
	Regional, %	30.9	31.3	-	27.0	25.8	-
	Distant, %	25.0	25.4	-	30.2	31.0	-
	Unknown, %	27.9	28.4	-	17.0	16.8	-
Pacific							
Alaska (NPCR)	No. of patients	102	53	-	210	98	-
	Localized, %	19.6	17.0	0.0	23.8	22.4	50.0
	Regional, %	34.3	34.0	66.7	30.5	32.7	0.0
	Distant, %	32.4	30.2	33.3	33.8	28.6	0.0
	Unknown, %	13.7	18.9	0.0	11.9	16.3	50.0
California (NPCR/SEER)	No. of patients	7530	5458	596	15,717	11,100	1166
	Localized, %	21.1	20.6	19.3	24.9	23.8	25.5
	Regional, %	31.2	30.2	28.9	29.0	28.2	26.2
	Distant, %	35.8	37.1	36.2	35.3	37.3	35.8
	Unknown, %	11.8	12.0	15.6	10.9	10.7	12.6

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Hawaii (SEER)	No. of patients	528	72	-	959	139	-
	Localized, %	30.5	25.0	-	28.3	26.6	20.0
	Regional, %	37.7	37.5	-	31.2	28.1	20.0
	Distant, %	26.1	33.3	-	33.0	34.5	60.0
	Unknown, %	5.7	4.2	-	7.6	10.8	0.0
Oregon (NPCR)	No. of patients	582	520	13	1252	1121	26
	Localized, %	18.4	17.5	15.4	25.2	25.8	23.1
	Regional, %	36.3	34.8	38.5	30.5	29.6	34.6
	Distant, %	32.3	34.0	30.8	32.9	33.3	30.8
	Unknown, %	13.1	13.7	15.4	11.4	11.3	11.5
Washington (NPCR/SEER)	No. of patients	1122	953	28	1942	1577	83
	Localized, %	24.5	24.8	14.3	23.0	21.9	32.5
	Regional, %	32.9	32.7	25.0	30.8	30.9	22.9
	Distant, %	31.4	30.8	53.6	37.8	38.6	32.5
	Unknown, %	11.2	11.6	7.1	8.3	8.6	12.0

Abbreviations: NPCR, National Program of Cancer Registries; SEER, Surveillance, Epidemiology, and End Results program.

^a Information on stage was not available for Maryland or Wisconsin, or for Rhode Island (patients diagnosed during 2004-2009).

SUPPORTING TABLE 2. Stomach Cancer: Age-Standardized Net Survival (%) at 1, 3, and 5 Years for Males and Females (Ages 15-99 Years) Diagnosed During 2001-2009 by Race, Calendar Period of Diagnosis, and US Census Region and State^a

Years	2004-2009															
	2001-2003				All Races				Black				White			
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI		
UNITED STATES																
1	49.1	48.7-49.6	48.6	48.1-49.1	46.9	45.7-48.1	53.1	52.7-53.4	52.5	52.1-52.9	50.9	50.1-51.8				
3	30.5	30.1-31.0	29.4	28.9-29.9	30.3	29.1-31.4	33.8	33.4-34.2	32.9	32.4-33.3	32.4	31.5-33.3				
5	26.1	25.7-26.6	24.9	24.4-25.4	26.1	25.0-27.3	29.0	28.6-29.5	28.0	27.5-28.5	28.3	27.1-29.4				
NORTHEAST																
New England																
1	55.7	52.3-59.1	55.6	51.9-59.3	50.4	41.3-59.5	59.1	56.7-61.5	59.2	56.6-61.7	54.3	47.5-61.0				
3	35.7	32.3-39.2	35.6	31.9-39.3	27.9	19.5-36.4	38.4	35.7-41.2	37.8	34.9-40.8	36.4	28.9-43.9				
5	30.7	27.2-34.2	30.3	26.6-34.1	23.0	14.9-31.1	32.3	29.0-35.5	31.2	27.7-34.6	34.6	26.7-42.5				
Massachusetts																
1	51.2	48.6-53.8	50.4	47.6-53.2	59.0	49.1-69.0	59.1	57.2-61.1	58.2	56.1-60.2	57.1	49.9-64.3				
3	33.6	31.0-36.2	33.1	30.4-35.9	37.9	37.7-48.1	39.7	37.4-41.9	38.8	36.4-41.2	37.1	29.3-44.8				
5	29.3	26.7-31.9	28.9	26.1-31.7	34.8	24.5-45.1	35.6	32.9-38.2	34.9	32.1-37.8	29.6	21.5-37.8				
New Hampshire																
1	49.3	42.5-56.1	48.6	41.7-55.6	48.6	41.7-55.6	52.2	47.2-57.1	51.8	46.8-56.9						
3	26.2	20.0-32.4	25.5	19.3-31.7	23.4	18.2-38.5	32.0	28.2-38.5	32.0	26.8-37.3						
5	21.7	15.8-27.6	20.8	14.9-26.7	29.9	24.0-35.8	28.6	22.7-34.6	28.6	22.7-34.6						
Rhode Island																
1	53.7	48.0-59.4	53.1	47.1-59.0	61.0	36.9-85.2	57.0	52.5-61.5	56.2	51.5-61.0	55.5	36.8-74.2				
3	32.0	26.3-37.6	31.9	26.0-37.8	42.0	17.2-66.8	38.4	33.4-43.4	37.1	31.8-42.3	42.5	23.2-61.9				
5	27.5	21.9-33.1	27.7	21.8-33.5	29.4	6.3-52.5	31.3	25.3-37.3	30.8	24.6-37.0	34.7	13.7-55.7				
Mid Atlantic																
New Jersey																
1	51.7	49.6-53.7	51.4	49.1-53.8	48.4	43.1-53.7	55.3	53.7-56.8	55.0	53.2-56.8	52.0	48.1-55.9				
3	32.7	30.7-34.8	31.5	29.2-33.8	32.4	27.2-37.7	35.4	33.7-37.1	34.6	32.6-36.6	31.7	27.4-35.9				
5	27.9	25.9-30.0	26.7	24.4-29.0	27.2	21.9-32.6	29.3	27.2-31.4	28.9	26.5-31.3	25.4	20.3-30.5				
New York																
1	54.6	53.2-55.9	54.1	52.5-55.7	51.1	47.8-54.4	58.9	57.9-59.8	58.0	56.8-59.2	55.1	52.7-57.4				
3	35.2	33.9-36.6	33.5	31.9-35.1	34.9	31.6-38.2	39.5	38.4-40.7	37.9	36.5-39.3	36.6	34.1-39.2				
5	30.6	29.2-31.9	28.4	26.8-30.0	30.9	27.6-34.2	34.6	33.2-36.0	32.3	30.6-34.0	32.6	29.5-35.6				
Pennsylvania																
1	48.4	46.5-50.3	48.7	46.7-50.7	46.0	40.6-51.5	53.2	51.9-54.6	52.8	51.3-54.3	53.3	49.4-57.1				
3	27.7	25.9-29.4	27.3	25.4-29.2	27.8	22.8-32.9	33.0	31.5-34.6	31.3	29.6-33.0	39.2	34.9-43.6				
5	23.8	22.1-25.6	23.2	21.3-25.1	23.6	18.7-28.6	28.1	26.2-29.9	26.9	24.9-28.9	33.5	28.3-38.7				
SOUTH																
South Atlantic																
Delaware																
1	52.1	44.6-59.6	48.7	39.8-57.6	57.6	43.1-72.2	52.3	46.7-57.8	52.2	45.7-58.7	52.1	41.4-62.8				
3	35.0	27.5-42.5	34.3	25.7-42.8	34.4	19.2-49.6	32.1	26.5-37.7	32.3	25.9-38.8	28.7	18.0-39.4				
5	30.7	23.1-38.2	30.0	21.6-38.5	28.4	12.7-44.1	28.8	22.6-34.9	28.4	21.6-35.1	28.0	13.4-42.6				
Florida																
1	51.7	50.1-53.3	51.8	50.0-53.5	50.5	46.5-54.5	55.6	54.5-56.8	55.5	54.2-56.8	54.9	51.9-57.8				
3	31.9	30.4-33.4	31.3	29.6-33.0	33.5	29.5-37.4	38.9	37.3-40.3	38.8	37.3-40.3	36.8	33.5-40.2				
5	27.7	26.1-29.2	26.9	25.2-28.6	30.4	26.3-34.5	36.2	34.6-37.8	36.6	34.9-38.4	31.6	27.2-36.0				
Georgia																
1	46.8	44.1-49.4	47.9	44.3-51.4	44.6	40.3-48.9	50.3	48.4-52.2	50.7	48.2-53.2	49.1	46.1-52.2				
3	29.6	27.0-32.1	29.8	26.4-33.2	28.1	24.0-32.2	31.1	29.0-33.2	31.2	28.4-33.9	30.9	27.6-34.3				
5	24.9	22.4-27.5	24.1	20.8-27.4	24.6	20.5-28.8	28.0	25.5-30.4	27.3	24.1-30.5	29.5	25.6-33.4				
Maryland																
1	46.5	43.2-49.7	45.2	40.9-49.5	41.6	35.9-47.4	52.7	50.2-55.2	52.2	49.0-55.4	49.3	44.9-53.7				
3	29.9	26.8-33.1	26.7	22.7-30.7	29.0	23.4-34.6	33.8	31.1-36.5	33.4	29.9-36.8	30.9	26.2-35.7				
5	26.8	23.5-30.0	23.8	19.7-27.8	25.4	19.7-31.1	28.8	25.7-31.9	28.2	24.2-32.2	26.4	21.2-31.6				

SUPPORTING TABLE 2. Continued

		2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
Years		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
North Carolina (NPCR)													
1		41.0	38.4-43.6	41.0	37.9-44.2	38.7	33.9-43.4	52.6	50.7-54.5	52.5	50.2-54.8	50.6	47.2-54.0
3		29.0	26.5-31.5	28.5	25.4-31.5	27.4	22.8-32.0	33.2	31.1-35.2	33.6	31.0-36.2	30.4	26.7-34.1
5		25.6	23.0-28.1	25.1	22.1-28.2	23.8	19.2-28.4	29.2	26.7-31.7	29.0	25.9-32.1	27.8	23.7-31.9
South Carolina (NPCR)													
1		48.8	45.4-52.2	49.9	45.4-54.4	45.8	40.6-51.0	51.6	49.1-54.0	53.8	50.6-57.0	48.7	44.9-52.4
3		31.3	28.0-34.6	31.6	27.2-36.0	28.9	23.9-33.8	31.6	29.0-34.2	34.9	31.4-38.4	26.8	22.8-30.7
5		25.2	22.0-28.5	25.8	21.5-30.1	22.5	17.8-27.3	26.9	23.7-30.1	29.7	25.4-34.0	22.0	17.2-26.7
West Virginia (NPCR)													
1		43.4	38.2-48.6	43.3	38.0-48.5	38.1	32.8-43.4	47.4	43.6-51.1	47.6	43.8-51.5	44.2	39.8-51.3
3		24.6	19.9-29.3	24.5	19.7-29.2	23.7	18.8-28.4	28.3	24.4-32.1	28.3	24.4-32.3	30.1	26.7-34.7
5		20.8	16.2-25.4	20.5	15.8-25.1	23.7	18.8-27.1	22.8	18.4-27.3	22.9	18.4-27.3	23.8	19.1-27.1
East South Central													
Alabama (NPCR)													
1		46.9	43.6-50.3	45.3	41.1-49.4	50.0	44.3-55.8	50.7	46.2-53.1	52.1	49.0-55.1	47.0	42.8-51.2
3		30.8	27.5-34.1	29.2	25.2-33.2	33.4	27.7-39.1	32.8	30.1-35.5	34.9	31.6-38.2	28.5	24.1-32.9
5		27.8	24.4-31.2	27.1	23.0-31.2	29.4	23.5-35.2	26.9	23.8-30.1	28.4	24.5-32.3	24.1	19.0-29.2
Kentucky (NPCR/SEER)													
1		44.1	40.4-47.8	44.6	40.6-48.5	37.9	26.4-49.5	48.8	46.1-51.4	48.9	46.0-51.7	46.4	38.3-54.6
3		25.2	21.8-28.6	25.6	22.0-29.2	21.7	17.3-22.0	30.0	27.1-32.9	29.7	26.7-32.8	32.3	24.0-40.6
5		20.7	17.4-24.1	21.1	17.6-24.6	15.9	5.9-25.9	27.8	24.5-31.2	27.6	24.1-31.1	31.3	23.0-39.6
Mississippi (NPCR)													
1		57.8	50.9-64.7	61.7	53.1-70.2	55.0	45.4-64.6	48.6	45.6-51.6	48.8	44.6-53.1	47.6	43.2-52.0
3		39.2	32.2-46.3	41.5	32.6-50.4	37.3	27.0-47.7	29.9	26.6-33.1	30.3	25.8-34.8	29.1	24.3-34.0
5		33.6	26.3-40.8	33.2	24.2-42.1	35.8	24.3-47.2	23.8	19.8-27.9	23.0	17.6-28.4	26.8	21.1-32.4
Tennessee (NPCR)													
1		48.4	42.8-53.9	45.7	39.6-51.9	60.1	45.8-74.5	52.2	50.0-54.4	52.8	50.2-55.3	47.6	42.6-52.5
3		27.4	22.3-32.6	24.4	19.0-29.9	39.1	31.4-46.4	33.9	31.4-36.4	34.7	31.9-37.5	29.3	23.9-34.7
5		22.4	17.5-27.3	19.5	14.4-24.6	31.8	15.6-48.0	29.7	26.8-32.6	30.8	27.6-34.1	24.1	17.9-30.3
West South Central													
Louisiana (NPCR/SEER)													
1		45.9	42.7-49.0	46.8	42.6-51.0	43.9	39.1-48.7	47.9	45.6-50.2	47.9	44.7-51.0	48.0	44.5-51.4
3		29.8	26.8-32.9	29.7	25.6-33.8	29.1	24.9-33.7	29.3	26.8-31.7	30.6	27.2-33.9	28.3	24.6-32.0
5		25.3	22.2-28.3	24.5	20.5-28.6	24.9	20.4-29.5	24.9	22.1-27.8	26.3	22.3-30.2	23.9	19.9-27.9
Oklahoma (NPCR)													
1		41.5	37.5-45.5	40.8	36.2-45.4	46.3	33.3-59.2	46.8	43.8-49.7	48.3	44.9-51.7	50.8	41.6-60.1
3		23.0	19.5-26.6	22.2	18.2-26.2	32.3	19.8-44.8	28.0	24.9-31.1	28.0	24.5-31.5	37.6	27.1-48.1
5		19.7	16.2-23.2	18.4	14.6-22.3	32.3	19.8-44.8	22.3	18.7-25.9	21.8	17.7-25.9	40.9	29.4-52.3
Texas (NPCR)													
1		46.7	45.1-48.4	46.5	44.8-48.3	45.5	41.3-49.6	51.7	50.6-52.9	51.2	49.9-52.5	49.8	46.8-52.8
3		29.7	28.2-31.3	29.3	27.6-31.0	29.6	25.5-33.6	32.4	31.1-33.7	31.5	30.1-32.9	31.6	28.4-34.8
5		25.2	23.6-26.8	24.8	23.1-26.5	23.9	20.0-27.8	27.6	26.0-29.1	26.5	24.8-28.1	26.9	23.0-30.8
MIDWEST													
East North Central													
Michigan (NPCR)													
1		47.3	45.1-49.6	47.1	44.5-49.7	44.9	40.1-49.7	50.8	49.1-52.4	50.5	48.6-52.4	49.8	46.0-53.7
3		29.4	27.2-31.5	28.4	25.9-30.8	30.7	25.9-35.4	31.6	29.8-33.4	31.0	29.0-33.0	30.4	26.3-34.5
5		24.9	22.7-27.1	24.1	21.7-26.6	25.0	20.3-29.6	27.3	25.2-29.3	25.8	23.4-28.1	28.3	23.7-32.9
Ohio (NPCR)													
1		47.7	45.5-50.0	46.4	44.0-48.9	49.3	43.8-54.7	50.4	48.8-52.0	49.1	47.3-50.9	54.3	50.3-58.3
3		28.6	26.5-30.8	27.1	24.7-29.4	30.9	25.8-36.1	29.4	27.7-31.1	27.9	26.0-29.7	33.3	28.8-37.8
5		25.2	23.1-27.4	24.1	21.8-26.5	24.6	19.6-29.7	24.5	22.5-26.5	22.8	20.6-25.0	29.8	24.8-34.9
Wisconsin (NPCR)													
1		56.7	53.3-60.0	57.3	53.8-60.8	55.5	39.8-71.2	57.6	54.9-60.2	58.4	55.6-61.2	47.6	38.2-56.9
3		32.8	29.4-36.1	33.0	29.4-36.5	34.5	19.3-49.6	33.2	30.2-36.2	33.3	30.2-36.5	28.6	18.9-38.2
5		25.4	22.0-28.7	25.3	21.8-28.8	30.7	14.6-46.8	26.7	23.0-30.3	27.1	23.3-30.9	18.3	9.6-27.0

SUPPORTING TABLE 2. Continued

Years		2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
West North Central													
1	Iowa (SEER)	42.0	37.6-46.5	41.3	36.7-45.8	60.4	36.2-84.5	49.3	46.1-52.5	49.2	45.9-52.5	48.3	28.7-68.0
3		27.1	23.0-31.3	26.7	22.4-30.9	33.8	11.0-56.6	30.0	26.6-33.4	29.9	26.4-33.3	34.9	13.4-56.3
5		20.0	16.1-23.9	19.7	15.7-23.7	20.6	1.7-39.6	24.6	20.6-28.7	24.7	20.6-28.8	25.4	3.2-47.6
1	Nebraska (NPCR)	47.1	41.4-52.8	48.1	42.0-54.1	46.8	20.7-72.9	53.9	49.9-57.8	55.2	51.0-59.3	31.5	13.2-49.8
3		25.8	20.7-30.9	26.8	21.4-32.2	23.6	2.3-44.8	31.7	27.3-36.0	31.9	27.3-36.4	25.5	7.5-43.4
5		20.4	15.6-25.2	20.6	15.6-25.7	23.6	2.3-44.8	24.9	19.9-30.0	25.3	20.1-30.6	13.4	0.0-29.5
WEST													
Mountain													
1	Colorado (NPCR)	50.7	46.7-54.8	50.2	45.9-54.5	43.9	25.8-62.0	51.6	48.8-54.5	51.3	48.3-54.3	49.8	35.8-63.8
3		30.0	26.2-33.8	28.6	24.6-32.6	30.0	12.8-47.1	33.4	30.3-36.5	32.5	29.2-35.7	30.2	16.8-43.6
5		25.7	21.9-29.5	24.0	20.1-28.0	27.9	10.3-45.5	24.0	20.2-27.8	22.9	19.0-26.8	13.5	0.8-26.2
1	Idaho (NPCR)	49.0	42.1-55.9	49.2	42.2-56.2	48.2	43.0-53.3	48.2	43.0-53.3	48.5	43.2-53.8	48.5	43.2-53.8
3		30.3	23.7-36.8	30.4	23.7-37.0	28.0	22.9-33.4	28.1	22.9-33.4	28.0	22.6-33.3	28.0	22.6-33.3
5		26.3	19.9-32.6	26.8	20.3-33.3	26.8	21.0-32.6	26.8	20.5-32.5	26.5	20.5-32.5	26.5	20.5-32.5
1	Montana (NPCR)	42.2	35.4-49.0	42.6	35.7-49.6	49.8	44.1-55.6	49.8	44.1-55.6	49.6	43.8-55.3	49.6	43.8-55.3
3		25.6	19.3-31.8	26.3	19.9-32.8	29.2	23.3-35.2	28.8	22.7-34.8	28.8	22.7-34.8	28.8	22.7-34.8
5		19.6	13.9-25.4	20.2	14.2-26.2	25.8	19.5-32.1	25.8	19.5-32.1	24.9	18.5-31.3	24.9	18.5-31.3
1	New Mexico (SEER)	45.5	40.3-50.7	45.7	40.1-51.4	45.5	41.9-49.0	45.8	42.0-49.6	45.8	42.0-49.6	28.9	5.9-51.9
3		25.9	21.1-30.6	26.2	21.0-31.3	28.1	24.5-31.8	28.1	24.5-31.8	29.1	25.2-33.1	19.5	0.0-39.5
5		22.0	17.3-26.7	22.7	17.6-27.9	25.6	21.5-29.7	25.6	21.5-29.7	26.2	21.7-30.7	26.2	21.7-30.7
1	Utah (SEER)	48.8	42.7-54.9	49.5	43.2-55.8	49.3	44.8-53.8	49.3	44.8-53.8	48.2	43.6-52.9	48.2	43.6-52.9
3		35.2	29.1-41.2	35.4	29.2-41.7	32.2	27.3-37.0	32.2	27.3-37.0	31.4	26.5-36.4	31.4	26.5-36.4
5		32.5	26.2-38.8	32.4	25.9-38.9	27.5	21.7-33.2	27.5	21.7-33.2	25.6	20.2-31.0	25.6	20.2-31.0
1	Wyoming (NPCR)	39.7	27.7-51.7	38.8	26.7-50.8	46.3	38.8-53.7	46.3	38.8-53.7	46.1	38.7-53.5	46.1	38.7-53.5
3		25.7	14.6-36.7	24.5	13.5-35.5	28.0	19.8-36.2	28.0	19.8-36.2	28.7	20.4-37.0	28.7	20.4-37.0
5		23.7	12.1-35.2	22.5	11.0-33.9	25.6	16.8-34.4	25.6	16.8-34.4	26.2	17.3-35.1	26.2	17.3-35.1
Pacific													
1	Alaska (NPCR)	45.4	35.6-55.1	43.7	31.0-56.3	44.9	37.7-52.2	44.9	37.7-52.2	46.7	37.2-56.3	46.7	37.2-56.3
3		27.8	19.4-36.2	25.6	15.0-36.1	26.2	18.9-33.5	26.2	18.9-33.5	31.3	21.6-41.0	31.3	21.6-41.0
5		24.7	16.6-32.8	21.5	11.7-31.2	27.4	19.7-35.1	27.4	19.7-35.1	32.0	22.0-41.9	32.0	22.0-41.9
1	California (NPCR/SEER)	47.9	46.7-49.1	45.4	44.0-46.8	42.9	38.8-47.0	42.9	38.8-47.0	49.3	48.3-50.3	47.8	44.7-50.9
3		28.5	27.4-29.6	26.4	25.1-27.7	22.1	18.5-25.6	32.3	31.4-33.2	29.3	28.2-30.4	31.8	28.4-35.1
5		24.0	22.9-25.2	21.7	20.4-23.0	18.6	15.1-22.1	26.8	25.7-27.9	24.0	22.7-25.2	26.1	22.3-29.9
1	Hawaii (SEER)	54.8	49.7-59.9	48.9	37.1-60.8	48.9	37.1-60.8	55.6	52.1-59.2	56.6	48.3-65.0	56.6	48.3-65.0
3		35.7	30.6-40.7	28.1	17.2-39.1	36.2	32.2-40.2	36.2	32.2-40.2	31.1	22.5-39.7	31.1	22.5-39.7
5		31.8	26.8-36.8	30.4	17.9-42.8	32.4	27.9-36.9	32.4	27.9-36.9	25.3	16.9-33.7	25.3	16.9-33.7
1	Oregon (NPCR)	45.7	41.5-49.8	44.6	40.2-49.0	31.2	7.4-55.0	50.2	47.2-53.2	49.3	46.1-52.5	66.9	48.2-85.5
3		27.7	23.8-31.6	25.9	21.8-29.9	16.1	0.0-33.9	33.4	30.1-36.7	33.1	29.6-36.6	32.7	11.3-52.9
5		23.0	19.1-26.9	21.5	17.5-25.5	8.6	0.0-21.1	27.9	24.2-31.6	27.5	23.6-31.4	33.9	11.9-55.9
1	Washington (NPCR)	51.5	48.5-54.6	50.8	47.5-54.2	38.0	19.9-56.0	53.1	50.8-55.4	52.1	49.5-54.6	59.3	48.7-69.8
3		31.5	28.6-34.5	31.1	27.8-34.3	19.7	5.0-34.4	33.4	30.9-35.8	31.4	28.7-34.0	41.4	29.0-53.7
5		26.3	23.4-29.2	25.9	22.7-29.1	17.0	2.7-31.3	27.5	24.5-30.4	25.7	22.5-28.9	40.1	26.6-53.5

Abbreviations: NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.
^aUnstandardized estimates are italicized.
 Bold type indicates Age-standardized net survival estimates.

SUPPORTING TABLE 3. Stomach Cancer: 5-Year Age-Standardized Net Survival (%) for Males and Females (Ages 15-99 Years) Diagnosed During 2001-2009 by Surveillance, Epidemiology, and End Results Summary Stage 2000 at Diagnosis by Race, Calendar Period of Diagnosis, and US Census Region and State^a

SEER Summary Stage 2000	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
United States												
All stages	26.1	25.7-26.6	24.9	24.4-25.4	26.1	25.0-27.3	29.0	28.6-29.5	28.0	27.5-28.5	28.3	27.1-29.4
Localized	60.9	59.8-62.0	60.0	58.7-61.3	58.1	55.1-61.1	64.0	62.9-65.0	63.0	61.8-64.2	61.1	58.4-63.8
Regional	25.2	24.4-26.0	23.5	22.6-24.4	27.0	24.9-29.1	28.2	27.4-29.0	26.9	26.0-27.9	28.3	26.0-30.5
Distant	4.8	4.4-5.1	4.5	4.1-4.9	4.8	3.8-5.8	5.3	4.9-5.7	5.0	4.6-5.5	5.8	4.8-6.7
Unknown	24.4	23.2-25.5	22.7	21.4-24.0	24.0	21.4-26.7	27.9	26.8-29.0	27.2	25.9-28.6	25.3	22.9-27.6
NORTHEAST												
New England												
Connecticut (SEER)	30.7	27.2-34.2	30.3	26.6-34.1	23.0	14.9-31.1	32.3	29.0-35.5	31.2	27.7-34.6	34.6	26.7-42.5
Localized	73.0	66.0-80.1	72.7	65.1-80.3	70.2	49.8-90.6	69.1	62.4-75.7	67.2	59.8-74.5	66.1	46.8-85.3
Regional	26.5	21.1-31.9	26.7	20.8-32.5	15.6	2.5-28.7	30.0	24.7-35.3	29.7	24.1-35.4	31.6	16.9-46.3
Distant	4.6	2.1-7.1	4.9	2.1-7.7	0.1	0.0-0.2	5.8	3.2-8.4	5.4	2.7-8.1	8.4	0.5-16.4
Unknown	17.9	9.4-26.4	15.5	6.8-24.1	34.4	24.5-45.1	36.3	27.3-45.3	34.4	25.0-43.7	40.6	18.0-63.2
Massachusetts (NPCR)	29.3	26.7-31.9	28.9	26.1-31.7	34.8	24.5-45.1	35.6	32.9-38.2	34.9	32.1-37.8	29.6	21.5-37.8
Localized	70.8	64.9-76.8	69.9	63.5-76.2	81.0	56.6-100.0	77.8	72.5-83.1	77.5	71.9-83.1	88.4	71.8-100.0
Regional	28.9	24.5-33.3	28.3	23.7-33.0	27.9	10.9-44.9	36.0	31.4-40.7	35.0	29.9-40.0	26.1	11.2-40.9
Distant	6.1	4.0-8.2	5.5	3.3-7.6	15.3	3.8-26.7	6.0	3.9-8.1	6.3	4.1-8.5	5.7	0.0-12.8
Unknown	15.3	9.6-21.1	15.5	9.6-21.5			28.5	20.2-36.8	24.7	16.0-33.4	2.0	0.0-6.6
New Hampshire (NPCR)	21.7	15.8-27.6	20.8	14.9-26.7	28.6	22.7-34.6	29.9	24.0-35.8	28.6	22.7-34.6	26.7	18.0-37.8
Localized	53.3	36.2-70.5	53.5	35.4-71.6			62.9	44.6-81.2	61.7	43.0-80.5		
Regional	16.2	8.0-24.4	15.1	7.2-23.0			25.1	15.5-34.7	24.1	14.7-33.4		
Distant	3.7	0.0-8.0	3.7	0.0-8.0			4.9	1.3-8.6	3.1	0.0-6.8		
Unknown	20.2	5.4-35.1	21.4	5.9-36.9			23.8	9.1-38.5	20.4	6.2-34.5		
Rhode Island (NPCR)	27.5	21.9-33.1	27.7	21.8-33.5	29.4	6.3-52.5	31.3	25.3-37.3	30.8	24.6-37.0	34.7	13.7-55.7
Localized	74.5	59.4-89.5	70.6	55.3-85.8								
Regional	17.4	8.4-26.3	18.3	8.9-27.8								
Distant	5.8	1.5-10.1	4.9	0.9-8.8								
Unknown	13.4	3.4-23.4	14.0	3.6-24.4								
Mid Atlantic												
New Jersey (NPCR/SEER)	27.9	25.9-30.0	26.7	24.4-29.0	27.2	21.9-32.6	29.3	27.2-31.4	28.9	26.5-31.3	25.4	20.3-30.5
Localized	61.1	56.3-65.8	59.1	53.7-64.5	56.2	43.7-68.8	66.4	61.5-71.4	66.2	62.7-73.8	52.1	40.7-63.4
Regional	26.1	22.7-29.6	26.6	22.6-30.5	23.5	15.2-31.7	27.6	23.9-31.3	26.7	22.4-31.0	21.2	13.7-28.7
Distant	3.3	1.9-4.6	3.1	1.6-4.5	1.6	0.0-4.0	3.5	2.1-4.9	3.4	1.9-4.9	3.1	0.0-6.4
Unknown	30.7	24.9-36.5	26.5	20.5-32.5	17.1	5.1-29.1	31.9	25.5-38.4	27.5	19.9-35.1	29.0	15.9-42.2
New York (NPCR)	30.6	29.2-31.9	28.4	26.8-30.0	30.9	27.6-34.2	34.6	33.2-36.0	32.3	30.6-34.0	32.6	29.5-35.6
Localized	65.2	61.9-68.5	64.1	60.3-68.0	64.1	56.1-72.1	72.1	69.0-75.2	70.0	66.2-73.9	67.6	61.4-73.7
Regional	30.0	27.6-32.4	27.1	24.4-29.8	32.1	26.2-37.9	33.3	30.8-35.8	31.3	28.4-34.3	31.8	25.7-37.8
Distant	8.9	7.3-10.5	7.7	6.0-9.4	8.8	5.2-12.4	8.1	6.8-9.4	7.1	5.6-8.5	9.1	6.3-11.9
Unknown	26.7	23.6-29.7	23.0	19.5-26.5	28.3	21.4-35.3	35.6	32.0-39.2	33.0	28.8-37.3	35.3	27.9-42.8
All stages	23.8	22.1-25.6	23.2	21.3-25.1	23.6	18.7-28.6	28.1	26.2-29.9	26.9	24.9-28.9	33.5	28.3-38.7
Localized	63.4	58.9-67.8	62.6	57.9-67.4	60.9	45.7-76.2	66.4	62.0-70.9	66.3	61.6-71.1	67.6	56.8-78.4

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
SOUTH												
South Atlantic												
Delaware (NPCR)	21.0	18.3-23.7	20.3	17.5-23.2	19.4	12.1-26.7	26.4	23.2-29.7	26.2	22.7-29.7	33.1	24.4-41.8
Distant	2.9	1.7-4.0	2.7	1.5-3.9	3.9	1.3-6.5	3.9	2.6-5.2	3.0	1.8-4.3	9.8	5.0-14.7
Unknown	22.6	17.4-27.8	19.9	14.2-25.6	19.8	8.5-31.0	25.6	19.7-31.6	23.9	18.2-29.6	13.0	3.3-22.7
All stages	30.7	23.1-38.2	30.0	21.6-38.5	28.4	12.7-44.1	28.8	22.6-34.9	28.4	21.6-35.1	28.0	13.4-42.6
Localized	72.1	53.7-90.5	67.3	48.1-86.4	75.4	35.0-100.0	59.6	41.1-78.0	58.3	35.4-81.2	58.4	27.7-89.1
Regional	22.8	10.8-34.7	28.6	12.8-44.4	0.0		33.8	24.2-43.3	38.3	27.3-49.3	20.6	1.1-40.2
Distant	4.3	0.0-9.6	3.1	0.0-7.9	7.7	0.0-19.1	5.2	0.3-10.1	4.5	0.0-9.5	7.9	0.0-18.6
Unknown	19.3	1.2-37.3	11.0	0.0-27.0			21.5	6.2-36.8	11.4	0.0-24.1		
All stages	27.7	26.1-29.2	26.9	25.2-28.6	30.4	26.3-34.5	36.2	34.6-37.8	36.6	34.9-38.4	31.6	27.2-36.0
Localized	61.2	57.3-65.0	61.0	56.7-65.4	57.3	47.2-67.4	70.4	66.8-73.9	71.5	67.8-75.2	58.9	47.3-70.5
Regional	26.5	23.9-29.1	25.2	22.3-28.0	33.2	26.1-40.4	34.0	30.9-37.1	33.9	30.6-37.3	33.2	25.7-40.7
Distant	6.7	5.2-8.3	6.7	5.0-8.3	6.9	3.4-10.4	11.5	9.6-13.5	11.4	9.2-13.7	10.7	7.0-14.3
Unknown	28.6	24.6-32.6	26.6	22.3-30.9	36.2	26.6-45.7	38.6	34.9-42.2	40.1	35.9-44.2	28.3	20.7-36.0
All stages	24.9	22.4-27.5	24.1	20.8-27.4	24.6	20.5-28.8	28.0	25.5-30.4	27.3	24.1-30.5	29.5	25.6-33.4
Localized	57.4	51.1-63.7	57.1	49.1-65.2	56.3	46.8-65.9	58.9	53.5-64.2	57.5	50.5-64.4	61.4	53.7-69.2
Regional	21.5	17.4-25.7	18.5	13.4-23.6	20.5	14.0-26.9	24.6	19.9-29.3	23.4	17.8-29.0	26.9	18.6-35.1
Distant	1.7	0.7-2.8	1.4	0.2-2.6	1.7	0.1-3.3	3.3	1.7-4.9	3.5	1.5-5.4	2.5	0.5-4.4
Unknown	28.9	21.8-36.0	21.3	12.8-29.9	27.7	16.0-39.3	29.4	22.4-36.5	23.0	14.6-31.4	32.1	21.1-42.1
All stages	26.8	23.5-30.0	23.8	19.7-27.8	25.4	19.7-31.1	28.8	25.7-31.9	28.2	24.2-32.2	26.4	21.2-31.6
Localized												
Regional												
Distant												
Unknown												
All stages	25.6	23.0-28.1	25.1	22.1-28.2	23.8	19.2-28.4	29.2	26.7-31.7	29.0	25.9-32.1	27.8	23.7-31.9
Localized	60.7	54.9-66.6	62.5	55.6-69.3	54.2	43.6-64.9	63.8	58.6-69.0	61.3	54.7-67.8	66.0	57.0-75.0
Regional	21.4	17.1-25.6	17.3	12.7-21.9	28.5	20.3-36.7	26.7	22.1-31.4	26.1	20.4-31.8	27.4	20.0-34.9
Distant	2.2	1.0-3.4	1.3	0.2-2.4	3.3	0.8-5.8	3.9	2.4-5.4	4.8	2.7-6.9	2.7	1.1-4.3
Unknown	30.0	22.7-37.4	27.1	18.2-35.9	11.3	1.3-21.3	30.2	23.4-37.0	33.4	24.8-42.0	22.7	14.3-31.0
All stages	25.2	22.0-28.5	25.8	21.5-30.1	22.5	17.8-27.3	26.9	23.7-30.1	29.7	25.4-34.0	22.0	17.2-26.7
Localized	59.1	51.0-67.2	65.2	55.1-75.2	44.8	33.3-56.4	56.6	49.2-64.0	57.9	49.0-66.9	53.4	42.0-64.7
Regional	20.1	15.3-24.9	16.8	11.3-22.4	24.0	16.0-32.0	26.8	21.0-32.6	29.7	22.3-37.1	22.0	14.8-29.3
Distant	5.3	2.5-8.1	5.3	1.8-8.7	4.7	1.3-8.1	4.0	2.2-5.8	4.6	2.2-7.0	3.8	1.6-6.0
Unknown	23.9	15.6-32.2	23.5	10.9-36.0	15.6	4.5-26.7	18.3	11.9-24.6	23.1	12.9-33.4	13.2	5.2-21.1
All stages	20.8	16.2-25.4	20.5	15.8-25.1	22.9	18.4-27.1	22.8	18.4-27.1	23.9	18.4-27.3	23.8	4.5-43.0
Localized	41.4	29.8-53.0	39.1	27.4-50.7	23.7	2.3-45.0	58.9	49.2-68.6	59.9	50.0-69.9	48.8	14.7-83.0
Regional	15.3	8.9-21.6	15.3	9.0-21.7	12.5	6.6-18.3	12.5	6.6-18.3	11.8	6.2-17.5	0.4	0.0-1.4
Distant	1.2	0.0-3.1	1.3	0.0-3.2	0.0	0.0-0.0	0.0	0.0-0.0	0.0	0.0-0.0	0.4	0.0-1.4
Unknown	18.3	7.7-29.0	19.9	8.4-31.4	29.5	20.4-38.6	29.5	20.4-38.6	31.5	21.8-41.1		
All stages	27.8	24.4-31.2	27.1	23.0-31.2	29.4	23.5-35.2	26.9	23.8-30.1	28.4	24.5-32.3	24.1	19.0-29.2
Localized	58.7	51.2-66.1	56.8	48.2-65.5	59.9	44.5-75.4	53.0	46.3-59.7	54.4	46.5-62.3	49.9	38.5-61.3

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000	2001-2003						2004-2009							
	All Races		White		Black		All Races		White		Black			
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI		
Kentucky (NPCR/SEER)	Regional	26.6	21.2-32.0	21.6	16.1-27.1	38.6	28.2-49.0	20.6	15.4-25.7	20.9	14.8-27.1	18.6	11.6-25.6	
	Distant	3.7	1.3-6.0	3.9	1.1-6.8	3.2	0.0-6.6	6.7	4.0-9.4	6.4	3.7-9.0	7.3	3.8-10.7	
	Unknown	18.4	10.4-26.3	19.1	8.6-29.6	18.3	6.7-30.5	25.8	19.6-32.0	16.6	8.2-25.0	18.0	2.8-33.2	
	All stages	20.7	17.4-24.1	21.1	17.6-24.6	15.9	5.9-25.9	27.8	24.5-31.2	27.6	24.1-31.1	31.3	23.0-39.6	
	Localized	45.4	37.5-53.4	46.5	38.1-54.8	30.4	6.4-54.3	65.1	58.0-72.1	63.2	55.8-70.6	72.8	38.9-100.0	
	Regional	16.5	11.3-21.8	15.8	10.4-21.3	18.7	3.3-34.1	22.5	16.8-28.1	22.9	17.0-28.7	12.9	0.0-29.6	
	Distant	2.3	0.5-4.1	2.0	0.2-3.7	6.5	0.0-16.2	2.8	1.1-4.5	2.8	1.0-4.7	4.8	0.0-10.5	
	Unknown	19.8	12.5-27.1	20.8	12.9-28.6	3.0	0.0-9.8	16.9	10.5-23.3	17.8	10.9-24.7	26.8	21.1-32.4	
	All stages	33.6	26.3-40.8	33.2	24.2-42.1	35.8	24.3-47.2	23.8	19.8-27.9	23.0	17.6-28.4	65.1	53.4-76.8	
	Localized	56.4	41.3-71.4	45.2	28.1-62.3	80.4	55.8-100.0	52.2	43.2-61.1	47.3	36.8-57.7	22.0	15.3-28.7	
Mississippi (NPCR)	Regional	27.6	14.9-40.4	23.2	7.4-39.0	31.3	12.5-50.2	18.8	12.6-24.9	15.5	8.7-22.3	22.0	0.8-9.1	
	Distant	5.5	0.0-12.2	0.0	0.0-1.5	9.9	0.0-21.5	2.4	0.0-5.3	2.8	0.0-6.5	5.0	0.8-9.1	
	Unknown	33.7	15.5-51.8	49.1	24.3-74.0	15.9	0.0-35.7	26.0	18.1-33.9	31.4	18.7-44.1	15.2	8.2-22.2	
	All stages	22.4	17.5-27.3	19.5	14.4-24.6	31.8	15.6-48.0	29.7	26.8-32.6	30.8	27.6-34.1	24.1	17.9-30.3	
	Localized	40.2	27.6-52.8	36.5	23.6-49.4	58.5	19.3-97.7	54.4	47.7-61.0	54.5	46.9-62.1	51.1	38.1-64.1	
	Regional	19.0	12.2-25.9	16.1	8.0-24.2	31.7	11.0-52.4	27.9	22.8-33.0	28.9	23.3-34.4	24.4	13.8-35.1	
	Distant	1.6	0.0-4.2	1.8	0.0-4.7	6.1	3.6-8.5	6.1	3.6-8.5	6.7	3.9-9.6	5.0	0.3-9.6	
	Unknown	18.2	5.5-30.9	14.0	2.5-25.6	30.2	23.0-37.4	30.2	23.0-37.4	32.3	24.2-40.3	20.6	11.4-29.8	
	All stages	25.3	22.2-28.3	24.5	20.5-28.6	24.9	20.4-29.5	24.9	22.1-27.8	26.3	22.3-30.2	23.9	19.9-27.9	
	Localized	55.2	48.3-62.1	59.0	50.1-68.0	48.2	38.0-58.4	50.4	44.2-56.7	51.1	42.9-59.2	49.4	40.8-58.0	
West South Central Louisiana (NPCR/SEER)	Regional	25.6	20.3-30.8	21.2	14.7-27.7	28.7	21.0-36.5	23.2	17.6-28.8	21.2	13.7-28.6	26.0	17.9-34.1	
	Distant	5.7	3.2-8.3	5.2	2.2-8.2	6.1	2.2-10.0	3.9	2.1-5.7	4.5	2.0-6.9	4.2	1.7-6.8	
	Unknown	8.0	2.5-13.6	10.7	2.3-19.1	3.8	0.0-8.3	28.0	20.6-35.5	29.2	19.5-38.9	21.2	11.1-31.4	
	All stages	19.7	16.2-23.2	18.4	14.6-22.3	32.3	19.8-44.8	22.3	18.7-25.9	21.8	17.7-25.9	40.9	29.4-52.3	
	Localized	37.7	28.5-46.9	35.3	25.1-45.6	66.8	41.9-91.7	46.7	39.3-54.2	46.0	37.9-54.2	67.7	44.0-91.3	
	Regional	17.4	11.9-22.9	16.4	10.4-22.5	23.7	4.1-43.2	13.5	7.9-19.1	11.6	6.8-16.5	51.7	28.6-74.7	
	Distant	4.6	1.7-7.4	4.5	1.5-7.4	7.7	0.0-19.2	4.5	1.8-7.2	3.4	0.9-5.9	14.2	0.0-29.0	
	Unknown	17.5	9.2-25.9	17.1	7.8-26.4	26.2	3.2-49.1	22.3	15.9-28.7	22.6	15.1-30.1	21.8	3.4-40.2	
	All stages	25.2	23.6-26.8	24.8	23.1-26.5	23.9	20.0-27.8	27.6	26.0-29.1	26.5	24.8-28.1	26.9	23.0-30.8	
	Localized	54.4	50.2-58.6	53.1	48.5-57.8	58.4	47.7-69.0	58.6	55.1-62.2	57.6	53.6-61.6	61.9	53.6-70.2	
Texas (NPCR)	Regional	24.2	21.5-26.9	23.3	20.4-26.2	25.2	18.5-32.0	27.4	24.7-30.2	24.8	21.8-27.8	31.6	23.7-39.5	
	Distant	6.3	4.8-7.8	6.6	4.9-8.3	4.8	2.1-7.6	5.3	4.0-6.6	5.0	3.6-6.3	3.6	1.5-5.7	
	Unknown	27.8	24.1-31.6	28.0	23.8-32.2	19.1	11.7-26.5	28.9	24.9-32.9	26.8	22.3-31.2	26.5	18.8-34.3	
	All stages	24.9	22.7-27.1	24.1	21.7-26.6	25.0	20.3-29.6	27.3	25.2-29.3	25.8	23.4-28.1	28.3	23.7-32.9	
	Localized	58.6	53.4-63.8	59.5	53.5-65.4	53.6	43.3-64.0	60.4	55.4-65.4	59.5	53.8-65.2	60.0	49.1-70.8	
	Regional	23.4	19.7-27.2	22.1	18.0-26.3	24.1	16.7-31.5	25.2	20.9-29.4	23.7	19.2-28.2	29.0	19.8-38.2	
	Distant	4.3	2.6-5.9	4.2	2.3-6.1	5.0	2.1-8.0	4.9	3.0-6.7	4.3	2.5-6.2	6.1	2.3-9.9	
	Unknown	17.7	12.8-22.5	16.5	11.2-21.7	16.5	6.5-26.4	24.7	20.9-28.5	22.1	17.9-26.3	26.2	18.6-33.9	
	All stages	25.2	23.1-27.4	24.1	21.8-26.5	24.6	19.6-29.7	24.5	22.5-26.5	22.8	20.6-25.0	29.8	24.8-34.9	
	Localized	58.6	53.0-64.3	57.0	50.7-63.2	60.6	45.3-75.8	61.4	55.7-67.1	59.4	53.3-65.5	69.5	58.0-81.0	
MIDWEST East North Central Michigan (NPCR)	Regional	24.9	22.7-27.1	24.1	21.7-26.6	25.0	20.3-29.6	27.3	25.2-29.3	25.8	23.4-28.1	28.3	23.7-32.9	
	Localized	58.6	53.4-63.8	59.5	53.5-65.4	53.6	43.3-64.0	60.4	55.4-65.4	59.5	53.8-65.2	60.0	49.1-70.8	
	Regional	23.4	19.7-27.2	22.1	18.0-26.3	24.1	16.7-31.5	25.2	20.9-29.4	23.7	19.2-28.2	29.0	19.8-38.2	
	Distant	4.3	2.6-5.9	4.2	2.3-6.1	5.0	2.1-8.0	4.9	3.0-6.7	4.3	2.5-6.2	6.1	2.3-9.9	
	Unknown	17.7	12.8-22.5	16.5	11.2-21.7	16.5	6.5-26.4	24.7	20.9-28.5	22.1	17.9-26.3	26.2	18.6-33.9	
	All stages	25.2	23.1-27.4	24.1	21.8-26.5	24.6	19.6-29.7	24.5	22.5-26.5	22.8	20.6-25.0	29.8	24.8-34.9	
	Localized	58.6	53.0-64.3	57.0	50.7-63.2	60.6	45.3-75.8	61.4	55.7-67.1	59.4	53.3-65.5	69.5	58.0-81.0	
	Ohio (NPCR)	Regional	24.9	22.7-27.1	24.1	21.7-26.6	25.0	20.3-29.6	27.3	25.2-29.3	25.8	23.4-28.1	28.3	23.7-32.9
		Localized	58.6	53.4-63.8	59.5	53.5-65.4	53.6	43.3-64.0	60.4	55.4-65.4	59.5	53.8-65.2	60.0	49.1-70.8
		Regional	23.4	19.7-27.2	22.1	18.0-26.3	24.1	16.7-31.5	25.2	20.9-29.4	23.7	19.2-28.2	29.0	19.8-38.2
Distant		4.3	2.6-5.9	4.2	2.3-6.1	5.0	2.1-8.0	4.9	3.0-6.7	4.3	2.5-6.2	6.1	2.3-9.9	
Unknown		17.7	12.8-22.5	16.5	11.2-21.7	16.5	6.5-26.4	24.7	20.9-28.5	22.1	17.9-26.3	26.2	18.6-33.9	
All stages		25.2	23.1-27.4	24.1	21.8-26.5	24.6	19.6-29.7	24.5	22.5-26.5	22.8	20.6-25.0	29.8	24.8-34.9	
Localized		58.6	53.0-64.3	57.0	50.7-63.2	60.6	45.3-75.8	61.4	55.7-67.1	59.4	53.3-65.5	69.5	58.0-81.0	

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000	2001-2003						2004-2009						
	All Races		White		Black		All Races		White		Black		
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
Wisconsin (NPCR)	Regional	21.5	17.9-25.1	20.7	16.7-24.6	22.9	14.8-30.9	23.4	19.8-27.0	21.7	17.9-25.4	34.5	25.4-43.6
	Distant	6.0	3.9-8.1	6.0	3.8-8.2	4.6	0.3-8.9	5.2	3.5-6.9	4.9	3.2-6.7	6.8	3.0-10.5
	Unknown	23.6	19.1-28.0	21.1	16.3-25.8	23.9	13.3-34.6	21.5	17.0-25.9	19.7	15.2-24.2	14.8	5.4-24.3
West North Central Iowa (SEER)	All stages	25.4	22.0-28.7	25.3	21.8-28.8	30.7	14.6-46.8	26.7	23.0-30.3	27.1	23.3-30.9	18.3	9.6-27.0
	Localized												
	Regional												
Nebraska (NPCR)	Distant	20.0	16.1-23.9	19.7	15.7-23.7	20.6	1.7-39.6	24.6	20.6-28.7	24.7	20.6-28.8	25.4	3.2-47.6
	Unknown	53.9	43.6-64.1	54.4	43.8-65.0			60.2	50.7-69.6	59.5	49.9-69.0	16.9	0.0-39.4
	All stages	24.8	17.4-32.3	24.2	16.7-31.7			28.1	21.3-34.9	28.6	21.7-35.6		
WEST Mountain Colorado (NPCR)	Distant	1.1	0.0-2.4	1.3	0.0-2.6			3.2	0.9-5.5	3.2	0.9-5.5		
	Unknown	7.9	0.6-15.3	7.0	0.0-14.2			14.0	5.4-22.6	13.3	4.8-21.9	13.4	0.0-29.5
	All stages	20.4	15.6-25.2	20.6	15.6-25.7	23.6	2.3-44.8	24.9	19.9-30.0	25.3	20.1-30.6		
Idaho (NPCR)	Localized	50.6	35.5-65.7	50.5	34.8-66.1			64.4	50.7-78.0	64.6	50.7-78.5		
	Regional	17.7	10.5-24.8	18.4	11.0-25.9			19.8	12.9-26.8	20.2	13.0-27.4		
	Distant	3.9	0.0-7.7	4.1	0.0-8.2			9.5	5.3-13.6	9.2	5.2-13.3	35.4	6.5-64.2
Unknown	13.2	4.2-22.3	12.8	3.4-22.1			25.7	14.1-37.3	29.0	16.4-41.5			
New Mexico (SEER)	All stages	25.7	21.9-29.5	24.0	20.1-28.0	27.9	10.3-45.5	24.0	20.2-27.8	22.9	19.0-26.8	13.5	0.8-26.2
	Localized	58.1	48.7-67.5	57.9	48.0-67.7			45.6	35.3-55.8	44.6	33.8-55.3	54.4	14.9-93.9
	Regional	23.3	16.8-29.8	20.6	14.2-27.1			29.0	21.8-36.2	27.7	20.0-35.4	10.6	0.0-25.9
Utah (SEER)	Distant	7.2	3.7-10.7	6.8	3.2-10.3	0.0		8.4	5.3-11.5	8.0	5.1-11.0	0.0	0.0-0.1
	Unknown	17.2	8.8-25.5	11.9	4.3-19.5			24.9	16.2-33.6	22.8	13.9-31.8		
	All stages	26.3	19.9-32.6	26.8	20.3-33.3			26.8	21.0-32.6	26.5	20.5-32.5		
Montana (NPCR)	Localized	62.2	45.6-78.8	62.2	45.6-78.8			86.8	74.0-99.7	88.3	75.2-100.0		
	Regional	32.3	22.0-42.7	34.8	22.4-47.2			25.5	15.8-35.3	25.3	15.6-35.0		
	Distant	0.0	0.0-0.0	0.0	0.0-0.0			4.7	0.6-8.7	3.8	0.1-7.6		
New Mexico (SEER)	Unknown	4.1	0.0-9.6	4.1	0.0-9.6			13.2	2.7-23.6	10.5	0.9-20.1		
	All stages	19.6	13.9-25.4	20.2	14.2-26.2			25.8	19.5-32.1	24.9	18.5-31.3		
	Localized	54.5	36.5-72.5	55.8	37.5-74.1			50.5	30.2-70.9	48.4	26.2-70.6		
Utah (SEER)	Regional	13.6	5.6-21.7	13.6	5.1-22.0			21.3	13.0-29.7	24.1	15.1-33.1		
	Distant	0.0	0.0-0.0	0.0	0.0-0.0			4.1	0.0-8.2	1.8	0.0-4.5		
	Unknown	24.9	5.9-43.8	24.9	5.9-43.8			33.1	10.2-56.0	32.0	7.4-56.6		
Utah (SEER)	All stages	22.0	17.3-26.7	22.7	17.6-27.9			25.6	21.5-29.7	26.2	21.7-30.7		
	Localized	38.3	26.4-50.2	39.4	26.5-52.2			48.1	39.2-57.0	46.9	37.3-56.4		
	Regional	25.8	17.6-34.0	26.4	17.4-35.4			24.5	17.5-31.5	24.5	17.2-31.8		
Utah (SEER)	Distant	2.8	0.2-5.4	3.2	0.2-6.2			4.8	1.2-8.3	4.3	0.4-8.3		
	Unknown	10.2	0.4-20.0	11.5	0.5-22.5			19.3	9.0-29.6	21.9	10.5-33.2		
	All stages	32.5	26.2-38.8	32.4	25.9-38.9			27.5	21.7-33.2	25.6	20.2-31.0		
Localized	68.7	57.9-79.5	69.4	56.3-82.6			67.4	56.3-78.6	67.7	57.1-78.2			

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Wyoming (NPCR)	26.1	15.7-36.4	27.1	14.5-39.7			26.2	16.0-36.3	21.9	12.1-31.8		
	3.2	0.0-6.6	3.6	0.0-7.5			3.0	0.0-6.6	3.2	0.0-7.2		
	8.9	0.0-19.8	8.9	0.0-19.8			3.7	0.0-9.3	4.2	0.0-10.5		
	23.7	12.1-35.2	22.5	11.0-33.9			25.6	16.8-34.4	26.2	17.3-35.1		
	47.5	17.2-77.8	42.1	11.2-73.0			45.2	21.4-69.1	45.2	21.4-69.1		
	30.6	7.0-54.2	30.6	7.0-54.2			30.7	11.9-49.5	30.8	11.9-49.7		
	6.3	0.0-15.9	6.3	0.0-15.9			4.0	0.0-9.7	4.0	0.0-9.7		
	16.1	0.7-31.4	16.1	0.7-31.4			21.7	3.2-40.2	22.5	3.3-41.7		
Pacific												
Alaska (NPCR)	24.7	16.6-32.8	21.5	11.7-31.2			27.4	19.7-35.1	32.0	22.0-41.9		
	66.3	43.9-92.6					60.6	42.1-79.0	63.4	39.5-87.4		
	24.7	10.1-39.4	17.7	0.9-34.5			30.3	16.8-43.8	38.2	18.1-58.3		
	3.1	0.0-7.8	6.3	0.0-15.8			6.2	0.1-12.3	10.9	0.0-23.2		
	30.0	4.1-55.9	32.0	1.5-62.4			20.8	2.4-39.1	19.1	0.0-40.0		
	24.0	22.9-25.2	21.7	20.4-23.0			26.8	25.7-27.9	24.0	22.7-25.2		
	63.0	60.1-65.8	59.2	55.7-62.6	18.6	15.1-22.1	64.4	61.9-67.0	61.5	58.6-64.4	26.1	22.3-29.9
	27.4	25.3-29.4	25.2	22.9-27.6	46.6	35.3-58.0	29.1	26.9-31.2	25.8	23.3-28.4	55.6	46.0-65.2
	3.6	2.8-4.4	3.3	2.5-4.2	1.8	0.4-3.3	4.3	3.4-5.2	3.7	2.7-4.7	8.1	4.7-11.5
	16.3	13.0-19.6	12.8	9.4-16.3	9.5	3.0-16.0	17.7	14.4-20.9	17.0	13.2-20.8	6.8	0.7-13.0
	31.8	26.8-36.8	30.4	17.9-42.8			32.4	27.9-36.9	25.3	16.9-33.7		
	74.5	66.6-82.5	84.7	54.0-100.0			71.4	69.5-85.4	45.3	7.6-83.1		
	29.6	22.3-37.0	15.7	2.3-29.1			31.1	23.4-38.8	17.1	2.7-31.4		
	2.5	0.4-4.7	8.6	0.0-18.6			1.9	0.0-4.3	5.4	0.0-12.8		
	12.7	0.0-26.6					22.7	7.9-37.5	12.1	0.0-30.1		
	23.0	19.1-26.9	21.5	17.5-25.5	8.6	0.0-21.1	27.9	24.2-31.6	27.5	23.6-31.4	33.9	11.9-55.9
	63.8	53.4-74.2	60.2	48.8-71.6			74.0	66.2-81.8	73.3	65.2-81.4		
	23.9	17.6-30.1	22.6	16.0-29.2			28.5	22.0-35.0	25.9	19.1-32.7		
	4.6	2.0-7.3	5.0	2.1-7.9			3.4	1.7-5.2	3.4	1.6-5.3		
	6.3	0.3-12.3	6.8	0.3-13.2			5.4	0.2-10.6	6.5	0.6-12.5		
	26.3	23.4-29.2	25.9	22.7-29.1	17.0	2.7-31.3	27.5	24.5-30.4	25.7	22.5-28.9	40.1	26.6-53.5
	63.8	56.8-70.7	64.4	57.0-71.8			72.0	64.7-79.2	69.7	61.6-77.8	83.9	62.5-100.0
	27.4	22.4-32.4	25.5	20.5-30.5	25.1	19.4-30.7	27.7	22.3-33.1	25.1	19.4-30.7	34.0	5.6-62.5
	1.0	0.1-1.9	1.4	0.2-2.6			3.7	2.0-5.3	2.5	1.1-3.9	17.2	2.9-31.4
	13.2	7.0-19.4	9.3	3.5-15.0			26.6	18.0-35.2	27.7	18.7-36.7		

Abbreviations: NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.
^aInformation on stage was not available for Maryland or Wisconsin, or for Rhode Island (patients diagnosed 2004-2009). Unstandardized estimates are italicized.
 Bold type indicates Age-standardized net survival estimates.