

Gene name	Forward	Reverse
STAT1	AGGAAAAGCAAGCGTAATCTTCA	TATTCCCCGACTGAGCCTGAT
IFITM3	CTGGGCTTCATAGCATTGCGCT	AGATGTTTCAGGCACTTGGCGGT
β 2M	GAGGCTATCCAGCGTACTCCA	CGGCAGGCATACTCATCTTTT
IFN γ R1	TCTTTGGGTCAGAGTTAAAGCCA	TTCCATCTCGGCATACAGCAA
IFN β	GTCAGAGTGGAAATCCTAG	ACAGCATCTGCTGGTTGAAG
ISG15	GGCTGGGAGCTGACGGTGAAG	GCTCCGCCCGCCAGGCTCTGT
PKR	TGGAAAGCGAACAAGGAGTAAG	CCATCCCGTAGGTCTGTGAA
IFIT1	ACACCTGAAAGGCCAGAATG	GGTTTTTCAGGGTCCACTTCA
CD9	CCTGCTGTTTCGGATTAACTTCA	TGGTCTGAGAGTCGAATCGGA
18S rRNA	GTAACCCGTTGAACCCATT	CCATCCAATCGGTAGTAGCG

Table S7: Oligos used for qRT-PCR, related to Figure 3, 6, 7, S3, S6, and S7