

ESBL Strains	RESISTANCES			
	Distribution	*NAL Ac.	CIPRO	GENTA
n= 83	n(%)	n(%)	n(%)	n(%)
<i>Escherichia coli</i>	28 (33.7)	13 (46.4)	9 (32.1)	10 (35.7)
<i>Klebsiella pneumoniae</i>	20 (24.1)	5 (25.0)	7 (35.0)	12 (60.0)
<i>Enterobacter cloacae</i>	5 (6.0)	2 (40.0)	2 (40.0)	2 (40.0)
<i>Acinetobacter spp.</i>	15 (18.1)	6 (40.0)	7 (46.7)	8 (53.3)
<i>Citrobacter freundii</i>	1 (1.2)	0 (0.0)	0 (0.0)	0 (0.0)
<i>Klebsiella oxytoca</i>	1 (1.2)	0 (0.0)	0 (0.0)	0 (0.0)
<i>Pichia norvegensis</i>	1 (1.2)	0 (0.0)	0 (0.0)	1 (100)
<i>Kluyvera ascorbata</i>	1 (1.2)	0 (0.0)	0 (0.0)	0 (0.0)
<i>Unidentified</i>	11 (13.3)	2 (18.2)	2 (18.2)	5 (45.5)

\*NAL Ac. : Nalidixic Acid, CIPRO: Ciprofloxacin, GENTA: Gentamicin