

Supplementary Data

SUPPLEMENTARY TABLE S1. UPPER BOUNDS OF MEAN AMPLITUDE OF GLYCEMIC EXCURSIONS (MAGE)
FOR EACH QUARTILE FROM INTERQUARTILE ANALYSIS OF GLYCEMIC VARIABILITY DATA IN ADULTS (>18 y/o)
WITHOUT DIABETES, WITH TYPE 2 DIABETES AND WITH TYPE 1 DIABETES

<i>MAGE metric for glycemic variability</i>	<i>Adults without diabetes (mg/dL)</i>	<i>Adults with type 2 diabetes (mg/dL)</i>	<i>Adults with type 1 diabetes (mg/dL)</i>	<i>Children with type 1 diabetes (mg/dL)</i>	<i>Adolescents with type 1 diabetes (mg/dL)</i>
0th Pct. (min)	24.5	49.2	92.8	110.8	92.2
2.5th Pct.	29.0	57.1	103.5	125.0	115.5
25th Pct.	34.8	93.9	144.4	155.8	156.1
50th Pct.	41.0	115.6	178.2	182.2	180.9
75th Pct.	46.8	134.6	201.6	215.1	209.1
97.5th Pct.	64.7	218.5	246.5	238.5	265.8
100th Pct. (max)	69.8	218.8	289.1	244.3	298.2

Also shown is the interquartile analysis for children (<13 y/o) and adolescents (13–18 y/o) with type 1 diabetes.
MAGE, mean amplitude of glycemic excursions; Pct., percentile.