

Supplementary Information

Competition between cyanobacteria and green algae at low versus elevated CO₂: who will win, and why?

Xing Ji, Jolanda M. H. Verspagen, Maayke Stomp and Jef Huisman

Legends of Figures S1 and S2

Fig. S1. Dynamic changes in light, DIC and pH during the competition experiments.

(A,B) Competition between *Monoraphidium* and *Scenedesmus*.

(C,D) Competition between *Monoraphidium* and *Chlorella*. (E,F) Competition between *Monoraphidium* and *Microcystis*. (G,H) Competition between *Microcystis* and *Scenedesmus*.

(I,J) Competition between *Microcystis* and *Chlorella*. Left panels show experiments at low pCO₂ (100 ppm) and right panels at high pCO₂ (2,000 ppm). Symbols indicate experimental data, and lines indicate model predictions. Population dynamics of the competing species are in Fig. 4 of the main text. Parameter values of the model are provided in Tables 1 and 2.

Fig. S2. Dynamic changes in carbon speciation during the competition experiments.

(A,B) Competition between *Monoraphidium* and *Scenedesmus*. (C,D) Competition between *Monoraphidium* and *Chlorella*. (E,F) Competition between *Monoraphidium* and *Microcystis*.

(G,H) Competition between *Microcystis* and *Scenedesmus*. (I,J) Competition between *Microcystis* and *Chlorella*. Left panels show experiments at low pCO₂ (100 ppm) and right panels at high pCO₂ (2,000 ppm). Symbols indicate experimental data, and lines indicate model predictions. Population dynamics of the competing species are in Fig. 4 of the main text. Parameter values of the model are provided in Tables 1 and 2.

Fig. S1




Fig. S2

