Quality assessment checklist for prevalence studies (adapted from Hoy et al)

Nam	ne of author(s):		
l'eai	r of publication:		
tud	ly title:		
Risk of bias items		Risk of bias levels	Points scored
1.	Was the study's target population a close representation of the national population in relation to relevant variables, e.g. age, sex, occupation?	Yes (LOW RISK): The study's target population was a close representation of the national population.	0
	variables, eig. age, son, occupation	No (HIGH RISK): The study's target population was clearly NOT representative of the national population.	1
2.	Was the sampling frame a true or close representation of the target population?	Yes (LOW RISK): The sampling frame was a true or close representation of the target population.	0
		No (HIGH RISK): The sampling frame was NOT a true or close representation of the target population.	1
3.	Was some form of random selection used to select the sample, OR, was a census undertaken?	Yes (LOW RISK): A census was undertaken, OR, some form of random selection was used to select the sample (e.g. simple random sampling, stratified random sampling, cluster sampling, systematic sampling).	0
		No (HIGH RISK): A census was NOT undertaken, AND some form of random selection was NOT used to select the sample.	1
4.	Was the likelihood of non-response bias minimal?	Yes (LOW RISK): The response rate for the study was ≥75%, OR, an analysis was performed that showed no significant difference in relevant demographic characteristics between responders and non- responders	0
		No (HIGH RISK): The response rate was <75%, and if any analysis comparing responders and non-responders was done, it showed a significant difference in relevant demographic characteristics between responders and non-responders	1
5.	Were data collected directly from the	Yes (LOW RISK): All data were collected directly from the subjects.	0
	subjects (as opposed to a proxy)?	No (HIGH RISK): In some instances, data were collected from a proxy.	1
ó.	Was an acceptable case definition	Yes (LOW RISK): An acceptable case definition was used.	0
	used in the study?	No (HIGH RISK): An acceptable case definition was NOT used	1
7.	Was the study instrument that measured the parameter of interest (e.g. prevalence of low back pain)	Yes (LOW RISK): The study instrument had been shown to have reliability and validity (if this was necessary), e.g. test-re- test, piloting, validation in a previous study, etc.	0
	shown to have reliability and validity (if necessary)?	No (HIGH RISK): The study instrument had NOT been shown to have reliability or validity (if this was necessary).	1
3.	Was the same mode of data collection used for all subjects?	Yes (LOW RISK): The same mode of data collection was used for all subjects.	0
		No (HIGH RISK) : The same mode of data collection was NOT used for all subjects.	1
).	Were the numerator(s) and denominato r(s) for the parameter of interest appropriate	Yes (LOW RISK): The paper presented appropriate numerator(s) AND denominator(s) for the parameter of interest (e.g. the prevalence of low back pain).	0
		No (HIGH RISK): The paper did present numerator(s) AND denominator(s) for the parameter of interest but one or more of these were inappropriate.	1
10.	Summary on the overall risk of study	LOW RISK	0-3
	bias	MODERATE RISK	4-6
		HIGH RISK	7-9