


## **Supplementary Information**

**Expression of Carbonic Anhydrase III, a Nucleus Pulposus Phenotypic Marker, is Hypoxia-responsive and Confers Protection from Oxidative Stress-induced Cell Death**


**Elizabeth S. Silagi<sup>1</sup>, Philip Batista<sup>2</sup>, Irving M. Shapiro<sup>1,2</sup>, Makarand V. Risbud<sup>1,2</sup>**

Supplementary Figure S1-1. Examples of Uncropped Western Blots



Examples of Uncropped Western Blots for HIF-1 $\alpha$ , CAIII, and  $\beta$ -Tubulin from Figure 2a.

Supplementary Figure S1-2. Examples of Uncropped Western Blots



Examples of Uncropped Western Blots for Parp1 and Cas3 from Figure 5i.

Supplementary Table S1: Primer sequences used for Chromatin Immunoprecipitations

<b>Gene Name</b>	<b>Primer Location</b>		<b>Primer Sequence</b>		
	<b>HRE Region</b>	<b>Start</b>	<b>End</b>	<b>Forward</b>	<b>Reverse</b>
Car3 R1	-63	-150		5'-agtgatccctggtcacaaaa-3'	5'-cggctaagtatgtggaatgg-3'
Car3 R2	-870	-1011		5'-gtcccagattcctcctcatc-3'	5'-cagtctctggacgccttgagt-3'