Supplementary Online Content

Dias MS, Rottmund CM, Cappos KM, et al. Association of a postnatal parent education program for abusive head trauma with subsequent pediatric abusive head trauma hospitalization rates. *JAMA Pediatr*. Published online January 30, 2017. doi:10.1001/jamapediatrics.2016.4218

eTable 1. Exposure to Program Elements Among 7-Month Survey Respondents

eTable 2. Self-reported Educational and Behavioral Changes Among Evaluable Postnatal and 7-Month Survey Respondents

This supplementary material has been provided by the authors to give readers additional information about their work.

© 2017 American Medical Association. All rights reserved.

eTable 1. Exposure to Program Elements Among 7-Month Survey Respondents

What part(s) of the shaken baby program did you receive?	Mothers	Fathers
Read a pamphlet/brochure	91/97 (93.8%)	41/42 (97.6%)
Watched a video	71/96 (74.7%)	26/42 (61.9%)
Talked with a nurse	82/96 (85.4%)	33/42 (78.6%)
Saw posters on the maternity unit	79/97 (80.4%)	34/42 (81.0%)
Signed a paper or form	94/96 (97.9%)	41/42 (97.6%)

Denominator indicates total number of survey respondents answering each individual question.

© 2017 American Medical Association. All rights reserved.

eTable 2. Self-reported Educational and Behavioral Changes Among Evaluable Postnatal and 7-Month Survey Respondents

	Mothers		Fathers	
	Postnatal	7-month	Postnatal	7-month
I learned a lot about normal infant crying*	10 958/12 041	84/98	2950/3329	38/44
	(91.0%)	(85.7%)	(88.6%)	(86.4%)
I learned a lot about calming my baby*	11 023/11 956	79/99	2923/3287	33/44
	(92.2%)	(79.8%)	(88.9%)	(75.0%)
I learned a lot about keeping myself calm*	11 396/12 050	84/99	3035/3302	39/44
	(94.6%)	(84.8%)	(91.9%)	(88.6%)
I learned a lot about choosing other caregivers for my baby*	10 060/11 816	73/99	2688/3222	31/44
	(85.1%)	(73.7%)	(83.4%)	(70.5%)
This information will decrease the likelihood that parents will shake a	11 435/12 057	90/98	3201/3342	40/42
baby*	(94.8%)	(91.8%)	(95.8%)	(92.2%)
I thought about this information while my baby was crying	N/A	74/99	N/A	35/44
	N/A	(74.7%)		(79.5%)
This information helped me select other people to care for my child	N/A	74/98	N/A	31/44
N/A	IN/A	(75.5%)		(70.5%)
Based on this information I decided not to leave my baby alone with	N/A	27/97	N/A	11/42
somebody else		(27.8%)		(26.2%)
I have shared this information with others	N/A	46/98	N/A	15/43
	IVA	(46.9%)		(34.9%)

Denominator indicates total number of survey respondents answering each individual question.

N/A: not applicable

© 2017 American Medical Association. All rights reserved.

 $^{*\} Percentage\ of\ respondents\ who\ responded\ to\ each\ individual\ statement\ with\ "strongly\ agree"\ or\ "agree."$