

Supplementary Online Content

Bertelsen C, Shoffel-Havakuk H, O'Dell K, Johns MM, Reder L. Serial in-office intralesional steroid injections in airway stenosis. *JAMA Otolaryngol Head Neck Surg*. Published online January 11, 2018. doi:10.1001/jamaoto.2017.2800

eTable. Patient Characteristics

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Patient Characteristics

	Total cohort (n=24)
Follow up (months), mean (range)	32.3 (5, 168)
Age (years), mean (range)	50.1 (19, 76)
Gender	N (%)
Male	6 (25)
Female	18 (75)
Cotton Myer Grade	N (%)
I	10 (41.7)
II	3 (12.5)
III	5 (20.8)
IV	5 (20.8)
Unknown	1 (4.1)
Length (cm)	N (%)
0-1	2 (8.3)
1-2	15 (62.5)
>2	4 (16.7)
UTA	3 (12.5)
Comorbidities	N (%)
DM	3 (12.5)
HTN	3 (12.5)
Obesity	3 (12.5)
CAD	2 (8.3)
GERD	6 (25)
Rheumatologic Dx	6 (25)
Location of stenosis	N (%)
Subglottis	18 (75)
Subglottis + proximal trachea	6 (25)