

S2 Fig. Venn Diagrams presenting fungal genera in differently managed soils. Graphs were focused on **(a)** MP *vs.* CT and **(b)** int *vs.* ext treatments.



a)



| WW1_MP_int | WW1_CT_int | WW2_MP_int | WW2_CT_int | WW1_MP_ext | WW1_CT_ext | WW2_MP_ext | WW2_CT_ext |
|--------------------|-------------------|----------------|------------------|----------------|---------------|-----------------|----------------|
| Paraglomus* | Neosetophoma# | Typhula | Zopfiella | Hydnomerulius | Phlebiella | Bullera | Phaeomyces |
| Scytalidium | Stagonospora# | Thielaviopsis# | Embellisia | Thielaviopsis# | Stagonospora# | Sporobolomyces | Monosporascus |
| Gymnostellatospora | Phaeomyces | Sporobolomyces | Monosporascus | Ochroconis | Gymnoascus | Leptospora | Cercophora |
| Ochroconis | Cyphellophora | Vermispora | Parasola | | | Pezizella | Hemibeltrania# |
| | Rhizophagus* | Crocicreas | Mycosphaerella # | | | Bensingtonia | Botryotinia# |
| | Debaryomyces | Pyrenophora# | Scutellinia | | | Gaeumannomyces# | Clitopilus |
| | Leptosphaerulina# | | | | | Lentinellus | Neocosmospora |
| | | | | | | Volvopluteus | Coniothyrium* |
| | | | | | | | Urocystis# |