

Single Field Analysis

Eye: Left

Name:

DOB:

ID:

Central 24-2 Threshold Test

Fixation Monitor: Blind Spot

Stimulus: III, White

Pupil Diameter: 3.7 mm

Date:

Fixation Target: Central

Background: 31.5 ASB

Visual Acuity:

Time:

Fixation Losses: 0/14

Strategy: SITA-Standard

RX: +1.00 DS DC X



Age:

False POS Errors: 4 %

False NEG Errors: 5 %

Test Duration: 05:20

Fovea: 31 dB



-2	-4	-1	-2				
2	1	0	-2	-1	-5		
-2	-1	0	-2	0	0	-4	-5
-1	-3	0	-1	-3	-3	-7	-5
-1	1	0	-2	-4	-1	-1	-2
2	2	2	-2	-4	-1	-3	1
-1	0	-2	-3	-4	-1		
1	-2	-3	-3				

-2	-4	-1	-3				
1	0	-1	-3	-2	-5		
-3	-1	-1	-3	-1	-1	-5	-6
-1	-3	0	-1	-3	-4	-8	-5
-2	0	-1	-3	-5	-1	-2	-2
1	1	1	-2	-5	-1	-4	1
-2	-1	-2	-3	-4	-1		
0	-3	-4	-4				

GHT


Borderline

VFI 97%


MD -1.60 dB

PSD 2.03 dB P < 5%

Total Deviation



Pattern Deviation



- :: < 5%
- ⊗ < 2%
- ⊗ < 1%
- < 0.5%

INDIANA UNIVERSITY BCOR  
800 E ATWATER AVE  
BLOOMINGTON, IN 47405