

Single Field Analysis

Eye: Left

Name:	DOB:
ID:	

Central 24-2 Threshold Test



Fixation Monitor: Gaze/Blind Spot
 Fixation Target: Central
 Fixation Losses: 0/17
 False POS Errors: 1 %
 False NEG Errors: 0 %
 Test Duration: 06:34

Stimulus: III, White
 Background: 31.5 ASB
 Strategy: SITA-Standard

Pupil Diameter: 5.0 mm
 Visual Acuity:
 RX: +4.25 DS DC X

Date:
 Time:
 Age:

Fovea: 37 dB



-4	3	1	-1				
7	1	-1	-2	-1	-1		
1	0	-2	-7	-4	-1	-6	-8
1	-4	-1	-2	-3	-6	-3	-14
1	0	1	-1	-19	-16	-29	-28
-1	0	-16	-10	-34	-33	-32	-30
-3	-2	-30	-33	-32	-31		
-7	-2	-19	-30				



-4	2	0	-2				
6	0	-1	-3	-2	-2		
1	-1	-3	-8	-5	-2	-6	-9
0	-4	-2	-3	-3	-7	-4	-15
0	-1	1	-2	-20	-17	-30	-29
-1	0	-17	-10	-34	-34	-33	-31
-3	-3	-31	-33	-33	-32		
-7	-2	-20	-31				

GHT
 Outside Normal Limits

 VFI 76%
 MD -10.65 dB P < 0.5%
 PSD 13.58 dB P < 0.5%

Total Deviation

Pattern Deviation



∴ < 5%
 ☒ < 2%
 ☒ < 1%
 ■ < 0.5%

INDIANA UNIVERSITY BCOR
 800 E ATWATER AVE
 BLOOMINGTON, IN 47405

