

Supplementary Table S8. Expression profile of ATPase in Df(16)A+/- cortical neurons.

GeneSymbol	baseMean	log2FoldChange	lfcSE	stat	pvalue	padj
<i>Atp1a2</i>	4678.399459	0.705926306	0.105470105	6.69314119	2.18E-11	1.01E-08
<i>Atp13a4</i>	26.74084902	0.907026638	0.174394061	5.20101792	1.98E-07	2.10E-05
<i>Atp6v0e</i>	464.8403415	-0.31903324	0.078146648	-4.0824943	4.46E-05	0.001354
<i>Atp6v1e1</i>	4804.202585	0.092187624	0.031851201	2.89432172	0.0038	0.04367
<i>Atp10a</i>	233.4278127	-0.35011336	0.11209071	-3.1234823	0.001787	0.021837
<i>Atp2b2</i>	6106.021849	0.216019607	0.069692229	3.0996226	0.001938	0.02337
<i>Atp6v0a1</i>	10627.23312	0.153180663	0.051482581	2.97538817	0.002926	0.03219
<i>Atp7b</i>	221.3225009	-0.63156702	0.219770473	-2.8737574	0.004056	0.040682
<i>Atp6v1a</i>	13080.98748	0.112066107	0.039880476	2.81004939	0.004953	0.04701