

Table S2. Meta-regression analysis of RFS and PFS

PFS

Heterogeneity factor	Coefficient	SE	<i>t</i>	<i>P</i>
Years	-0.0343	0.0283	-1.21	0.280
Country				
1	-0.3899	0.3716	-1.05	0.404
2	-0.7185	0.3503	-2.05	0.177
3	-0.9900	0.4307	-2.30	0.148
4	-0.8805	0.3541	-2.49	0.131
Numbers of patients	0.0022	0.0020	1.16	0.299
Stage	None			
Cutoff	-0.0098	0.0407	-0.24	0.819
Age	0.0021	0.0395	0.05	0.959
Follow-up	-0.0062	0.0065	-0.96	0.379

PFS

Heterogeneity factor	Coefficient	SE	<i>t</i>	<i>P</i>
Years	-0.1195	0.0461	-2.59	0.036
Country				

1	0.2080	0.7936	0.26	0.818
2	-0.8062	0.5662	-1.42	0.290
3	-1.4505	0.8858	-1.64	0.243
4	-2.7009	0.9407	-2.87	0.103
5	-1.7766	0.6167	-2.88	0.102
6	-0.8158	0.5281	-1.54	0.262
Numbers of patients	0.0006	0.0036	0.16	0.877
Stage				
1	-1.4505	1.5909	-0.91	0.458
2	-0.8062	1.4108	-0.57	0.625
3	0.2080	1.5332	0.14	0.904
4	-1.7766	1.4353	-1.24	0.341
5	-1.2560	1.2069	-1.04	0.407
6	-0.6170	1.4689	-0.42	0.715
Cutoff	-0.0177	0.0309	-0.57	0.585
Age	-0.0672	0.0757	-0.89	0.404
Follow-up	-0.0118	0.0159	-0.74	0.483