

Data S1.

Patient safety indicators (PSI), based on ICD-9-CM codes and Medicare severity Diagnosis-Related Groups, were established by the Agency for Healthcare Research and Quality to monitor preventable adverse events during hospitalization and each PSI has specific inclusion and exclusion criteria. PSI individual measure technical specifications, Version 5.0, March 2015 was used to identify & define preventable complications.

Table S1. International Classification of Diseases, Clinical Modification (ICD-9-CM) codes used in the study.

Procedures	
1100000100	
Endovascular TAVR	35.05
SAVR	35.21, 35.22
Others	y
Aortic insufficiency	395.1, 746.4, and 396.3
Aortic stenosis	395.0, 395.2, 396.0, 396.2, 424.1 and 746.3
Mitral value surgery	35.23, 35.24
Pulmonary value surgery	35.25, 35.26
Tricuspid value surgery	35.27,35.28
Atrium or ventricular septum defect closure	35.5,35.6, and 35.7
CAGB	36.10
Comorbidities	
	V12.54, 430, 431, 432.0-432.9, 434.01, 434.11, 434.91, 435.0-
Stroke/TIA	435.9
Smoking	V15.82, 305.1
Chronic Obstructive Pulmonary Disease	491, 492, 494, 496
Oxygen dependent	V462
In-Hospital Morbidity	
Procedural	
Post-op hemorrhage	998.11, 998.12, 285.1
Bleeding requiring transfusion	99.0x
Stroke	997.01, 997.02
Cardiovascular	
	410.01, 410.11, 410.21, 410.31, 410.41, 410.51,
Acute Myocardial Infarction	410.61,410.71,410.81,410.91, 411.1
Pulmonary Embolism	PSI
Deep Vein Thrombosis	PSI
Pulmonary	
Pneumonia	480, 481, 482, 483, 484, 485, 486, 997.31, 997.32
Noninvasive Ventilation	93.90
Acute respiratory failure	518.81, 518.82, 518.84, 799.1, 786.09, 518.4, 518.51
Re-intubation	96.03, 96.04, 96.05
Tracheostomy	31.1, 31.21, 31.29
Infectious	
Sepsis	PSI
Renal complication	
Acute kidney injury	584.5, 584.6, 584.7,584.8 584.9

Table S2. Variables Used for Propensity Score Matching.

Age

Race

Sex

Hypertension

Diabetes mellitus

Congestive heart failure

Peripheral vascular disease

Pulmonary hypertension

Hypercoagulable state

Obesity

Coronary artery disease

Valvulopathy

Chronic liver disease

Electrolyte abnormalities

Blood loss anemia

Iron deficiency anemia

Paralysis

Neurologic disorders

Chronic lung disease

Depression

Hypothyroidism

Lymphoma

Metastatic disease

Solid tumors without metastasis

Collagen vascular disease

Weight loss

Alcoholism

Depression

Drug abuse

Smoking

Psychosis

Hospital teaching status

Acquired immunodeficiency syndrome.

Hospital region

Expected Primary payer

Hospital bed size

Median Household income

Oxygen dependent