

Supplemental Table 1: Differences between patients who returned the 1-year questionnaire with data on sick leave (n=178) and no data on sick leave (n=70)

	Data on sick leave, n=178		No data on sick leave, n=70		p
	n or median	% or range	n or median	% or range	
Patient characteristics					
Age (years)	50	(29-67)	49	(27-77)	0.36
Type of occupation					<0.05
<i>Farmer</i>	1	1%	0	0%	
<i>Self-employed</i>	5	3%	0	0%	
<i>Executive</i>	72	40%	3	4%	
<i>Employee</i>	72	40%	27	39%	
<i>Intermediate profession</i>	22	12%	33	47%	
<i>Blue-collar worker</i>	2	1%	7	10%	
NA	4	2%	0	0%	
Personal income per month (€)					<0.05
<1900	71	40%	20	29%	
>1900	103	58%	37	53%	
NA	4	2%	13	19%	
Marital status					<0.05
<i>Single</i>	34	19%	18	26%	
<i>Married</i>	110	62%	39	56%	
<i>Divorced</i>	29	16%	10	14%	
<i>Widow</i>	2	1%	1	1%	
NA	3	2%	2	3%	
Breast cancer characteristics					
Type of cancer					0.32
<i>Invasive</i>	156	87,6%	61	87%	
<i>In situ</i>	21	11,8%	9	13%	
Lymph node involvement					0.12
<i>Yes</i>	43	24%	23	33%	
<i>No</i>	135	76%	47	67%	
Surgical patient care					
Breast surgery					<0.05
<i>Conservative</i>	133	75%	46	66%	
<i>Radical</i>	45	25%	24	34%	
Lymph node surgery					0.48
<i>Sentinel lymph node procedure</i>	122	69%	40	57%	
<i>Axillary dissection</i>	42	24%	24	34%	

	<i>NA</i>	14	8%	6	9%	
Surgical revision						0.24
	<i>Yes</i>	43	24%	16	23%	
	<i>No</i>	135	76%	54	77%	
Radiotherapy						<0.05
	<i>Yes</i>	167	94%	61	87%	
	<i>No</i>	11	6%	9	13%	
Chemotherapy						<0.05
	<i>Yes</i>	92	52%	33	47%	
	<i>No</i>	86	48%	37	53%	
Trastuzumab						0.42
	<i>Yes</i>	24	13%	9	13%	
	<i>No</i>	63	35%	22	31%	
	<i>NA</i>	91	51%	39	56%	
Hormone therapy						0.69
	<i>Yes</i>	129	72%	49	70%	
	<i>No</i>	49	28%	21	30%	
Patient management						
Modes of diagnosis						0.45
	<i>Organized screening</i>	37	21%	12	17%	
	<i>Individual screening</i>	74	42%	26	37%	
	<i>Clinical signs</i>	67	38%	32	46%	
Type of hospitalization						0.78
	<i>Outpatient surgery</i>	108	61%	43	61%	
	<i>Inpatient surgery</i>	70	39%	27	39%	
