

HIV and Viral Hepatitis among Imprisoned Key Populations

Web Appendix 1

Search terms:

PUBMED:

#1 HIV

HIV [MeSH] OR "Acquired Immunodeficiency Syndrome Virus"[MeSH] OR "AIDS-Related Complex"[MeSH] OR "AIDS-Related Opportunistic Infections"[MeSH] OR "HIV Infections"[MeSH] OR "HIV Seropositivity"[MeSH] OR "AIDS-Related Complex"[MeSH] OR "HIV Seroprevalence"[MeSH] OR "HIV-1"[MeSH] OR "HIV-2"[MeSH] OR "human immunodeficiency virus" [tw] OR "human immune deficiency virus" OR HIV[tw] OR "HIV/AIDS"[tw] OR "HIV-infected"[tw] OR AIDS [tw]

#2 HCV

"Hepatitis C"[MeSH] OR "Hepatitis C virus" [MeSH] OR "HCV"[tw] OR "Hepatitis C"[tw] OR "liver fibrosis"[tw] OR "viral hepatitis" [tw]

#3 HBV

"Hepatitis B"[MeSH] OR "Hepatitis B virus" [MeSH] OR "HBV"[tw] OR "Hepatitis B"[tw]

#4 TB

Tuberculosis [MeSH] OR "Mycobacterium tuberculosis"[MeSH] OR "Mycobacterium tuberculosis" [tw] OR Tuberculosis [tw] OR "TB"[MeSH] OR "MDR-TB"[tw] OR "XDR-TB"[tw] OR "Mtb"[tw]

#5 Prison

Prisons [MeSH] OR Prisoners [MeSH] OR Criminals [MeSH] OR Prison* [tw] OR "Concentration Camps" [MeSH] OR Incarcerat* [tw] OR Penitentiar* [tw] OR imprison* [tw] OR penal institute* [tw] OR Jail* [tw] OR inmate* [tw] OR "Correctional setting" [tw] OR "Correctional settings" [tw] OR detain*[tw] OR detention* [tw] OR "Correctional Centre" [tw] OR "Correctional Centres" [tw] OR incarcerat* [tw] OR inmate* [tw]

#6 Compulsory Drug Detention Centers

"compulsory drug detention center" [tw] "compulsory drug detention" [tw] OR "compulsory drug treatment" OR compulsory rehabil* OR "correction center" [tw] correction* facilit* [tw] OR "re-education through labor" [tw] "laojiaosuo"[tw] OR "long-term detention" [tw] OR labor camp* [tw]

(#1 OR #2 OR #3 OR #4) AND (#5 OR #6)

Restricted to last 10 years

Embase:

#1 HIV

'Human immunodeficiency virus'/exp OR 'acquired immune deficiency syndrome'/exp OR 'AIDS related complex'/exp OR 'AIDS-Related Opportunistic Infections' OR 'Human immunodeficiency virus infection'/exp OR 'HIV Seropositivity' OR 'AIDS-Related Complex' OR 'HIV Seroprevalence' OR 'Human immunodeficiency virus 1'/exp OR 'Human immunodeficiency virus 2'/exp OR 'human immune deficiency virus' OR 'HIV' OR 'HIV/AIDS' OR 'HIV-infected' OR 'AIDS'

#2 HCV

'hepatitis C'/exp OR 'Hepatitis C virus'/exp OR 'HCV' OR (Hepatitis NEXT/1 C) OR (liver NEXT/1 fibrosis) OR (viral NEXT/1 hepatitis)

#3 HBV

'hepatitis B'/exp OR 'Hepatitis B virus'/exp OR 'HBV' OR (Hepatitis NEXT/1 B)

#4 TB

'tuberculosis'/exp OR 'Mycobacterium tuberculosis'/exp OR 'drug resistant tuberculosis'/exp OR 'extensively drug resistant tuberculosis'/exp OR (Mycobacterium NEXT/1 tuberculosis) OR 'Tuberculosis' OR 'TB' OR 'MDR-TB' OR 'XDR-TB' OR 'Mtb'

#5 Prison

'prison'/exp OR 'prisoner'/exp OR 'offender'/exp OR Prison* OR (Concentration NEXT/1 Camp*) OR Incarcerate* OR Penitentiary* OR imprison* OR (penal NEXT/1 institute*) OR Jail* OR inmate* OR (Correctional AND setting*) OR detain* OR detention* OR (Correctional AND Centre*) OR inmate*

#6 Compulsory Drug Detention Centers

'detention camp'/exp OR 'compulsory drug detention' OR 'compulsory drug detention' OR 'compulsory drug treatment' OR (compulsory NEXT/1 rehabil*) OR (correction* AND center*) OR (correction* NEXT/1 facilit*) OR 're-education through labor' OR 'laojiaosuo' OR ('long-term' NEXT/1 detention) OR (labor NEXT/1 camp*)

(#1 OR #2 OR #3 OR #4) AND (#5 OR #6)

Restricted to last 10 years

CINAHL:

#1 HIV

MH "Human immunodeficiency virus" OR MH "HIV-1" OR MH "AIDS Serodiagnosis" OR MH "HIV Infections" OR MH "HIV Seropositivity" OR MH "Acquired Immunodeficiency Syndrome" OR TX "acquired immune deficiency syndrome" OR TX "AIDS related complex" OR TX "AIDS-Related Opportunistic Infections" OR TX "Human immunodeficiency virus infection" OR TX "HIV Seropositivity" OR TX "AIDS-Related Complex" OR TX "HIV Seroprevalence" OR TX "Human immunodeficiency virus 1" OR TX "Human immunodeficiency virus 2" OR TX "human immune deficiency virus" OR TX "HIV" OR TX "HIV/AIDS" OR TX "HIV-infected" OR TX "AIDS"

#2 HCV

MH "hepatitis C" OR TX "Hepatitis C virus" OR TX "HCV" OR TX "Hepatitis C" OR TX "liver fibrosis" OR TX "viral hepatitis"

#3 HBV

MH "hepatitis B" OR TX "Hepatitis B virus" OR TX "HBV" OR TX "Hepatitis B"

#4 TB

MH "tuberculosis" OR MH "Mycobacterium tuberculosis" OR MH "Tuberculosis, Multidrug-Resistant" OR TX "drug resistant tuberculosis" OR TX "extensively drug resistant tuberculosis" OR TX "Mycobacterium tuberculosis" OR TX "Tuberculosis" OR TX "TB" OR TX "MDR-TB" OR TX "XDR-TB" OR TX "Mtb"

#5 Prison

MH "Correctional Facilities" OR MH "prisoners" OR TX "Prison*" OR TX "Incarcerate*" OR TX "Penitentiary" OR TX "Penitentiaries" OR TX "imprisonment" OR TX "penal institute*" OR TX "Jail" OR "Jails" OR TX "inmate" OR TX "inmates" OR TX "correctional setting" OR "Correctional settings" OR TX "detain" OR TX "detention" OR TX "detainees" OR TX Correctional Centre" OR TX "Correctional Centres"

#6 Compulsory Drug Detention Centers

TX "compulsory drug detention center" OR TX "compulsory drug detention" OR TX "compulsory drug treatment" OR TX "compulsory rehabilitation" OR TX "correctional facility" OR TX "corrections facility" OR TX "correctional

facilities" OR TX "corrections facilities" OR TX "re-education through labor" OR TX "laojiaosuo" OR TX "long-term detention" OR TX "labor camp" OR TX "labor camps"

(S1 OR S2 OR S3 OR S4) AND (S5 OR S6)

Restricted to last 10 years

Criminal Justice Abstracts with Full Text:

#1 HIV

MH "Human immunodeficiency virus" OR MH "HIV-1" OR MH "AIDS Serodiagnosis" OR MH "HIV Infections" OR MH "HIV Seropositivity" OR MH "Acquired Immunodeficiency Syndrome" OR TX "acquired immune deficiency syndrome" OR TX "AIDS related complex" OR TX "AIDS-Related Opportunistic Infections" OR TX "Human immunodeficiency virus infection" OR TX "HIV Seropositivity" OR TX "AIDS-Related Complex" OR TX "HIV Seroprevalence" OR TX "Human immunodeficiency virus 1" OR TX "Human immunodeficiency virus 2" OR TX "human immune deficiency virus" OR TX "HIV" OR TX "HIV/AIDS" OR TX "HIV-infected" OR TX "AIDS"

#2 HCV

MH "hepatitis C" OR TX "Hepatitis C virus" OR TX "HCV" OR TX "Hepatitis C" OR TX "liver fibrosis" OR TX "viral hepatitis"

#3 HBV

MH "hepatitis B" OR TX "Hepatitis B virus" OR TX "HBV" OR TX "Hepatitis B"

#4 TB

MH "tuberculosis" OR MH "Mycobacterium tuberculosis" OR MH "Tuberculosis, Multidrug-Resistant" OR TX "drug resistant tuberculosis" OR TX "extensively drug resistant tuberculosis" OR TX "Mycobacterium tuberculosis" OR TX "Tuberculosis" OR TX "TB" OR TX "MDR-TB" OR TX "XDR-TB" OR TX "Mtb"

#5 Prison

MH "Correctional Facilities" OR MH "prisoners" OR TX "Prison*" OR TX "Incarcerate*" OR TX "Penitentiary" OR TX "Penitentiaries" OR TX "imprisonment" OR TX "penal institute*" OR TX "Jail" OR "Jails" OR TX "inmate" OR TX "inmates" OR TX "correctional setting" OR "Correctional settings" OR TX "detain" OR TX "detention" OR TX "detainees" OR TX Correctional Centre" OR TX "Correctional Centres"


#6 Compulsory Drug Detention Centers

TX "compulsory drug detention center" OR TX "compulsory drug detention" OR TX "compulsory drug treatment" OR TX "compulsory rehabilitation" OR TX "correctional facility" OR TX "corrections facility" OR TX "correctional facilities" OR TX "corrections facilities" OR TX "re-education through labor" OR TX "laojiaosuo" OR TX "long-term detention" OR TX "labor camp" OR TX "labor camps"

(S1 OR S2 OR S3 OR S4) AND (S5 OR S6)

Restricted to last 10 years

Web Figure 1. PRISMA search diagram.



Web Table 1. HIV and viral hepatitis among people who inject drugs in prison and closed settings.

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence		Comments	
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)	
ASIA AND PACIFIC											
Australia											
(1)	National	NA	Prison	2004	0.5%	0.8%	9.0%	27.0%	4.0%	56.0%	NR
(2)	National	NA	Prison	2010	0.0%	0.0%	19.7%	18.8%	1.0%	51.0%	NR
(3)	National	NA	Prison	2013	0.0%	0.0%	16.9%	19.0%	4.4%	58.2%	NR
(4)	Sub-national	New South Wales, Queensland, Tasmania and Western Australia New South Wales,	Reception Prisons	2004	0.6%	0.8%	0.6%	0.8%	3.3%	56.6%	NR
(4)	Sub-national	Queensland, Tasmania and Western Australia New South Wales,	Reception Prisons	2007	0.5%	0.9%	0.5%	0.9%	3.5%	57.7%	NR
(4)	Sub-national	Queensland, Tasmania and Western Australia New South Wales,	Reception Prisons	2010	0.0%	0.0%	0.0%	0.0%	0.7%	52.0%	NR
(5)	Sub-national	Queensland	Prison	2008-2010	NR	NR	NR	NR	NR	47.4%	NR
(6)	Sub-national	Queensland	Prison	NR	NR	NR	NR	NR	NR	20.7%	NR
(6)	Sub-national	Queensland	Prison	NR	NR	NR	NR	NR	NR	29.4%	NR
China											Sample is <25yo Sample is >=25yo
(7)	Sub-national	Beijing	CDDC	2007	1.9%	10.3%	NR	NR	NR	NR	NR

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)	
Indonesia											
(8)	Sub-national	West Java	Narcotic referral prison	2007-2010	2.1%	25.0%	NR	NR	NR	NR	Targeted screening (2009-2010)*
(8)	Sub-national	West Java	Narcotic referral prison	2007-2010	0.4%	37.0%	NR	NR	NR	NR	Routine screening (2007-2009)
(9)	Sub-national	Central Java	Prison	2009	1.8%	13.8%	3.9%	1.1%	28.8%	50.0%	NR
Philippines											
(10)	Sub-national	Cebu	Prison	2014-2015	NR	NR	6.1%	9.7%	13.74%	81.34%	NR
Taiwan											
(11)	Sub-national	Taoyuan	CDDC	2005	0.5%	25.5%	NR	NR	NR	89.6%	NR Sample is male only
(12)	Sub-national	Southern Taiwan	Jail	2008-2010	NR	52.8%	NR	15.3%	NR	91.3%	NR
(13)	National	NA	CDDC	2006	NR	24.2%	NR	NR	NR	NR	Of HIV+ PWID, 72% in HIV care, 9% on ART
(13)	National	NA	CDDC	2007	NR	20.1%	NR	NR	NR	NR	Of HIV+ PWID, 75% in HIV care, 9% on ART
(13)	National	NA	CDDC	2008	NR	17.1%	NR	NR	NR	NR	Of HIV+ PWID, 4341 attended a designated AIDS/HIV clinic and 582 were on ART
(13)	National	NA	CDDC	2009	NR	22.7%	NR	NR	NR	NR	Of HIV+ PWID, 75% in HIV care, 12% on ART

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments									
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)										
(13)	National	NA	CDDC	2010	NR	26.9%	NR	NR	NR	NR	Of HIV+ PWID, 76% in HIV care, 19% on ART									
(14)	National	NA	CDDC	2005-2007	NR	42.0%	NR	NR	NR	NR	NR									
(15)	Sub-national	Penghu County (West Taiwan)	Correction center	1997	NR	NR	NR	22.2%	NR	59.4%	NR									
			Prisons, Detention Juvenile correction	1994	NR	NR	12.8%	26.4%	NR	NR	NR									
<i>Pooled prevalence ratio among PWID compared to non-PWID in Asia and the Pacific</i>				13.8 (95%CI:3.9-50.3; p<0.001; I ² : 83.4%)		1.5 (95%CI: 1.0-2.3; p=0.05; I ² : 83.8%)		9.0 (95%CI: 4.1-19.7; p<0.001; I ² : 96.4%)												
EASTERN EUROPE AND CENTRAL ASIA																				
Bosnia and Herzegovina																				
(17)	Sub-national	Zenica	High Security Male Penitentiary	2013	NR	NR	NR	NR	4.9%	33.3%	NR									
Bulgaria																				
(18)	Sub-national	NR	Prison	2009	NR	NR	NR	NR	26.5%	61.4%	NR									
(19)	Sub-national	NR	Juvenile correctional facility	2010	NR	NR	NR	NR	26.4%	66.7%	NR									
Croatia																				
(20)	Sub-national	Remetinec in Zagreb	Prison	2007	NR	0.0%	NR	24.0%	NR	44.0%	NR									
<i>Pooled prevalence ratio among PWID compared to non-PWID in Eastern Europe and Central Asia</i>				Insufficient data			Insufficient data		Insufficient data											

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments							
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)								
Latin America and the Caribbean																		
Belize																		
(21)	National	NA	Central Prison	2005	3.9%	14.3%	NR	NR	NR	NR	NR							
Brazil																		
(22)	Sub-national	Goiás, Central Brazil	Prisons	2005	NR	NR	24.1%	66.7%	3.5%	66.7%	NR							
(23)	Sub-national	Sao Paulo	Prison	2003	3.0%	34.5%	NR	NR	NR	NR	NR							
(24)	Sub-national	Sao Paulo	Prison	2003	NR	NR	NR	NR	5.3%	44.8%	NR							
(25)	Sub-national	Sao Paulo	Prison	2007	1.0%	13.8%	19.0%	51.7%	3.5%	34.5%	NR							
(26)	Sub-national	Colatina	Prisons	2010	NR	NR	NR	NR	NR	0.4%	NR							
(27)	Sub-national	Mato Grosso do Sul	Prison	2009	NR	NR	NR	NR	2.6%	24.7%	NR							
(28)	Sub-national	Mato Grosso do Sul	Prison	2013-2014	NR	NR	NR	NR	2.4%	25.0%								
(29)	Sub-national	Sergipe	Prison	2009-2010	NR	NR	NR	NR	1.1%	20.6%	NR							
Mexico																		
(30)	Sub-national	Durango	Correctional facility	2001-2002	NR	NR	NR	NR	7.0%	66.7%	NR							
Pooled prevalence ratio among PWID compared to non-PWID in Latin America and the Caribbean				10.5 (95%CI: 5.5-20.0; p<0.001; I ² :0.0%)		Insufficient data		10.4 (95%CI: 7.9 – 13.7; p<0.001; I ² : 0.0%)										
MIDDLE EAST AND NORTH AFRICA																		
Iran																		
(31)	Sub-national	Hamedan	Prison	2002	1.1%	0.7%	NR	NR	29.1%	31.5%	NR							
(32)	Sub-national	Assadabad & Isfahan Provinces	Central Prison and Drop in Centers	NR	NR	NR	NR	NR	43.4%	NR	Sample is people who use drugs							

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)	
(33)	Sub-national	Gorgan	Central Prison	2002-2003	NR	5.8%	NR	4.1%	NR	23.1%	NR
(34)	Sub-national	Hormozgan	Prison	2002	NR	15.1%	NR	4.7%	NR	64.8%	NR
(35)	Sub-national	Isfahan	Prison	2009	NR	6.4%	NR	NR	NR	NR	NR
(36)	Sub-national	Iran	CDDC	2006	NR	24.4%	NR	NR	NR	80.0%	NR
(37)	Sub-national	Isfahan	Prison	2009	NR	NR	NR	NR	NR	41.6%	NR
(38)	Sub-national	Shiraz, Fars Province Razavi Razavi	Jail	2007	NR	6.6%	NR	NR	NR	NR	NR
(39)	Sub-national	Khorasan Province	Prison	2008	NR	NR	3.2%	5.4%	26.5%	71.2%	NR
(40)	Sub-national	Tehran	Detention center	2006	NR	NR	NR	NR	NR	80.0%	NR
(41)	Sub-national	Tehran	CDDC	2006	NR	24.4%	NR	NR	NR	NR	NR
(42)	Sub-national	Tehran	Prison	2001-2002	NR	NR	NR	NR	NR	78.3%	NR
(43)	Sub-national	Guilan	Prison	2003	NR	NR	NR	NR	NR	88.9%	NR
(44)	Sub-national	Isfahan	Prison	2009	NR	NR	6.5%	40.0%	5.9%	60.0%	NR
(45)	Sub-national	Isfahan	correctional center	2008-2009	NR	NR	NR	NR	2.6%	50.0%	NR
(46)	Sub-national	Isfahan	correctional center	2008-2009	NR	NR	NR	13.9%	NR	NR	NR
(47)	National	NA	Prison	2003	NR	14.0%	2.8%	4.0%	18.3%	76.0%	NR
(48)	Sub-national	Tehran	Prison	2013-2014	NR	8.3%	NR	NR	NR	NR	NR
(49)	National	NA	Prison	1999	NR	1.56%	NR	NR	NR	NR	NR
(49)	National	NA	Prison	2000	NR	1.81%	NR	NR	NR	NR	NR
(49)	National	NA	Prison	2001	NR	3.12%	NR	NR	NR	NR	NR

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments								
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)									
(49)	National	NA	Prison	2002	NR	3.83%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2003	NR	2.78%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2004	NR	3.05%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2005	NR	3.24%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2006	NR	2.83%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2007	NR	1.71%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2008	NR	2.01%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2009	NR	1.54%	NR	NR	NR	NR	NR								
(49)	National	NA	Prison	2010	NR	1.37%	NR	NR	NR	NR	NR								
											MMT: provided to 38,256 by 2011; VCT available in all prisons by 2011								
(49)	National	NA	Prison	2011	NR	1.28%	NR	NR	NR	NR	NR								
(50)	Sub-national	Sari	CDDC	2001-2003	NR	NR	NR	NR	10.5%	77.0%	NR								
(51)	Sub-national	Southern Khorasan	Prison	2009-2010	NR	NR	9.4%	8.5%	6.1%	20.3%	NR								
(52)	Sub-national	Tehran	CDDC	2001-2002	NR	17.0%	NR	4.5%	NR	80.5%	NR								
											Sample is PWID								
Pakistan																			
(53)	Sub-national	Karachi	Central Prison	NR	NR	NR	NR	NR	2.0%	84.2%	NR								
<i>Pooled prevalence ratio among PWID compared to non-PWID in the Middle-East and North Africa</i>				<i>Insufficient data</i>			<i>1.7 (95%CI: 0.9-3.3; p=0.09; I²: 54.0%)</i>		<i>4.1 (95%CI: 2.5 – 6.7; p<0.001; I²: 93.5%)</i>										
NORTH AMERICA																			
Canada																			
(54)	Sub-national	Ontario	Remand Facilities	2003-2004	0.7%	5.7%	NR	NR	4.1%	54.7%	NR								
(55)	Sub-national	Quebec (province)	Provincial Prison	2003	0.5%	10.2%	NR	NR	2.7%	55.6%	NR								


Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)	
USA											
(56)	Sub-national	Connecticut	Correctional facility Juvenile Detention Center	1994-1996	4.2%	20.4%	NR	NR	NR	NR	Sample is female only
(57)	Sub-national	Texas	Jail	2000-2001	NR	NR	NR	NR	0.1%	35.8%	NR
(58)	Sub-national	New York City	Jail	2006	5.2%	16.9%	NR	NR	NR	NR	NR
(59)	Sub-national	King County, Washington	Jails	1998-2002	NR	2.5%	NR	NR	NR	NR	Sample is PWID 22% accepted HCV screening; 25% accepted HIV screening; 38% of HCV infected prisoners received post-release care
(60)	Sub-national	Massachusetts	County Correctional Facility	2009-2011	1.2%	0.3%	NR	NR	3.6%	38.0%	
(61)	Sub-national	California	Correctional facility	NR	NR	NR	NR	NR	10.2%	66.2%	NR
(62)	Sub-national	Rhode Island	Jail and Prison facility	1996-1997	NR	NR	2.8%	8.6%	6.9%	42.4%	NR
(63)	Sub-national	Rhode Island	Jail and Prison facility	1998-2000	NR	NR	NR	NR	17.0%	84.9%	NR
(64)	Sub-national	Florida, Louisiana, New York, Wisconsin	Jail	2003-2006	1.3%	1.4%	NR	NR	NR	NR	NR
(65)	Sub-national	North Carolina	Prison	2004-2006	3.2%	7.4%	NR	NR	NR	NR	NR
(66)	National	NA	Correctional facility	2007	0.9%	1.0%	NR	NR	NR	NR	NR

Ref	Study Data			HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments							
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)								
(67)	Sub-national	Wisconsin	Prison	2014-2015	NR	NR	NR	NR	5.3%	51.8%	NR							
<i>Pooled prevalence ratio among PWID compared to non-PWID in North America</i>				2.9 (95%CI: 1.6-5.2; p<0.001; I ² : 96.3%)		<i>Insufficient data</i>		11.3 (95%CI: 6.3 – 20.3; I ² : 96.4%)										
WESTERN EUROPE																		
England																		
(68)	Sub-national	County of Surrey	Prison	NR	NR	NR	NR	NR	NR	32.6%	NR							
Germany																		
(69)	Sub-national	Berlin	Prison	1998-1999	NR	18.0%	NR	53.0%	NR	83.0%	Introduced counseling, NSP							
Northern Ireland																		
(70)	National		Prison	2004	0.0%	0.0%	0.5%	2.8%	0.7%	2.8%	NR							
Ireland																		
(71)	National	NA	Prison	2011	0.5%	6.0%	NR	NR	3.0%	41.5%	MMT: 13%							
Italy																		
(72)	National	NA	Prisons	2001-2002	2.4%	18.2%	50.7%	57.1%	22.1%	74.7%	NR							
Netherlands																		
(73)	Sub-national	Southern	Prison	2010	0.0%	0.0%	5.0%	42.1%	2.6%	40.5%	NR Sample was male only							
Portugal																		
(74)	Sub-national	NR	Prisons	2005	5.7%	44.4%	NR	NR	3.5%	68.9%	NR Sample was female only							
Scotland																		
(75)	National	NA	Prison	2010-2011	NR	NR	NR	NR	3.0%	53%	MMT: 57%							
Spain																		
(76)	Sub-national	Alicante	Prison	2001	1.0%	53.2%	NR	NR	8.1%	92.7%	NR							
(77)	National	NA	Prisons	2008	NR	NR	1.8%	4.7%	6.0%	77.9%	Introduced MMT, NSP							

Ref	Study Data				HIV prevalence		HBV prevalence		PWID HCV prevalence			Comments										
	National or Sub-national	Subnational area	Facility Type	Year(s) of study	non-PWID HIV prevalence (%)	PWID HIV prevalence (%)	non-PWID HBV prevalence (%)	PWID HBV prevalence (%)	non-PWID anti-HCV prevalence (%)	PWID anti-HCV prevalence (%)	Coverage of HIV, HBV, HCV prevention & care											
<i>Pooled prevalence ratio among PWID compared to non-PWID in Western Europe</i>				13.4 (95%CI: 5.0-35.9; p<0.001; I ² : 86.5%)		3.2 (95%CI: 0.9-11.4; p=0.07; I ² : 89.7%)		11.0 (95%CI 5.5 – 21.9; p<0.001; I ² : 96.9%)														
WEST AND CENTRAL AFRICA																						
Ghana																						
(78)	National	NA	Central Prisons	2004-2005	2.8%	11.4%	12.7%	49.3%	NR	NR	NR											
<i>Pooled prevalence ratio among PWID compared to non-PWID in West and Central Africa</i>				Insufficient Data		Insufficient Data		Insufficient Data														
<i>Global pooled prevalence ratio among PWID compared to non-PWID:</i>				6.0 (95%CI: 3.8, 9.4; p<0.001; I ² : 94.4%)		2.0 (95%CI: 1.5, 2.7; p<0.001; I ² : 90.5%)		8.1 (95%CI: 6.4, 10.4; p<0.001; I ² : 95.8%)														

Notes: Ref: Reference; NA: Not applicable; NR: Not reported; CDDC: Compulsory drug detention center; MMT: Methadone maintenance therapy; NSP: Needle and syringe exchange; ART: Antiretroviral therapy; VCT: Voluntary counseling and testing; * excluded from meta-analysis to avoid over-counting

Web Figure 2. Meta-analysis of prevalence ratios of HCV and 95% confidence intervals from research in prisons and closed settings, comparing PWID prisoners to non-injecting prisoners. Note: Articles lacking HCV prevalence information for either PWID or their non-injecting counterparts were excluded from prevalence ratio estimates.



Web Table 2. Prevalence of HIV and viral hepatitis among sex workers in prison and other closed settings.

Ref	Study Data				SW HIV prevalence		SW HBV prevalence		SW HCV prevalence			Comments									
	National or Sub-national	Sub-national area	Facility Type	Year(s) of data collection	non-SW HIV prevalence (%)	SW HIV prevalence (%)	non-SW HBV prevalence (%)	SW HBV prevalence (%)	non-SW anti-HCV prevalence (%)	SW anti-HCV prevalence (%)	Coverage of HIV, HBV, HCV prevention or care among SW										
Middle East and North Africa																					
Iran																					
(44)	Sub-national	Isfahan	Prison	2009	NR	NR	8.5%	3.4%	3.9%	24.1%	NR	Sample is female only									
<i>Pooled prevalence ratio among SW compared to non-SW in Middle East and North Africa</i>				<i>Insufficient Data</i>			<i>Insufficient Data</i>			<i>Insufficient Data</i>											
North America																					
USA																					
(56)	Sub-national	Connecticut	Correctional facility	1994-1996	5.0%	14.8%	NR	NR	NR	NR	NR	Sample is female only									
(59)	Sub-national	King County, Washington	Jails	1998-2002	0.5%	2.8%	NR	NR	NR	NR	NR	Sample is female PWID									
(59)	Sub-national	King County, Washington	Jails	1998-2002	1.9%	6.9%	NR	NR	NR	NR	NR	Sample is male PWID									
(79)	Sub-national	Los Angeles	Jail	2000-2006	0.9%	2.0%	NR	NR	NR	NR	NR	Sample is female only									
(65)	Sub-national	North Carolina	Prison	2004-2006	2.2%	5.6%	NR	NR	NR	NR	NR										
<i>Pooled prevalence ratio among SW compared to non-SW in North America</i>				2.7 (95%CI: 2.2-3.2; p<0.001; I ² : 0.0%)			<i>Insufficient Data</i>			<i>Insufficient Data</i>											
West and Central Africa																					
Ghana																					
(78)	National	NA	Central Prisons	2004-2005	5.6%	11.0%	24.9%	37.0%	NR	NR	NR	Sample is male and female combined									
<i>Pooled prevalence ratio among SW compared to non-SW in West and Central Africa</i>				<i>Insufficient Data</i>			<i>Insufficient Data</i>			<i>Insufficient Data</i>											
<i>Pooled prevalence ratio among SW compared to those not engaged in sex work</i>				2.6 (95%CI: 2.2-3.1; p<0.001 I ² : 0.0%)			<i>Insufficient data</i>			<i>Insufficient data</i>											

Notes: Ref: Reference; NA: Not applicable; NR: Not reported

Web Table 3. Prevalence of HIV and viral hepatitis among men who have sex with men in prison and other closed settings.

	Study Data				MSM HIV prevalence		MSM HBV prevalence		MSM HCV prevalence											
Ref	National or Sub-national	Sub-national area	Facility Type	Year(s) of data collection	non-MSM HIV prevalence (%)	MSM HIV prevalence (%)	non-MSM HBV prevalence (%)	MSM HBV prevalence (%)	non-MSM anti-HCV prevalence (%)	MSM anti-HCV prevalence (%)	Coverage of HIV, HBV, HCV prevention or care among MSM	Comments								
ASIA AND PACIFIC																				
Australia																				
(3)	National	NA	Prison	2013	0.0%	0.0%	18.0%	0.0%	30.6%	0.0%	NR									
<i>Pooled prevalence ratio among MSM compared to men not reporting same sex practices in Asia and Pacific</i>					<i>Insufficient data</i>		<i>Insufficient data</i>		<i>Insufficient data</i>											
EAST AND SOUTHERN AFRICA																				
Malawi																				
(80)	National		Central Prisons	2011	40.0%	57.0%	NR	NR	NR	NR	NR									
(80)	National		Mid-sized Prisons	2011	23.0%	16.0%	NR	NR	NR	NR	NR									
(80)	National		Small size Prisons	2011	10.0%	37.0%	NR	NR	NR	NR	NR									
<i>Pooled prevalence ratio among MSM compared to men not reporting same sex practices in East and Southern Africa</i>					1.7 (95%CI: 0.7-4.0; $p=0.65$; $I^2: 64.8\%$)		<i>Insufficient data</i>		<i>Insufficient data</i>											
EASTERN EUROPE CENTRAL ASIA																				
Bosnia and Herzegovina																				
(17)	Sub-national	Zenica	High Security Penitentiary	2013	NR	NR	NR	NR	15.72%	44.44%	NR									
<i>Pooled prevalence ratio among MSM compared to men not reporting same sex practices in Eastern Europe Central Asia</i>					<i>Insufficient data</i>		<i>Insufficient data</i>		<i>Insufficient data</i>											
LATIN AMERICA & CARIBBEAN																				
Brazil																				
(23)	Sub-national	Sao Paulo	Prison	2003	5.4%	100.0%	NR	NR	8.4%	100.0%	NR									
(27)	Sub-national	Mato Grosso do Sul	Prison	2009	NR	NR	NR	NR	4.5%	5.1%	NR									

	Study Data				MSM HIV prevalence		MSM HBV prevalence		MSM HCV prevalence											
Ref	National or Sub-national	Sub-national area	Facility Type	Year(s) of data collection	non-MSM HIV prevalence (%)	MSM HIV prevalence (%)	non-MSM HBV prevalence (%)	MSM HBV prevalence (%)	non-MSM anti-HCV prevalence (%)	MSM anti-HCV prevalence (%)	Coverage of HIV, HBV, HCV prevention or care among MSM	Comments								
(29)	Sub-national	Sergipe	Prison	2009-2010	NR	NR	NR	NR	22.8%	0.0%	NR									
(28)	Sub-national	Mid-West (Mato Grosso do Sul)	Prison	2013-2014	2.7%	2.6%	NR	NR	NR	NR	NR									
Jamaica																				
(81)	Sub-national	NR	Max Security Correctional Center	2006	2.0%	25.0%	NR	NR	NR	NR	NR									
<i>Pooled prevalence ratio among MSM compared to men not reporting same sex practices in Latin America and Caribbean</i>					12.8 (95%CI: 7.5-21.9; p<0.001; I ² : 87.0%)		Insufficient data		1.4 (95%CI: 0.3-7.4; p=0.73; I ² : 89.0%)											
MIDDLE EAST AND NORTH AFRICA																				
Iran																				
(42)	Sub-national	Tehran	Prison	2001-2002	NR	NR	NR	NR	78.0%	79.2%	NR	Sample is PWID								
(47)	National	NA	Prison	2003	6.8%	2.6%	NR	1.7%	NR	52.0%	NR									
(50)	Sub-national	Sari	CDDC	2001-2003	NR	NR	NR	NR	34.7%	62.5%	NR	Sample is people who use drugs								
(48)	Sub-national	Tehran	Prison	2013-2014	NR	3.6%	NR	NR	NR	NR	NR									
<i>Pooled prevalence ratio among MSM compared to men not reporting same sex practices in Middle East and North Africa</i>					Insufficient data		Insufficient data		Insufficient data											
NORTH AMERICA																				
USA																				
(58)	Sub-national	NYC	Jail	2006	5.0%	34.0%	NR	NR	NR	NR	NR									
(59)	Sub-national	King County, Washington	Jail	1998-2002	1.6%	18.2%	NR	NR	NR	NR	NR	Sample is PWID								

	Study Data				MSM HIV prevalence		MSM HBV prevalence		MSM HCV prevalence			
Ref	National or Sub-national	Sub-national area	Facility Type	Year(s) of data collection	non-MSM HIV prevalence (%)	MSM HIV prevalence (%)	non-MSM HBV prevalence (%)	MSM HBV prevalence (%)	non-MSM anti-HCV prevalence (%)	MSM anti-HCV prevalence (%)	Coverage of HIV, HBV, HCV prevention or care among MSM	Comments
(61)	Sub-national	California	Correctional facility	NR	NR	NR	NR	NR	32.3%	50.0%	NR	
(82)	Sub-national	Los Angeles	Jail	2000-2005	NR	13.4%	NR	NR	NR	NR	36% of MSM tested for STI/HIV	Sample is MSM
(64)	Sub-national	Florida, Louisiana, New York, Wisconsin	Jail	2003-2006	0.8%	7.0%	NR	NR	NR	NR	NR	
(65)	Sub-national	North Carolina	Prison	2004-2006	3.2%	29.9%	NR	NR	NR	NR	NR	
(66)	National	NA	Correctional facility	2007	0.8%	5.2%	NR	NR	NR	NR	NR	

Pooled prevalence ratio among MSM compared to men not reporting same sex practices in North America

8.0 (95%CI: 6.8-9.5; $p<0.001$; $I^2: 36.4\%$)

Insufficient data

Insufficient data

WESTERN EUROPE

Ireland

(71)	National	NA	Prison	2011	1.4%	20.0%	NR	NR	12.5%	6.7%	NR	
------	----------	----	--------	------	------	-------	----	----	-------	------	----	--

Italy

(72)	National	NA	Prison	2001-2002	2.4%	50.0%	50.7%	50.0%	22.1%	16.7%	NR	
------	----------	----	--------	-----------	------	-------	-------	-------	-------	-------	----	--

Netherlands

(73)	Sub-national	Southern	Prison	2010	0.0%	0.0%	NR	NR	NR	NR	NR	
------	--------------	----------	--------	------	------	------	----	----	----	----	----	--

Pooled prevalence ratio among MSM compared to men not reporting same sex practices in Western Europe

18.2 (95%CI: 8.7-37.8; $p<0.001$; $I^2: 99.9\%$)

Insufficient data

Insufficient data

WEST AND CENTRAL AFRICA

Ghana

(78)	National	NA	Central Prisons	2004-2005	4.6%	8.9%	19.4%	40.2%	NR	NR	NR	
------	----------	----	-----------------	-----------	------	------	-------	-------	----	----	----	--

Nigeria

(83)	Sub-national	Nasarawa State	Prison	2007	14.9%	43.8%	19.0%	56.3%	12.3%	12.5%	NR	
------	--------------	----------------	--------	------	-------	-------	-------	-------	-------	-------	----	--

	Study Data				MSM HIV prevalence		MSM HBV prevalence		MSM HCV prevalence			
Ref	National or Sub-national area	Sub-national area	Facility Type	Year(s) of data collection	non-MSM HIV prevalence (%)	MSM HIV prevalence (%)	non-MSM HBV prevalence (%)	MSM HBV prevalence (%)	non-MSM anti-HCV prevalence (%)	MSM anti-HCV prevalence (%)	Coverage of HIV, HBV, HCV prevention or care among MSM	Comments
<i>Pooled prevalence ratio among MSM compared to men not reporting same sex practices in West and Central Africa</i>				<i>Insufficient data</i>		<i>Insufficient data</i>		<i>Insufficient data</i>				
<i>Global pooled prevalence ratio among MSM compared to men not reporting same sex practices</i>				5.3 (95%CI: 3.5-7.9; $p<0.001$; $I^2: 91.6\%$)		2.1 (95%CI: 1.4, 3.0; $p<0.001$; $I^2: 53.8\%$)		1.5 (95%CI: 1.0-2.2; $p=0.05$; $I^2: 72.0\%$)				

Notes: Ref: Reference; NA: Not applicable; NR: Not reported; CDDC: Compulsory Drug Detention Centers

Web Table 4. Prevalence of HIV, HBV and HCV among transgender women in prisons and closed settings.

	Study Data				TGW HIV prevalence		TGW HBV prevalence		TGW HCV prevalence			
Ref	National or Sub-national	Sub-national area	Facility Type	Year(s) of data collection	non-TGW prevalence (%)	TGW prevalence (%)	non-TGW prevalence (%)	TGW HIV prevalence (%)	non-TGW prevalence (%)	TGW prevalence (%)	Coverage of HIV, HBV, HCV prevention and care among TGW	Comments
LATIN AMERICA & CARIBBEAN												
Argentina												
(84)	National	NA	Federal prison	2011	NR	54.0%	NR	NR	NR	NR	NR	
NORTH AMERICA												
USA												
(60)	Sub-national	Massachusetts	County Correctional Facility	2009-2011	NR	0.0%	NR	NR	NR	NR	NR	
<i>Pooled prevalence ratio among TGW compared to those who are not identified as transgender women</i>				<i>Insufficient data</i>			<i>Insufficient data</i>		<i>Insufficient data</i>			

References:

1. Butler T, Boonwaat L, Hailstone S, Falconer T, Lems P, Ginley T, et al. The 2004 Australian prisons entrants' bloodborne virus and risk behaviour survey. *Aust N Z J Public Health*. 2007;31(1):44-50.
2. Butler T, Lim D, Callander D. National Prison Entrants' Bloodborne Virus & Risk Behaviour Survey 2004, 2007 and 2010: Prevalence of HIV, HBV, HCV and risk behaviours among Australian prison entrants. Sydney, NSW: Kirby Institute (University of South Wales) and National Drug Research Institute (Curtin University), 2011.
3. Butler T. National Prison Entrants' Bloodborne Virus & Risk Behaviour Survey 2004, 2007, 2010 and 2013. Sydney: Kirby Institute (University of South Wales) and National Drug Research Institute (Curtin University);, 2015.
4. Reekie JM, Levy MH, Richards AH, Wake CJ, Siddall DA, Beasley HM, et al. Trends in HIV, hepatitis B and hepatitis C prevalence among Australian prisoners - 2004, 2007, 2010. *The Medical journal of Australia*. 2014;200(5):277-80. Epub 2014/03/20. PubMed PMID: 24641153.
5. Snow KJ, Young JT, Preen DB, Lennox NG, Kinner SA. Incidence and correlates of hepatitis C virus infection in a large cohort of prisoners who have injected drugs. *BMC public health*. 2014;14:830-2458-14-830. doi: 10.1186/1471-2458-14-830 [doi].
6. van Dooren K, Kinner SA, Hellard M. A comparison of risk factors for hepatitis C among young and older adult prisoners. *Journal of correctional health care : the official journal of the National Commission on Correctional Health Care*. 2014;20(4):280-91. doi: 10.1177/1078345814541536 [doi].
7. Wang H, Li G, Brown K, Smith K, Jin X, Dong R, et al. The characteristics and risk factors for HIV infection among Beijing drug users in different settings. *Drug Alcohol Depend*. 2011;113(1):37-45. doi: 10.1016/j.drugalcdep.2010.07.010. PubMed PMID: 20728287.
8. Nelwan EJ, Isa A, Alisjahbana B, Triani N, Djamaris I, Djaja I, et al. Routine or targeted HIV screening of Indonesian prisoners. *Int J Prison Health*. 2016;12(1):17-26. Epub 2016/03/05. doi: 10.1108/ijph-04-2015-0012. PubMed PMID: 26933989.
9. Prasetyo AA, Dirgahayu P, Sari Y, Hudiyono H, Kageyama S. Molecular epidemiology of HIV, HBV, HCV, and HTLV-1/2 in drug abuser inmates in central Javan prisons, Indonesia. *Journal of infection in developing countries*. 2013;7(6):453-67. doi: 10.3855/jidc.2965 [doi].
10. Ong-Chu MC, Lao-Tan JY, Gabriel EA. Prevalence of hepatitis B and C and risk factors among prison inmates in Cebu, Philippines. *Hepatology International*. 2016;10(1):S209-S11. doi: 10.1007/s12072-016-9707-8.
11. Chu FY, Chiang SC, Su FH, Chang YY, Cheng SH. Prevalence of human immunodeficiency virus and its association with hepatitis B, C, and D virus infections among incarcerated male substance abusers in Taiwan. *Journal of medical virology*. 2009;81(6):973-8. doi: 10.1002/jmv.21481 [doi].
12. Hsieh HH, Huang JF, Dai CY, Yu ML, Chuang WL. Hepatitis C virus infection among injection drugs used prisoners with and without human immunodeficiency virus infection. *Hepatology International*. 2013;7:S410-S1.
13. Huang YF, Yang JY, Nelson KE, Kuo HS, Lew-Ting CY, Yang CH, et al. Changes in HIV incidence among people who inject drugs in Taiwan following introduction of a harm reduction program: a study of two cohorts. *PLoS medicine*. 2014;11(4):e1001625. doi: 10.1371/journal.pmed.1001625 [doi].

14. Ko NY, Hsu ST, Chen CH, Lee HC, Ko WC. Heroin dependence and bloodborne virus transmission behaviors for HIV infection among newly incarcerated injection drug users in Taiwan. *Substance use & misuse*. 2011;46(5):591-8. doi: 10.3109/10826084.2010.526798 [doi].
15. Lin CL, Liu CJ, Chen PJ, Lai MY, Chen DS, Kao JH. High prevalence of occult hepatitis B virus infection in Taiwanese intravenous drug users. *Journal of Medical Virology*. 2007;79(11):1674-8. doi: 10.1002/jmv.20985 [doi].
16. Lin CF, Twu SJ, Chen PH, Cheng JS, Wang JD. Prevalence and determinants of hepatitis B antigenemia in 15,007 inmates in Taiwan. *Journal of epidemiology / Japan Epidemiological Association*. 2010;20(3):231-6. doi: JST.JSTAGE/jea/JE20081045 [pii].
17. Hodzic H, Bajramovic A, Obradovic Z, Mahmic-Kaknjo M. Intravenous drugs abuse as the main risk factor of increasing hepatitis C infection prevalence in prisoners in Zenica, Bosnia and Herzegovina. *Medicinski glasnik : official publication of the Medical Association of Zenica-Doboj Canton, Bosnia and Herzegovina*. 2017;14(1):73-8. Epub 2017/02/07. doi: 10.17392/880-16. PubMed PMID: 28165441.
18. Popov G, Plochev K. Prevalence and correlates of hepatitis C virus infection among inmates of Bulgarian prisons. *Clinical Microbiology and Infection*. 2011;17:S753.
19. Popov GT, Plochev KS, Chervenyakova TP. Prevalence of hepatitis C virus infection among juvenile prisoners. *Journal of hepatology*. 2012;56:S546.
20. Kolaric B, Stajduhar D, Gajnik D, Rukavina T, Wiessing L. Seroprevalence of blood-borne infections and population sizes estimates in a population of injecting drug users in Croatia. *Central European journal of public health*. 2010;18(2):104-9.
21. Gough E, Edwards P. HIV seroprevalence and associated risk factors among male inmates at the Belize Central Prison. *Revista panamericana de salud publica = Pan American journal of public health*. 2009;25(4):292-9. doi: S1020-49892009000400002 [pii].
22. Barros LA, Pessoni GC, Teles SA, Souza SM, Matos MA, Martins RM, et al. Epidemiology of the viral hepatitis B and C in female prisoners of Metropolitan Regional Prison Complex in the State of Goias, Central Brazil. *Revista da Sociedade Brasileira de Medicina Tropical*. 2013;46(1):24-9. doi: S0037-86822013000100024 [pii].
23. Coelho HC, Perdona GC, Neves FR, Passos AD. HIV prevalence and risk factors in a Brazilian penitentiary. *Cadernos de saude publica*. 2007;23(9):2197-204. doi: S0102-311X2007000900027 [pii].
24. Coelho HC, de Oliveira SA, Miguel JC, Oliveira Mde L, Figueiredo JF, Perdona GC, et al. Predictive markers for hepatitis C virus infection among Brazilian inmates. *Revista da Sociedade Brasileira de Medicina Tropical*. 2009;42(4):369-72. doi: S0037-86822009000400002 [pii].
25. El Maerrawi I, Carvalho HB. Prevalence and risk factors associated with HIV infection, hepatitis and syphilis in a state prison of Sao Paulo. *International Journal of STD & AIDS*. 2015;26(2):120-7. doi: 10.1177/0956462414531242 [doi].
26. Falquetto TC, Endringer DC, Andrade TU, Lenz D. Hepatitis c in prisoners and non-prisoners in Colatina, Espírito Santo, Brazil. *Brazilian Journal of Pharmaceutical Sciences*. 2013;49(4):737-44.
27. Pompilio MA, Pontes ERJC, Castro ARCM, Andrade SMO, Stief ACF, Martins RMB, et al. Prevalence and epidemiology of chronic hepatitis c among prisoners of Mato Grosso do Sul State, Brazil. *Journal of Venomous Animals and Toxins Including Tropical Diseases*. 2011;17(2):216-22.

28. Puga MA, Bandeira LM, Pompilio MA, Croda J, Rezende GR, Dorisbor LF, et al. Prevalence and Incidence of HCV Infection among Prisoners in Central Brazil. *PloS one*. 2017;12(1):e0169195. Epub 2017/01/07. doi: 10.1371/journal.pone.0169195. PubMed PMID: 28060860; PubMed Central PMCID: PMC5218405.
29. Santos BF, de Santana NO, Franca AV. Prevalence, genotypes and factors associated with HCV infection among prisoners in Northeastern Brazil. *World journal of gastroenterology : WJG*. 2011;17(25):3027-34. doi: 10.3748/wjg.v17.i25.3027 [doi].
30. Alvarado-Esquivel C, Sablon E, Martinez-Garcia S, Estrada-Martinez S. Hepatitis virus and HIV infections in inmates of a state correctional facility in Mexico. *Epidemiology and infection*. 2005;133(4):679-85.
31. Alizadeh AHM, Alavian SM, Jafari K, Yazdi N. Prevalence of hepatitis C virus infection and its related risk factors in drug abuser prisoners in Hamedan - Iran. *World Journal of Gastroenterology*. 2005;11(26):4085-9.
32. Ataei B, Babak A, Yaran M, Kassaian N, Nokhodian Z, Meshkati M, et al. Hepatitis C in intravenous drug users: Seroprevalence and risk factors. *Journal of Isfahan Medical School*. 2011;28(SPEC. ISSUE).
33. Behnaz K, Abdollah A, Fateme F, Mohammadreza R. Prevalence and risk factors of HIV, hepatitis B virus and hepatitis C virus infections in drug addicts among Gorgan prisoners. *Journal of Medical Sciences*. 2007;7(2):252-4.
34. Davoodian P, Dadvand H, Mahoori K, Amoozandeh A, Salavati A. Prevalence of selected sexually and blood-borne infections in Injecting drug abuser inmates of bandar abbas and roodan correction facilities, Iran, 2002. *The Brazilian journal of infectious diseases : an official publication of the Brazilian Society of Infectious Diseases*. 2009;13(5):356-8. doi: 10.1590/S1413-86702009000500008 [doi].
35. Dibaj R, Ataei B, Yaran M, Nokhodian Z, Tayeri K, Ali Z. Prevalence of HIV infection in inmates with history of injection drug use and evaluation of risk factors, in Isfahan, Iran. *Pakistan Journal of Medical Sciences*. 2013;29(1 SUPPL.):399-402.
36. Hosseini M, SeyedAlinaghi S, Kheirandish P, Esmaeli Javid G, Shirzad H, Karami N, et al. Prevalence and correlates of co-infection with human immunodeficiency virus and hepatitis C virus in male injection drug users in Iran. *Archives of Iranian Medicine*. 2010;13(4):318-23. doi: 010134/AIM.0012 [doi].
37. Kassaian N, Adibi P, Kafashaian A, Yaran M, Hassannejad R, Ataei B. Hepatitis C virus and associated risk factors among prison inmates with history of drug injection in Isfahan, Iran. *Hepatology International*. 2013;7:S407.
38. Kazerooni PA, Lari MA, Joolaei H, Parsa N. Knowledge and attitude of male intravenous drug users on HIV/AIDS associated high risk behaviors in Shiraz Pir-Banon jail, Fars Province, Southern Iran. *Iranian Red Crescent Medical Journal*. 2010;12(3):334-6.
39. Khajedaluee M, Babaei A, Vakili R, Valizade N, Homaei Shandiz F, Alavian SM, et al. Sero-Prevalence of Bloodborne Tumor Viruses (HCV, HBV, HTLV-I and KSHV Infections) and Related Risk Factors among Prisoners in Razavi Khorasan Province, Iran, in 2008. *Hepat Mon*. 2016;16(12):e31541. Epub 2017/01/27. doi: 10.5812/hepatmon.31541. PubMed PMID: 28123439; PubMed Central PMCID: PMC5237471.
40. Kheirandish P, SeyedAlinaghi S, Jahani M, Shirzad H, Seyed Ahmadian M, Majidi A, et al. Prevalence and correlates of hepatitis C infection among male injection drug users in detention, Tehran, Iran. *Journal of Urban Health*. 2009;86(6):902-8. doi: 10.1007/s11524-009-9393-0 [doi].

41. Kheirandish P, Seyedalinaghi SA, Hosseini M, Jahani MR, Shirzad H, Foroughi M, et al. Prevalence and correlates of HIV infection among male injection drug users in detention in Tehran, Iran. *Journal of Acquired Immune Deficiency Syndromes*. 2010;53(2):273-5. doi: 10.1097/QAI.0b013e3181be6dde [doi].
42. Mir-Nasseri MM, Poustchi H, Nasseri-Moghadam S, Tavakkoli H, Mohammadkhani A, Afshar P, et al. Hepatitis C seroprevalence among intravenous drug users in Tehran. *Journal of Research in Medical Sciences*. 2008;13(6):295-302.
43. Mohtasham Amiri Z, Rezvani M, Jafari Shakib R, Jafari Shakib A. Prevalence of hepatitis C virus infection and risk factors of drug using prisoners in Guilan province. *Eastern Mediterranean health journal = La revue de sante de la Mediterranee orientale = al-Majallah al-sihhiyah li-sharq al-mutawassit*. 2007;13(2):250-6.
44. Nokhodian Z, Yazdani MR, Yaran M, Shoaei P, Mirian M, Ataei B, et al. Prevalence and Risk Factors of HIV, Syphilis, Hepatitis B and C Among Female Prisoners in Isfahan, Iran. *Hepatitis monthly*. 2012;12(7):442-7. doi: 10.5812/hepatmon.6144 [doi].
45. Nokhodian Z, Ataei B, Kassaian N, Yaran M, Hassannejad R, Adibi P. Seroprevalence and Risk Factors of Hepatitis C Virus among Juveniles in Correctional Center in Isfahan, Iran. *International journal of preventive medicine*. 2012;3(Suppl 1):S113-7.
46. Nokhodian Z, Yaran M, Meshkati M, Ataei B, Adibi P, Ataei B. Prevalence and risk factors of hepatitis B virus infection in incarcerated injection drug users in Isfahan province, Iran. *Hepat Int*. 2013;7(Suppl 1):S1-S754.
47. Pourahmad M, Javady A, Karimi I, Ataei B, Kassaeian N. Seroprevalence of and risk factors associated with hepatitis B, hepatitis C, and human immunodeficiency virus among prisoners in Iran. *Infectious Diseases in Clinical Practice*. 2007;15(6):368-72.
48. SeyedAlinaghi S, Farhoudi B, Mohraz M, Golsoorat Pahlaviani F, Hosseini M, Farnia M, et al. Prevalence and Associated Factors of HIV Infection among Male Prisoners in Tehran, Iran. *Arch Iran Med*. 2017;20(6):356-60. Epub 2017/06/26. doi: 0172006/aim.007. PubMed PMID: 28646844.
49. Shahbazi M, Farnia M, Rahmani K, Moradi G. Trend of HIV/AIDS Prevalence and Related Interventions Administered in Prisons of Iran -13 Years' Experience. *Iranian journal of public health*. 2014;43(4):471-9.
50. Zakizad M, Salmeh F, Yaghoobi T, Yaghoubian M, Nesami MB, Esmaeli Z, et al. Seroprevalence of hepatitis C infection and associated risk factors among addicted prisoners in Sari-Iran. *Pakistan Journal of Biological Sciences*. 2009;12(14):1012-8.
51. Ziae M, Sharifzadeh G, Namaee MH, Fereidouni M. Prevalence of HIV and Hepatitis B, C, D Infections and Their Associated Risk Factors among Prisoners in Southern Khorasan Province, Iran. *Iranian journal of public health*. 2014;43(2):229-34.
52. Mir-Nasseri MM, Mohammadkhani A, Tavakkoli H, Ansari E, Poustchi H. Incarceration is a major risk factor for blood-borne infection among intravenous drug users: Incarceration and blood borne infection among intravenous drug users. *Hepatitis monthly*. 2011;11(1):19-22.
53. Butt A, Jafri W, Janjua N, Pasha O. Seroprevalence and risk factors for hepatitis C infection among male prisoners in Karachi, Pakistan. *American Journal of Gastroenterology*. 2010;105:S112.

54. Calzavara L, Ramuscak N, Burchell AN, Swantee C, Myers T, Ford P, et al. Prevalence of HIV and hepatitis C virus infections among inmates of Ontario remand facilities. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2007;177(3):257-61. doi: 177/3/257 [pii].
55. Poulin C, Alary M, Lambert G, Godin G, Landry S, Gagnon H, et al. Prevalence of HIV and hepatitis C virus infections among inmates of Quebec provincial prisons. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2007;177(3):252-6. doi: 177/3/252 [pii].
56. Altice FL, Marinovich A, Khoshnood K, Blankenship KM, Springer SA, Selwyn PA. Correlates of HIV infection among incarcerated women: Implications for improving detection of HIV infection. *Journal of Urban Health*. 2005;82(2):312-26.
57. Bair RM, Baillargeon JG, Kelly PJ, Lerand SJ, Williams JF, Lyerla R, et al. Prevalence and risk factors for hepatitis C virus infection among adolescents in detention. *Archives of Pediatrics & Adolescent Medicine*. 2005;159(11):1015-8. doi: 159/11/1015 [pii].
58. Begier EM, Bennani Y, Forgione L, Punsalang A, Hanna DB, Herrera J, et al. Undiagnosed HIV infection among New York City jail entrants, 2006: results of a blinded serosurvey. *Journal of acquired immune deficiency syndromes (1999)*. 2010;54(1):93-101. doi: 10.1097/QAI.0b013e3181c98fa8 [doi].
59. Burt RD, Thiede H, Barash ET, Sabin K. Recent condom use by arrested injection drug users in King County, Washington, USA. *International Journal of Drug Policy*. 2006;17(3):222-9.
60. Cocoros N, Nettle E, Church D, Bourassa L, Sherwin V, Cranston K, et al. Screening for Hepatitis C as a Prevention Enhancement (SHAPE) for HIV: an integration pilot initiative in a Massachusetts County correctional facility. *Public health reports (Washington, DC: 1974)*. 2014;129 Suppl 1:5-11.
61. Fox RK, Currie SL, Evans J, Wright TL, Tobler L, Phelps B, et al. Hepatitis C virus infection among prisoners in the California State correctional system. *Clinical Infectious Diseases*. 2005;41(2):177-86.
62. Macalino GE, Vlahov D, Dickinson BP, Schwartzapfel B, Rich JD. Community incidence of hepatitis B and C among reincarcerated women. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America*. 2005;41(7):998-1002. doi: CID36170 [pii].
63. Macalino GE, Dhawan D, Rich JD. A missed opportunity: hepatitis C screening of prisoners. *American Journal of Public Health*. 2005;95(10):1739-40. doi: 95/10/1739 [pii].
64. MacGowan R, Margolis A, Richardson-Moore A, Wang T, Lalota M, French PT, et al. Voluntary rapid human immunodeficiency virus (HIV) testing in jails. *Sexually transmitted diseases*. 2009;36(2 Suppl):S9-13. doi: 10.1097/OLQ.0b013e318148b6b1 [doi].
65. Rosen DL, Schoenbach VJ, Wohl DA, White BL, Stewart PW, Golin CE. Characteristics and behaviors associated with HIV infection among inmates in the North Carolina prison system. *American Journal of Public Health*. 2009;99(6):1123-30. doi: 10.2105/AJPH.2007.133389 [doi].
66. VanHandel M, Beltrami JF, MacGowan RJ, Borkowf CB, Margolis AD. Newly identified HIV infections in correctional facilities, United States, 2007. *American Journal of Public Health*. 2012;102 Suppl 2:S201-4. doi: 10.2105/AJPH.2011.300614 [doi].
67. Stockman LJ, Greer J, Holzmacher R, Dittmann B, Hoftiezer SA, Alsum LE, et al. Performance of Risk-Based and Birth-Cohort Strategies for Identifying Hepatitis C Virus Infection Among People Entering Prison, Wisconsin, 2014. *Public Health Rep*. 2016;131(4):544-51. Epub 2016/07/28. doi: 10.1177/0033354916662212. PubMed PMID: 27453598; PubMed Central PMCID: PMC4937115.

68. Abou-Saleh MT, Rice P, Foley S. Hepatitis C testing in drug users using the dried blood spot test and the uptake of an innovative self-administered DBS test. *Addictive Disorders and their Treatment*. 2013;12(1):40-9.
69. Stark K, Herrmann U, Ehrhardt S, Bienzle U. A syringe exchange programme in prison as prevention strategy against HIV infection and hepatitis B and C in Berlin, Germany. *Epidemiology and Infection*. 2006;134(4):814-9. doi: S0950268805005613 [pii].
70. Danis K, Doherty L, McCartney M, McCarrol J, Kennedy H. Hepatitis and HIV in Northern Ireland prisons: a cross-sectional study. *Eurosurveillance*. 2007;12(1).
71. Drummond A, Codd M, Donnelly N, McCausland D, Mehegan J, Daly L, et al. Study on the prevalence of drug use, including intravenous drug use, and blood-borne viruses among the Irish prisoner population. Dublin: National Advisory Committee on Drugs and Alcohol, 2014.
72. Babudieri S, Longo B, Sarmati L, Starnini G, Dori L, Suligoi B, et al. Correlates of HIV, HBV, and HCV infections in a prison inmate population: Results from a multicentre study in Italy. *Journal of medical virology*. 2005;76(3):311-7.
73. van Laar M, Cruts A, van Gageldonk A, van Ooyen-Houben M, Croes E, Meijer R, et al. The Netherlands Drug Situation 2010: Report to the EMCDDA. Utrecht: Trimos-Instituut, 2011 22 Dec 2010. Report No.
74. Barros H, Ramos E, Lucas R. A survey of HIV and HCV among female prison inmates in Portugal. *Central European Journal of Public Health*. 2008;16(3):116-20.
75. Taylor A, Munro A, Allen E, Dunleavy K, Cameron S, Miller L, et al. Low incidence of hepatitis C virus among prisoners in Scotland. *Addiction*. 2013;108(7):1296-304. Epub 2013/01/10. doi: 10.1111/add.12107. PubMed PMID: 23297816.
76. Saiz De La Hoya P, Bedia M, Murcia J, Cebria J, Sanchez-Paya J, Portilla J. [Predictive markers of HIV and HCV infection and co-infection among inmates in a Spanish prison]. *Enfermedades infecciosas y microbiología clínica*. 2005;23(2):53-7.
77. Saiz de la Hoya P, Marco A, Garcia-Guerrero J, Rivera A, Prevalhep study g. Hepatitis C and B prevalence in Spanish prisons. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology*. 2011;30(7):857-62. doi: 10.1007/s10096-011-1166-5 [doi].
78. Adjei AA, Armah HB, Gbagbo F, Ampofo WK, Boamah I, Adu-Gyamfi C, et al. Correlates of HIV, HBV, HCV and syphilis infections among prison inmates and officers in Ghana: A national multicenter study. *BMC infectious diseases*. 2008;8:33-2334-8-33. doi: 10.1186/1471-2334-8-33 [doi].
79. Javanbakht M, Boudov M, Anderson LJ, Malek M, Smith LV, Chien M, et al. Sexually transmitted infections among incarcerated women: findings from a decade of screening in a Los Angeles County Jail, 2002-2012. *American Journal of Public Health*. 2014;104(11):e103-9. doi: 10.2105/AJPH.2014.302186 [doi].
80. Mwapasa V, Chipungu G, Masiye F, Mukaka M. Prevalence and risk factors for HIV, sexually-transmitted infections, and Tuberculosis in Malawian prisons. Malawi Prison Services; UNODC;, 2011.
81. Andrinopoulos K, Kerrigan D, Figueroa JP, Reese R, Gaydos CA, Bennett L, et al. Establishment of an HIV/sexually transmitted disease programme and prevalence of infection among incarcerated men in Jamaica. *International Journal of STD & AIDS*. 2010;21(2):114-9. doi: 10.1258/ijsa.2009.008416 [doi].

82. Javanbakht M, Murphy R, Harawa NT, Smith LV, Hayes M, Chien M, et al. Sexually transmitted infections and HIV prevalence among incarcerated men who have sex with men, 2000-2005. *Sexually transmitted diseases*. 2009;36(2 Suppl):S17-21. doi: 10.1097/OLQ.0b013e31815e4152 [doi].
83. Adoga MP, Banwat EB, Forbi JC, Nimzing L, Pam CR, Gyar SD, et al. Human immunodeficiency virus, hepatitis B virus and hepatitis C virus: sero-prevalence, co-infection and risk factors among prison inmates in Nasarawa State, Nigeria. *Journal of infection in developing countries*. 2009;3(7):539-47.
84. Hariga F. Evaluation and recommendations for the improvement of the health programmes, including for the prevention and treatment of drug dependence and of HIV and AIDS, implemented in the establishments under the responsibility of the Federal Penitentiary Service in Argentina: A follow-up of the 2008 assessment. Vienna: UNODC; 2011. Available from: http://www.unodc.org/documents/lpo-brazil/Prision_Settings/UNODC_report_Argentina_Health_SPF_assessment_July_2011.pdf.