

Table S3. Comparison of background characteristics between cohort children selected for sapovirus study (n = 100) and not selected (n = 191).

	Selected		Not selected		<i>p</i>
	n = 100		N = 191		
Mean birth weight ± SD (g)	3352 ± 494		3295 ± 438		0.316
Median Mother's age, [25 th -75 th % range]	30 [24 - 36]		28 [23 - 32]		0.176
	n	%	n	%	
Gender of the child					
Male	55	47.1	88	50.3	
Female	45	52.9	103	50.8	0.148
Mother's education					
No schooling	5	5.1	9	4.7	
Primary	27	27.6	47	24.6	
Secondary	54	55.1	101	52.9	
> Secondary	12	12.2	34	17.8	0.670
Exclusive breast fed in 3-6 months old					
≥ 50% of days	60	60.0	99	55.0	
< 50% of days	40	40.0	81	45.0	0.418
Water source					
In-door connection for 24hrs	86	86.0	173	90.6	
In-door connection < 24hrs	0	0.0	2	1.1	
Out-door connection	3	3.0	1	0.5	
Sharing with others	5	5.0	5	2.6	
Public connection	6	6.0	10	5.3	0.259
Cost for water/month					
11-20 USD	92	92.0	169	89.0	
21-30 USD	7	7.0	19	10.0	
31-40 USD	1	1.0	2	1.0	0.695

Waste						
In-door flash toilet		86	86.0	178	93.2	
Out-door flash toilet		6	6.0	4	2.1	
Latrine (personal)		1	1.0	2	1.1	
Latrine (shared)		0	0.0	1	0.5	
Hole-toilet		7	7.0	6	3.1	0.199
Having electricity						
	Yes	97	97.0	189	99.0	
	No	3	3.0	2	1.0	0.223
Having refrigerator						
	Yes	46	46.0	94	49.2	
	No	54	54.0	97	50.8	0.820
Having animal in household						
	Yes	72	72.0	122	63.9	
	No	28	28.0	69	36.1	0.163
Household income (Monthly)						
	51-150 USD	20	20.4	43	22.9	
	151-250 USD	66	67.4	114	60.6	
	≥ 251USD	12	12.2	31	16.5	0.494
