Supplementary Data

Cytotoxic homoisoflavonoids from the bulbs of Bellevalia flexuosa

Tamam El-Elimat^{a,*}, José Rivera-Chávez^b, Joanna E. Burdette^c, Austin Czarnecki^c, Maram B. Alhawarri^a, Mohammad Al-Gharaibeh^d, Feras Alali^{e,**}, and Nicholas H. Oberlies^b

Department of Medicinal Chemistry and Pharmacognosy, Faculty of Pharmacy, Jordan University of Science and Technology, Irbid 22110, Jordan

Department of Chemistry and Biochemistry, University of North Carolina at Greensboro, Greensboro, North Carolina 27402, United States

Department of Medicinal Chemistry and Pharmacognosy, College of Pharmacy, University of Illinois at Chicago, Chicago, Illinois 60612, United States

Department of Natural Resources and Environment, Faculty of Agriculture, Jordan University of Science and Technology, Irbid 22110, Jordan

Faculty of Pharmacy, Qatar University, Doha 2713, Qatar



Figure S1. ¹H NMR spectrum of compound 1 [500 MHz, CDCl₃].



Figure S2. ¹H NMR spectrum of compound 2 [500 MHz, CDCl₃].



Figure S3. ¹H and ¹³C NMR spectra of compound 3 [500 MHz for ¹H and 125 MHz for ¹³C, CDCl₃].



Figure S4. ¹H and ¹³C NMR spectra of compound 4 [500 MHz for ¹H and 125 MHz for ¹³C, CDCl₃].



Figure S5. ¹H and ¹³C NMR spectra of compound 5 [500 MHz for ¹H and 125 MHz for ¹³C, CDCl₃].



Figure S6. ¹H NMR spectrum of compound 6 [500 MHz, CDCl₃].



Figure S7. ¹H NMR spectrum of compound 7 [500 MHz, CDCl₃].



Figure S8. ¹H and ¹³C NMR spectra of compound 8 [500 MHz for ¹H and 125 MHz for ¹³C, CDCl₃].



Figure S9. ¹H NMR spectrum of compound 9 [500 MHz, CDCl₃].



Figure S10. ¹H NMR spectrum of compound 10 [500 MHz, CDCl₃].



Figure S11. ¹H and ¹³C NMR spectra of compound 11 [500 MHz for ¹H and 175 MHz for ¹³C, CDCl₃].



Figure S12. ¹H NMR spectrum of compound 12 [500 MHz, CDCl₃].



Figure S13. ¹H and ¹³C NMR spectra of compound 13 [500 MHz for ¹H and 175 MHz for ¹³C, CDCl₃].



Figure S14. ¹H and ¹³C NMR spectra of compound 14 [500 MHz for ¹H and 125 MHz for ¹³C, CDCl₃].



Figure S15. ¹H and ¹³C NMR spectra of compound 15 [400 MHz for ¹H and 100 MHz for ¹³C, CDCl₃].



Figure S16. ¹H NMR spectrum of compound 16 [500 MHz, CDCl₃].



Figure S17. ¹H NMR spectrum of compound 17 [500 MHz, CDCl₃].



Figure S18. ¹H-¹H DQF COSY NMR spectrum of compound 4 [500 MHz, CDCl₃].



Figure S19. ¹H-¹³C Edited-HSQC NMR spectrum of compound 4 [500 MHz, CDCl₃].



Figure S20. ¹H-¹³C HMBC NMR spectrum of compound 4 [500 MHz, CDCl₃].



Figure S21. ¹H-¹H DQF COSY NMR spectrum of compound 8 [500 MHz, CDCl₃].



Figure S22. ¹H-¹³C Edited-HSQC NMR spectrum of compound 8 [500 MHz, CDCl₃].



Figure S23. ¹H-¹³C HMBC NMR spectrum of compound 8 [500 MHz, CDCl₃].



Figure S24. ¹H-¹H DQF COSY NMR spectrum of compound 13 [500 MHz, CDCl₃].



Figure S25. ¹H-¹³C Edited-HSQC NMR spectrum of compound 13 [500 MHz, CDCl₃].



Figure S26. ¹H-¹³C HMBC NMR spectrum of compound 13 [500 MHz, CDCl₃].



Figure S27. ¹H-¹H DQF COSY NMR spectrum of compound 14 [500 MHz, CDCl₃].



Figure S28. ¹H-¹³C Edited-HSQC NMR spectrum of compound 14 [500 MHz, CDCl₃].



Figure S29. ¹H-¹³C HMBC NMR spectrum of compound 14 [500 MHz, CDCl₃].