

SUPPLEMENTARY TABLE S1. CONNERS' PARENT RATING
SCALE, SCALE SCORES (NORMALIZED T SCORES),
INTENT-TO-TREAT POPULATION (N=85)

CPRS scale, mean (SD)	Baseline	OL week 6	Change from
			baseline, OL
			week 6
Oppositional	67.3 (15.1)	49.8 (10.8)	-17.5 (13.5)
Cognitive problems/ inattention	71.1 (13.3)	54.0 (11.5)	-17.1 (13.1)
Hyperactivity	79.3 (16.2)	54.4 (10.6)	-24.9 (16.8)
Anxious/Shy	57.3 (15.1)	47.9 (10.8)	-9.4 (13.0)
Perfectionism	54.9 (12.8)	45.9 (7.6)	-9.0 (10.9)
Social problems	57.1 (14.3)	50.5 (10.8)	-6.6 (11.6)
Psychosomatic	57.1 (17.6)	47.2 (9.9)	-9.9 (14.9)
ADHD index	73.8 (11.0)	52.9 (9.8)	-20.9 (11.5)
Restless impulse	74.6 (12.5)	53.2 (10.4)	-21.4 (12.0)
Emotional lability	64.8 (15.8)	48.9 (9.2)	-15.9 (14.4)
Conners' global index	73.6 (13.3)	52.1 (10.2)	-21.5 (12.2)
Inattentive	73.8 (12.6)	53.8 (11.1)	-20.0 (11.9)
Hyperactive/Impulsive	78.0 (14.4)	54.3 (10.3)	-23.7 (15.0)
DSM-IV	77.8 (12.0)	54.3 (10.7)	-23.4 (12.8)

ADHD, attention-deficit/hyperactivity disorder; CPRS, Conners' Parent Rating Scale; DSM-IV, *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition; OL, open label; SD, standard deviation.