

## Supplemental Results

Hemoglobin:

Table of Hb by previous				
Hb(Hb)	previous(previous)			
Frequency	0	0.03	1.5	Total
drop	1	3	0	4
improve	1	3	1	5
maintain	0	0	2	2
Total	2	6	3	11

Statistic	DF	Value	Prob
Chi-Square	4	6.9667	0.1377
Likelihood Ratio Chi-Square	4	7.8869	0.0958
Mantel-Haenszel Chi-Square	1	5.2673	0.0217
Phi Coefficient		0.7958	
Contingency Coefficient		0.6227	
Cramer's V		0.5627	
<b>WARNING: 100% of the cells have expected counts less than 5. Chi-Square may not be a valid test.</b>			

Fisher's Exact Test	
Table Probability (P)	0.017 3
Pr <= P	0.225 1

Ferritin

Table of Ferritin by previous				
Ferritin(Ferritin)	previous(previous)			
Frequency	0	0.03	1.5	Total
drop	2	3	0	5
improve	0	2	3	5
maintain	0	1	0	1
<b>Total</b>	2	6	3	11

Statistic	DF	Value	Prob
Chi-Square	4	6.6000	0.1586
Likelihood Ratio Chi-Square	4	8.4281	0.0771
Mantel-Haenszel Chi-Square	1	1.2447	0.2646
Phi Coefficient		0.7746	
Contingency Coefficient		0.6124	
Cramer's V		0.5477	
<b>WARNING: 100% of the cells have expected counts less than 5. Chi-Square may not be a valid test.</b>			

Fisher's Exact Test	
Table Probability (P)	0.0216
Pr <= P	0.1775

% Max iron absorption

Table of iron_abs by previous				
iron_abs(iron abs)	previous(previous)			
Frequency	0	0.03	1.5	Total
drop	0	1	2	3
improve	2	5	1	8
Total	2	6	3	11

Statistic	DF	Value	Prob
Chi-Square	2	3.4375	0.1793
Likelihood Ratio Chi-Square	2	3.6651	0.1600
Mantel-Haenszel Chi-Square	1	2.9584	0.0854
Phi Coefficient		0.5590	
Contingency Coefficient		0.4880	
Cramer's V		0.5590	
<b>WARNING: 100% of the cells have expected counts less than 5. Chi-Square may not be a valid test.</b>			

Fisher's Exact Test	
Table Probability (P)	0.1091
Pr <= P	0.2061

iAUC:

Table of AUC by previous				
AUC(AUC)	previous(previous)			
Frequency	0	0.03	1.5	Total
drop	0	4	1	5
improve	2	2	2	6
Total	2	6	3	11

Statistic	DF	Value	Prob
Chi-Square	2	2.9333	0.2307
Likelihood Ratio Chi-Square	2	3.7009	0.1572
Mantel-Haenszel Chi-Square	1	0.1980	0.6563
Phi Coefficient		0.5164	
Contingency Coefficient		0.4588	
Cramer's V		0.5164	

**WARNING: 100% of the cells have expected counts less than 5. Chi-Square may not be a valid test.**

Fisher's Exact Test	
Table Probability (P)	0.0974
Pr <= P	0.4156