

Supplementary Table S1. Primers used to construct EHEC EDL933 mutants.

Generation of espZ by allelic exchange

EspZ-Afor; AGTACCGCGTCACTAGGGGCCCTCTAGAAAAACATCGATATTGTTAACAAAC
EspZ-Arev; GGCATATTCATCGCTAATGCACCGCCTCTAGACCAGAAGGACTTAAATTGCTGCTTCC
EspZ-Bfor; GGAAGCAGCAAATTAAAGTCCTCTGGTAGAGGCGGTGCATTAGCGATGAAATATGCC
EspZ-Brev; TAACAATTGTGGAATTCCCGGAGAGCTTTTCATTTTATTGCATCGAAAC

Generation of stx1, stx2 and escN mutants by Lambda-red recombination

Stx2AB-F ATGAAAGTGTATATTAAATGGGTACTGTGCCTGGTAGGCTGGAGCTGCTTCG
Stx2AB-Re TAAGGAGGATATTCAATGTTGCTGAAGTGCAGTTAAATAATGACTGAGGCATAA
Stx1AB-F TCGTATGGTGCTCAAGGAGTATTGTGAATATGAAAATAATTATTTAGAGTGTAGGCTGGAGCTGCTTCG
Stx1AB-Re GCCTGCTATTTCACTGAGCTATTCTAAGTCAACGAAAAATAACTCGCTGAATCCATATGAATATCCTCCTTA
EscN-F ATGATTCAGAGCATGATTCTGTATTGAAAAATACGTGTAGGCTGGAGCTGCTTCG
EscN-Rev GGCAACACTTGAATAGGCTTCAATCGTTTCCATATGAATATCCTCCTTA
