

**Supplemental Table 1. Height of boys by age of measurement and birth cohort**

Age (y)	Birth cohort	N	Height (cm)		
			Mean	SD	Median
7	1930-34	12961	120.2	5.1	120.1
	1935-39	17073	120.7	5.1	120.8
	1940-44	21801	121.9	5.0	121.8
	1945-49	22406	122.5	5.1	122.6
	1950-54	16333	122.7	5.1	122.6
	1955-59	13346	123.1	5.1	122.9
	1960-64	10344	123.5	5.1	123.4
	1965-69	9375	123.7	5.2	123.8
	1970-74	7996	124.1	5.1	124.0
	1975-79	6854	123.9	5.1	123.9
1980-84	6206	124.3	5.1	124.3	
1985-89	7169	124.7	5.2	124.7	
8	1930-34	13173	125.4	5.3	125.3
	1935-39	17485	126.1	5.3	126.0
	1940-44	22164	127.3	5.3	127.3
	1945-49	22755	127.6	5.3	127.6
	1950-54	16650	127.8	5.4	127.7
	1955-59	13653	128.4	5.5	128.3
	1960-64	10646	128.8	5.5	128.8
	1965-69	9558	129.2	5.5	129.2
	1970-74	8063	129.7	5.4	129.6
	1975-79	6610	129.6	5.5	129.6
1980-84	6063	130.0	5.4	130.0	
1985-89	6891	130.3	5.5	130.3	
9	1930-34	13125	130.6	5.5	130.6
	1935-39	17560	131.3	5.5	131.3
	1940-44	22138	132.7	5.5	132.7
	1945-49	22750	133.0	5.6	133.0
	1950-54	16607	133.3	5.6	133.2
	1955-59	13586	133.9	5.7	133.8
	1960-64	10567	134.2	5.8	134.2
	1965-69	9508	134.7	5.8	134.6
	1970-74	7869	135.1	5.7	135.0
	1975-79	4421	135.0	6.1	135.0
1980-84	4327	135.4	5.9	135.5	
1985-89	5381	135.9	5.9	135.7	
10	1930-34	13052	135.4	5.7	135.3
	1935-39	17655	136.3	5.8	136.3
	1940-44	22049	137.8	5.7	137.7
	1945-49	22739	138.1	5.8	138.0
	1950-54	16573	138.4	5.9	138.3
	1955-59	13565	138.9	6.0	138.8
	1960-64	10560	139.4	6.1	139.3
	1965-69	9525	139.8	6.1	139.7
	1970-74	6861	140.2	6.0	140.1
	1975-79	3056	140.0	6.7	140.1
1980-84	3379	140.6	6.4	140.6	
1985-89	4783	141.0	6.3	140.9	

11	1930-34	12975	140.1	5.9	139.9
	1935-39	17682	141.1	6.0	141.0
	1940-44	22060	142.6	6.0	142.5
	1945-49	22739	143.0	6.1	142.8
	1950-54	16569	143.3	6.2	143.2
	1955-59	13549	143.7	6.3	143.6
	1960-64	10594	144.2	6.4	144.1
	1965-69	9569	144.7	6.4	144.6
	1970-74	5933	145.2	6.4	145.0
	1975-79	2982	144.8	7.1	144.6
12	1980-84	3373	145.8	6.7	145.8
	1985-89	4620	146.3	6.7	146.2
	1930-34	12730	144.6	6.4	144.5
	1935-39	17598	145.9	6.4	145.8
	1940-44	22021	147.4	6.5	147.3
	1945-49	22702	147.8	6.7	147.6
	1950-54	16522	148.2	6.7	148.0
	1955-59	13504	148.7	6.9	148.5
	1960-64	10572	149.2	7.0	149.0
	1965-69	9521	149.8	7.0	149.7
13	1970-74	4869	150.4	7.2	150.2
	1975-79	3161	150.0	7.8	149.9
	1980-84	3257	151.4	7.5	151.4
	1985-89	4720	152.2	7.5	152.0
	1930-34	12240	149.8	7.1	149.5
	1935-39	17279	151.5	7.3	151.2
	1940-44	21891	153.1	7.4	152.8
	1945-49	22611	153.7	7.6	153.5
	1950-54	16450	154.1	7.6	153.7
	1955-59	13467	154.6	7.8	154.4
1960-64	10538	155.3	7.9	155.0	
1965-69	9489	156.2	8.0	156.0	
1970-74	3776	156.6	8.3	156.2	
1975-79	3339	156.8	8.7	156.5	
1980-84	2914	158.3	8.2	158.2	
1985-89	4579	159.1	8.3	159.0	

**Supplemental Table 2.** Hazard ratios for associations between height z-scores and risk of testicular germ cell tumors among men with height measured at both ages 7 and 13 years\*

Age (y)	N	cases	HR	95% CI
7	129199	650	1.10	1.01 - 1.18
8	128339	650	1.11	1.02 - 1.20
9	125797	639	1.10	1.01 - 1.19
10	124639	634	1.10	1.01 - 1.19
11	124883	634	1.10	1.02 - 1.19
12	126471	637	1.09	1.01 - 1.18
13	129199	650	1.09	1.00 - 1.17

\*All analyses stratified by birth cohort.