

Supplemental Table I: Dry AMD Biomarkers: Values > Mean Plus 2 x SD of Normal Values

Variable	Early	Intermediate	Normal	P-Value*
BCVA (EDTRS) \geq 92.71	0	0	0	---
LLVA: BCVA (EDTRS) With Density Filter \geq 81.76	1 (3)	0	0	0.55
Calculated LLD (ETDRS) \geq 17.95	3 (9)	10 (21)	0	0.04
Percent Reduced Thresholds \geq 66.62	2 (6)	14 (30)	1 (5)	0.01
Average Threshold \geq 34.28	0	0	0	---
Computerized BCVA \geq 96.50	1 (3)	0	0	0.55
Computerized LLVA 1 \geq 83.39	2 (6)	0	1 (5)	0.21
Computerized LLVA 2 \geq 75.05	1 (3)	0	1 (5)	0.28
Calculated Computerized LLD 1 (ETDRS)=BCVA-LLVA \geq 24.10	1 (3)	2 (4)	0	1.00
Calculated Computerized LLD 2 (ETDRS)=BCVA-LLVA \geq 40.87	3 (9)	8 (18)	1 (5)	0.34
CCT Red \geq 110.66	0	0	0	---
CCT Green \geq 111.02	0	0	0	---
CCT Blue \geq 115.81	0	0	0	---
Rod Intercept \geq 16.60	3 (10)	17 (45)	3 (14)	<0.01
<i>*P-value based on Fisher's exact test of difference in proportions</i>				