

LIST OF PROPERTIES IN TRANSFUSION MEDICINE AND IMMUNOHAEMATOLOGY

Blood—	Blood—
Aberrant cell population(fenotype);	B-lymphocytes(immature);
taxon	number concentration
NPU21860	$10^9/\text{litre}$
B—Aberrant cell population(fenotype); taxon = ?	NPU21821
	B—B-lymphocytes(immature); num.c. = ? $\times 10^9/\text{l}$
Bone marrow—	Bone marrow—
Aberrant cell population(fenotype);	B-lymphocytes(immature);
taxon	number concentration
NPU21864	$10^9/\text{litre}$
Marrow—Aberrant cell population(fenotype); taxon = ?	NPU21839
	Marrow—B-lymphocytes(immature); num.c. = ? $\times 10^9/\text{l}$
Blood—	Lymphocytes(Blood)—
Aberrant cell population;	B-lymphocytes(immature);
number concentration	number fraction
$10^9/\text{litre}$	NPU21783
NPU21858	Lymcs(B)—B-lymphocytes(immature); num.fr. = ?
B—Aberrant cell population; num.c. = ? $\times 10^9/\text{l}$	
Bone marrow—	Lymphocytes(Bone marrow)—
Aberrant cell population;	B-lymphocytes(immature);
number concentration	number fraction
$10^9/\text{litre}$	NPU21802
NPU21862	Lymcs(Marrow)—B-lymphocytes(immature); num.fr. = ?
Marrow—Aberrant cell population; num.c. = ? $\times 10^9/\text{l}$	
Leukocytes(Blood)—	Blood—
Aberrant cell population;	B-lymphocytes(mature);
number fraction	number concentration
NPU21859	$10^9/\text{litre}$
Lkcs(B)—Aberrant cell population; num.fr. = ?	NPU21820
	B—B-lymphocytes(mature); num.c. = ? $\times 10^9/\text{l}$
Leukocytes(Bone marrow)—	Bone marrow—
Aberrant cell population;	B-lymphocytes(mature);
number fraction	number concentration
NPU21863	$10^9/\text{litre}$
Lkcs(Marrow)—Aberrant cell population; num.fr. = ?	NPU21838
	Marrow—B-lymphocytes(mature); num.c. = ? $\times 10^9/\text{l}$
Blood—	Lymphocytes(Blood)—
Aberrant cell population;	B-lymphocytes(mature);
taxon(immunofluorescence)	number fraction
NPU21857	NPU21782
B—Aberrant cell population; taxon(imm.flu.) = ?	Lymcs(B)—B-lymphocytes(mature); num.fr. = ?
Bone marrow—	Lymphocytes(Bone marrow)—
Aberrant cell population;	B-lymphocytes(mature);
taxon(immunofluorescence)	number fraction
NPU21861	NPU21801
Marrow—Aberrant cell population; taxon(imm.flu.) = ?	Lymcs(Marrow)—B-lymphocytes(mature); num.fr. = ?
Culture(Lymphocytes; Blood)—	Lymphocytes(Blood)—
Allogene cells stimulated lymphocytes;	B-lymphocytes;
relative number concentration(stimulated/unstimulated; procedure)	compatibility(Plasma; donationID; absent present)
Other term(s): mixed leucocyte reaction; MLR	NPU21409
NPU21414	Lymcs(B)—B-lymphocytes; compatibility(P; donationID; absent present) = ?
Culture(Lymcs; B)—Allogene cells stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?	
Plasma—	Blood—
B-lymphocyte antibody;	B-lymphocytes;
compatibility(donationID; absent present)	number concentration
NPU21410	$10^9/\text{litre}$
P—B-lymphocyte antibody; compatibility(donationID; absent present) = ?	NPU21819
	B—B-lymphocytes; num.c. = ? $\times 10^9/\text{l}$

Bone marrow—
B-lymphocytes;
number concentration
10⁹/litre
NPU21837
Marrow—B-lymphocytes; num.c. = ? × 10⁹/l

Lymphocytes(Blood)—
B-lymphocytes;
number fraction
NPU21781
Lymcs(B)—B-lymphocytes; num.fr. = ?

Lymphocytes(Bone marrow)—
B-lymphocytes;
number fraction
NPU21800
Lymcs(Marrow)—B-lymphocytes; num.fr. = ?

Culture(Lymphocytes; Blood)—
Candida albicans stimulated lymphocytes;
relative number concentration(stimulated/unstimulated;
procedure)
NPU21415
Culture(Lymcs; B)—*Candida albicans* stimulated lymphocytes;
rel.num.c.(stim./unstim.; proc.) = ?

Erythrocytes(Blood)—
Complement C3b;
arbitrary entitic number(procedure)
arbitrary unit
NPU20002
Ercs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—
Complement C3b;
arbitrary entitic number(procedure)
arbitrary unit
NPU21940
Ntrcs(B)—Complement C3b; arb.entitic num.(proc.) = ?
arb.unit

Thrombocytes(Blood)—
Complement C3b;
arbitrary entitic number(procedure)
arbitrary unit
NPU20055
Trcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)—
Complement C3b;
arbitrary number(procedure)
NPU20026
Ercs(B)—Complement C3b; arb.num.(proc.) = ?

Thrombocytes(Blood)—
Complement C3b;
arbitrary number(procedure)
NPU20044
Trcs(B)—Complement C3b; arb.num.(proc.) = ?

Erythrocytes(Blood)—
Complement C3b;
entitic number
NPU20015
Ercs(B)—Complement C3b; entitic num. = ?

Neutrophilocytes(Blood)—
Complement C3b;
entitic number
NPU21952
Ntrcs(B)—Complement C3b; entitic num. = ?

Thrombocytes(Blood)—
Complement C3b;
entitic number
NPU20066
Trcs(B)—Complement C3b; entitic num. = ?

Erythrocytes(Blood)—
Complement C3d;
arbitrary entitic number(procedure)
arbitrary unit
Authority: ICW91
NPU01733
Ercs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—
Complement C3d;
arbitrary entitic number(procedure)
arbitrary unit
NPU21941
Ntrcs(B)—Complement C3d; arb.entitic num.(proc.) = ?
arb.unit

Thrombocytes(Blood)—
Complement C3d;
arbitrary entitic number(procedure)
arbitrary unit
NPU20056
Trcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)—
Complement C3d;
arbitrary number(procedure)
NPU20027
Ercs(B)—Complement C3d; arb.num.(proc.) = ?

Thrombocytes(Blood)—
Complement C3d;
arbitrary number(procedure)
NPU20045
Trcs(B)—Complement C3d; arb.num.(proc.) = ?

Erythrocytes(Blood)—
Complement C3d;
entitic number
Authority: ICW91
NPU03886
Ercs(B)—Complement C3d; entitic num. = ?

Neutrophilocytes(Blood)—
Complement C3d;
entitic number
NPU21953
Ntrcs(B)—Complement C3d; entitic num. = ?

Thrombocytes(Blood)—
Complement C3d;
entitic number
NPU20067
Trcs(B)—Complement C3d; entitic num. = ?

Erythrocytes(Blood)—

**Complement+Immunoglobulin;
arbitrary entitic number(list; procedure)**

Other term(s): Coombs test

NPU20000

Ercs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)
NPU20001 Ercs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU20002 Ercs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit
NPU01733 Ercs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit
NPU20176 Ercs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU01947 Ercs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit
NPU20003 Ercs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit
NPU04066 Ercs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
NPU04067 Ercs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit
NPU04068 Ercs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit
NPU04069 Ercs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
NPU02487 Ercs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—

**Complement+Immunoglobulin;
arbitrary entitic number(list; procedure)**

NPU21938

Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)
NPU21939 Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU21940 Ntrcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit
NPU21941 Ntrcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit
NPU21942 Ntrcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU21943 Ntrcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit
NPU21944 Ntrcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit
NPU21945 Ntrcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
NPU21946 Ntrcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit
NPU21947 Ntrcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit
NPU21948 Ntrcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
NPU21949 Ntrcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

Thrombocytes(Blood)—

**Complement+Immunoglobulin;
arbitrary entitic number(list; procedure)**

NPU20053

Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)
NPU20054 Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU20055 Trcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit
NPU20056 Trcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit
NPU20179 Trcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU20057 Trcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit
NPU20058 Trcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit
NPU20059 Trcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
NPU20060 Trcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit
NPU20061 Trcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit
NPU20062 Trcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
NPU20063 Trcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)—

**Complement+Immunoglobulin;
arbitrary entitic number(procedure)**

arbitrary unit

Other term(s): Coombs test

NPU20001

Ercs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—

Complement+Immunoglobulin;

arbitrary entitic number(procedure)

arbitrary unit

NPU21939

Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

Thrombocytes(Blood)—

Complement+Immunoglobulin;

arbitrary entitic number(procedure)

arbitrary unit

NPU20054

Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)—

Complement+Immunoglobulin;

arbitrary number(list; procedure)

NPU20024

Ercs(B)—Complement+Immunoglobulin; arb.num.(list; proc.)
NPU20025 Ercs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?
NPU20026 Ercs(B)—Complement C3b; arb.num.(proc.) = ?
NPU20027 Ercs(B)—Complement C3d; arb.num.(proc.) = ?
NPU20175 Ercs(B)—Immunoglobulin; arb.num.(proc.) = ?
NPU20028 Ercs(B)—Immunoglobulin A; arb.num.(proc.) = ?
NPU04070 Ercs(B)—Immunoglobulin G; arb.num.(proc.) = ?
NPU20030 Ercs(B)—Immunoglobulin G1; arb.num.(proc.) = ?
NPU20031 Ercs(B)—Immunoglobulin G2; arb.num.(proc.) = ?
NPU20032 Ercs(B)—Immunoglobulin G3; arb.num.(proc.) = ?
NPU20033 Ercs(B)—Immunoglobulin G4; arb.num.(proc.) = ?
NPU20034 Ercs(B)—Immunoglobulin M; arb.num.(proc.) = ?

Thrombocytes(Blood)—	Neutrophilocytes(Blood)—
Complement+Immunoglobulin;	Complement+Immunoglobulin;
arbitrary number(list; procedure)	entitic number(list)
NPU20042	NPU21950
Trcs(B)—Complement+Immunoglobulin; arb.num.(list; proc.)	Ntrcs(B)—Complement+Immunoglobulin; entitic num.(list)
NPU20043 Trcs(B)—Complement+Immunoglobulin;	NPU21951 Ntrcs(B)—Complement+Immunoglobulin; entitic
arb.num.(proc.) = ?	num. = ?
NPU20044 Trcs(B)—Complement C3b; arb.num.(proc.) = ?	NPU21952 Ntrcs(B)—Complement C3b; entitic num. = ?
NPU20045 Trcs(B)—Complement C3d; arb.num.(proc.) = ?	NPU21953 Ntrcs(B)—Complement C3d; entitic num. = ?
NPU20178 Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?	NPU21954 Ntrcs(B)—Immunoglobulin; entitic num. = ?
NPU20046 Trcs(B)—Immunoglobulin A; arb.num.(proc.) = ?	NPU21955 Ntrcs(B)—Immunoglobulin A; entitic num. = ?
NPU20047 Trcs(B)—Immunoglobulin G; arb.num.(proc.) = ?	NPU21956 Ntrcs(B)—Immunoglobulin G; entitic num. = ?
NPU20048 Trcs(B)—Immunoglobulin G1; arb.num.(proc.) = ?	NPU21957 Ntrcs(B)—Immunoglobulin G1; entitic num. = ?
NPU20049 Trcs(B)—Immunoglobulin G2; arb.num.(proc.) = ?	NPU21958 Ntrcs(B)—Immunoglobulin G2; entitic num. = ?
NPU20050 Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?	NPU21959 Ntrcs(B)—Immunoglobulin G3; entitic num. = ?
NPU20051 Trcs(B)—Immunoglobulin G4; arb.num.(proc.) = ?	NPU21960 Ntrcs(B)—Immunoglobulin G4; entitic num. = ?
NPU20052 Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?	NPU21961 Ntrcs(B)—Immunoglobulin M; entitic num. = ?
Erythrocytes(Blood)—	Thrombocytes(Blood)—
Complement+Immunoglobulin;	Complement+Immunoglobulin;
arbitrary number(procedure)	entitic number(list)
NPU20025	NPU20064
Ercs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?	Trcs(B)—Complement+Immunoglobulin; entitic num.(list)
Thrombocytes(Blood)—	NPU20065 Trcs(B)—Complement+Immunoglobulin; entitic
Complement+Immunoglobulin;	num. = ?
arbitrary number(procedure)	NPU20066 Trcs(B)—Complement C3b; entitic num. = ?
NPU20043	NPU20067 Trcs(B)—Complement C3d; entitic num. = ?
Trcs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?	NPU20180 Trcs(B)—Immunoglobulin; entitic num. = ?
Erythrocytes(Blood)—	NPU20068 Trcs(B)—Immunoglobulin A; entitic num. = ?
Complement+Immunoglobulin;	NPU20069 Trcs(B)—Immunoglobulin G; entitic num. = ?
entitic number	NPU20070 Trcs(B)—Immunoglobulin G1; entitic num. = ?
Other term(s): Coombs direct test; Anti globulin reaction	NPU20071 Trcs(B)—Immunoglobulin G2; entitic num. = ?
Authority: ICW91	NPU20072 Trcs(B)—Immunoglobulin G3; entitic num. = ?
NPU03868	NPU20073 Trcs(B)—Immunoglobulin G4; entitic num. = ?
Ercs(B)—Complement+Immunoglobulin; entitic num. = ?	NPU20074 Trcs(B)—Immunoglobulin M; entitic num. = ?
Neutrophilocytes(Blood)—	Culture(Lymphocytes; Blood)—
Complement+Immunoglobulin;	Concanavalin A stimulated lymphocytes;
entitic number	relative number ratio(actual/norm; procedure)
NPU21951	NPU21422
Ntrcs(B)—Complement+Immunoglobulin; entitic num. = ?	Culture(Lymcs; B)—Concanavalin A stimulated lymphocytes;
Thrombocytes(Blood)—	rel.num.ratio(actual/norm; proc.) = ?
Complement+Immunoglobulin;	Blood—
entitic number	Crossmatch(electronic);
NPU20065	expiry(date&hour; procedure)
Trcs(B)—Complement+Immunoglobulin; entitic num. = ?	Other term(s): bac, abc, bas test
Erythrocytes(Blood)—	NPU21406
Complement+Immunoglobulin;	B—Crossmatch(elect.); expiry(d&h; proc.) = ?
entitic number(list)	
NPU20013	
Ercs(B)—Complement+Immunoglobulin; entitic num.(list)	Culture(Lymphocytes; Blood)—
NPU03868 Ercs(B)—Complement+Immunoglobulin; entitic	Cytomegalovirus stimulated lymphocytes;
num. = ?	relative number concentration(stimulated/unstimulated;
NPU20015 Ercs(B)—Complement C3b; entitic num. = ?	procedure)
NPU03886 Ercs(B)—Complement C3d; entitic num. = ?	NPU21416
NPU20177 Ercs(B)—Immunoglobulin; entitic num. = ?	Culture(Lymcs; B)—Cytomegalovirus stimulated lymphocytes;
NPU02475 Ercs(B)—Immunoglobulin A; entitic num. = ?	rel.num.c.(stim./unstim.; proc.) = ?
NPU01948 Ercs(B)—Immunoglobulin G; entitic num. = ?	
NPU01949 Ercs(B)—Immunoglobulin G1; entitic num. = ?	Plasma—
NPU01950 Ercs(B)—Immunoglobulin G2; entitic num. = ?	Erythrocyte 'N' antibody;
NPU01951 Ercs(B)—Immunoglobulin G3; entitic num. = ?	arbitrary concentration(20 °C; procedure)
NPU01952 Ercs(B)—Immunoglobulin G4; entitic num. = ?	NPU20423
NPU01953 Ercs(B)—Immunoglobulin M; entitic num. = ?	P—Erythrocyte 'N' antibody; arb.c.(20 °C; proc.) = ?
	Plasma—
	Erythrocyte 'N' antibody;
	arbitrary concentration(37 °C; procedure)
	NPU20424
	P—Erythrocyte 'N' antibody; arb.c.(37 °C; proc.) = ?
	Plasma—
	Erythrocyte 'N' antibody;
	arbitrary substance concentration(20 °C; procedure)
	arbitrary unit/litre
	NPU20875
	P—Erythrocyte 'N' antibody; arb.subst.c.(20 °C; proc.) = ?
	arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte 'N' antibody;	Erythrocyte A1 antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU21914
NPU20876	Ercs(B)—Erythrocyte A1 antigen; arb.num.(proc.) = ?
P—Erythrocyte 'N' antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte 'N' antigen;	Erythrocyte ALe^bantibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20201	NPU20429
Ercs(B)—Erythrocyte 'N' antigen; arb.num.(proc.) = ?	P—Erythrocyte ALe ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte A antibody;	Erythrocyte ALe^bantibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20428	NPU20430
P—Erythrocyte A antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte ALe ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte A antibody;	Erythrocyte ALe^bantibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20427	arbitrary unit/litre
P—Erythrocyte A antibody; arb.c.(37 °C; proc.) = ?	NPU20881
Plasma—	P—Erythrocyte ALe ^b antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte A antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte ALe^bantibody;
NPU20880	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte A antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20882
Plasma—	P—Erythrocyte ALe ^b antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte A antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte ALe^bantigen;
NPU20879	arbitrary number(procedure)
P—Erythrocyte A antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20202
arb.unit/l	Ercs(B)—Erythrocyte ALe ^b antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte A antigen;	Erythrocyte An^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU21915	NPU20431
Ercs(B)—Erythrocyte A antigen; arb.num.(proc.) = ?	P—Erythrocyte An ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte A1 antibody;	Erythrocyte An^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20425	NPU20432
P—Erythrocyte A1 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte An ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte A1 antibody;	Erythrocyte An^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20426	arbitrary unit/litre
P—Erythrocyte A1 antibody; arb.c.(37 °C; proc.) = ?	NPU20883
Plasma—	P—Erythrocyte An ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte A1 antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte An^a antibody;
NPU20877	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte A1 antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20884
Plasma—	P—Erythrocyte An ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte A1 antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte An^a antigen;
NPU20878	arbitrary number(procedure)
P—Erythrocyte A1 antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20203
arb.unit/l	Ercs(B)—Erythrocyte An ^a antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte antibody;****arbitrary concentration(list)****NPU21747**

P—Erythrocyte antibody; arb.c.(list)

NPU20423 P—Erythrocyte 'N' antibody; arb.c.(20 °C; proc.) = ?

NPU20424 P—Erythrocyte 'N' antibody; arb.c.(37 °C; proc.) = ?

NPU20425 P—Erythrocyte A1 antibody; arb.c.(20 °C; proc.) = ?

NPU20426 P—Erythrocyte A1 antibody; arb.c.(37 °C; proc.) = ?

NPU20428 P—Erythrocyte A antibody; arb.c.(20 °C; proc.) = ?

NPU20427 P—Erythrocyte A antibody; arb.c.(37 °C; proc.) = ?

NPU20429 P—Erythrocyte ALe^bantibody; arb.c.(20 °C; proc.) = ?NPU20430 P—Erythrocyte ALe^bantibody; arb.c.(37 °C; proc.) = ?NPU20431 P—Erythrocyte An^a antibody; arb.c.(20 °C; proc.) = ?NPU20432 P—Erythrocyte An^a antibody; arb.c.(37 °C; proc.) = ?NPU20433 P—Erythrocyte Au^a antibody; arb.c.(20 °C; proc.) = ?NPU20434 P—Erythrocyte Au^a antibody; arb.c.(37 °C; proc.) = ?NPU20435 P—Erythrocyte Au^bantibody; arb.c.(20 °C; proc.) = ?NPU20436 P—Erythrocyte Au^bantibody; arb.c.(37 °C; proc.) = ?

NPU20437 P—Erythrocyte B antibody; arb.c.(20 °C; proc.) = ?

NPU20438 P—Erythrocyte B antibody; arb.c.(37 °C; proc.) = ?

NPU20439 P—Erythrocyte BARC antibody; arb.c.(20 °C; proc.) = ?
NPU20440 P—Erythrocyte BARC antibody; arb.c.(37 °C; proc.) = ?NPU20441 P—Erythrocyte Be^a antibody; arb.c.(20 °C; proc.) = ?
NPU20442 P—Erythrocyte Be^a antibody; arb.c.(37 °C; proc.) = ?NPU20443 P—Erythrocyte BLe^bantibody; arb.c.(20 °C; proc.) = ?
NPU20444 P—Erythrocyte BLe^bantibody; arb.c.(37 °C; proc.) = ?NPU20445 P—Erythrocyte BOW antibody; arb.c.(20 °C; proc.) = ?
NPU20446 P—Erythrocyte BOW antibody; arb.c.(37 °C; proc.) = ?NPU20447 P—Erythrocyte Bp^a antibody; arb.c.(20 °C; proc.) = ?
NPU20448 P—Erythrocyte Bp^a antibody; arb.c.(37 °C; proc.) = ?NPU20449 P—Erythrocyte C antibody; arb.c.(20 °C; proc.) = ?
NPU20450 P—Erythrocyte c antibody; arb.c.(20 °C; proc.) = ?
NPU20451 P—Erythrocyte C antibody; arb.c.(37 °C; proc.) = ?
NPU20452 P—Erythrocyte c antibody; arb.c.(37 °C; proc.) = ?NPU20453 P—Erythrocyte CD99 antibody; arb.c.(20 °C; proc.) = ?
NPU20454 P—Erythrocyte CD99 antibody; arb.c.(37 °C; proc.) = ?NPU20455 P—Erythrocyte Ce antibody; arb.c.(20 °C; proc.) = ?
NPU20456 P—Erythrocyte CE antibody; arb.c.(20 °C; proc.) = ?NPU20457 P—Erythrocyte cE antibody; arb.c.(20 °C; proc.) = ?
NPU20458 P—Erythrocyte Ce antibody; arb.c.(37 °C; proc.) = ?NPU20459 P—Erythrocyte CE antibody; arb.c.(37 °C; proc.) = ?
NPU20460 P—Erythrocyte cE antibody; arb.c.(37 °C; proc.) = ?NPU20461 P—Erythrocyte C^G antibody; arb.c.(20 °C; proc.) = ?
NPU20462 P—Erythrocyte C^G antibody; arb.c.(37 °C; proc.) = ?

NPU20463 P—Erythrocyte Ch1 antibody; arb.c.(20 °C; proc.) = ?

NPU20464 P—Erythrocyte Ch1 antibody; arb.c.(37 °C; proc.) = ?

NPU20465 P—Erythrocyte Ch2 antibody; arb.c.(20 °C; proc.) = ?

NPU20466 P—Erythrocyte Ch2 antibody; arb.c.(37 °C; proc.) = ?

NPU20467 P—Erythrocyte Ch3 antibody; arb.c.(20 °C; proc.) = ?

NPU20468 P—Erythrocyte Ch3 antibody; arb.c.(37 °C; proc.) = ?

NPU20469 P—Erythrocyte Ch4 antibody; arb.c.(20 °C; proc.) = ?

NPU20470 P—Erythrocyte Ch4 antibody; arb.c.(37 °C; proc.) = ?

NPU20471 P—Erythrocyte Ch5 antibody; arb.c.(20 °C; proc.) = ?

NPU20472 P—Erythrocyte Ch5 antibody; arb.c.(37 °C; proc.) = ?

NPU20473 P—Erythrocyte Ch6 antibody; arb.c.(20 °C; proc.) = ?

NPU20474 P—Erythrocyte Ch6 antibody; arb.c.(37 °C; proc.) = ?

NPU20475 P—Erythrocyte Cl^a antibody; arb.c.(20 °C; proc.) = ?NPU20476 P—Erythrocyte Cl^a antibody; arb.c.(37 °C; proc.) = ?

NPU20477 P—Erythrocyte c-like antibody; arb.c.(20 °C; proc.) = ?

NPU20478 P—Erythrocyte c-like antibody; arb.c.(37 °C; proc.) = ?

NPU20479 P—Erythrocyte Co3 antibody; arb.c.(20 °C; proc.) = ?

NPU20480 P—Erythrocyte Co3 antibody; arb.c.(37 °C; proc.) = ?

NPU20481 P—Erythrocyte Co^a antibody; arb.c.(20 °C; proc.) = ?NPU20482 P—Erythrocyte Co^a antibody; arb.c.(37 °C; proc.) = ?NPU20483 P—Erythrocyte Co^bantibody; arb.c.(20 °C; proc.) = ?NPU20484 P—Erythrocyte Co^bantibody; arb.c.(37 °C; proc.) = ?NPU20485 P—Erythrocyte Cr^a antibody; arb.c.(20 °C; proc.) = ?NPU20486 P—Erythrocyte Cr^a antibody; arb.c.(37 °C; proc.) = ?

NPU20487 P—Erythrocyte Crawford antibody; arb.c.(20 °C; proc.) = ?

NPU20488 P—Erythrocyte Crawford antibody; arb.c.(37 °C; proc.) = ?

NPU20489 P—Erythrocyte C^w antibody; arb.c.(20 °C; proc.) = ?NPU20490 P—Erythrocyte C^w antibody; arb.c.(37 °C; proc.) = ?NPU20491 P—Erythrocyte C^x antibody; arb.c.(20 °C; proc.) = ?NPU20492 P—Erythrocyte C^x antibody; arb.c.(37 °C; proc.) = ?

NPU20493 P—Erythrocyte DANE antibody; arb.c.(20 °C; proc.) = ?

NPU20494 P—Erythrocyte DANE antibody; arb.c.(37 °C; proc.) = ?

NPU20495 P—Erythrocyte D antibody; arb.c.(20 °C; proc.) = ?

NPU20496 P—Erythrocyte D antibody; arb.c.(37 °C; proc.) = ?

NPU20497 P—Erythrocyte Dantu antibody; arb.c.(20 °C; proc.) = ?

NPU20498 P—Erythrocyte Dantu antibody; arb.c.(37 °C; proc.) = ?

NPU20499 P—Erythrocyte Dav antibody; arb.c.(20 °C; proc.) = ?

NPU20500 P—Erythrocyte Dav antibody; arb.c.(37 °C; proc.) = ?

NPU20501 P—Erythrocyte Dh^a antibody; arb.c.(20 °C; proc.) = ?NPU20502 P—Erythrocyte Dh^a antibody; arb.c.(37 °C; proc.) = ?

NPU20503 P—Erythrocyte Di^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20504 P—Erythrocyte Di^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20505 P—Erythrocyte Di^b antibody; arb.c.(20 °C; proc.) = ?
 NPU20506 P—Erythrocyte Di^b antibody; arb.c.(37 °C; proc.) = ?
 NPU20507 P—Erythrocyte Do^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20508 P—Erythrocyte Do^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20509 P—Erythrocyte Do^b antibody; arb.c.(20 °C; proc.) = ?
 NPU20510 P—Erythrocyte Do^b antibody; arb.c.(37 °C; proc.) = ?
 NPU20511 P—Erythrocyte Dr^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20512 P—Erythrocyte Dr^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20513 P—Erythrocyte D^w antibody; arb.c.(20 °C; proc.) = ?
 NPU20514 P—Erythrocyte D^w antibody; arb.c.(37 °C; proc.) = ?
 NPU20515 P—Erythrocyte E antibody; arb.c.(20 °C; proc.) = ?
 NPU20516 P—Erythrocyte e antibody; arb.c.(20 °C; proc.) = ?
 NPU20517 P—Erythrocyte E antibody; arb.c.(37 °C; proc.) = ?
 NPU20518 P—Erythrocyte e antibody; arb.c.(37 °C; proc.) = ?
 NPU20519 P—Erythrocyte ELO antibody; arb.c.(20 °C; proc.) = ?
 NPU20520 P—Erythrocyte ELO antibody; arb.c.(37 °C; proc.) = ?
 NPU20521 P—Erythrocyte En^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20522 P—Erythrocyte En^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20523 P—Erythrocyte ENAV antibody; arb.c.(20 °C; proc.) = ?
 NPU20524 P—Erythrocyte ENAV antibody; arb.c.(37 °C; proc.) = ?
 NPU20525 P—Erythrocyte ENEH antibody; arb.c.(20 °C; proc.) = ?
 NPU20526 P—Erythrocyte ENEH antibody; arb.c.(37 °C; proc.) = ?
 NPU20527 P—Erythrocyte ENEP antibody; arb.c.(20 °C; proc.) = ?
 NPU20528 P—Erythrocyte ENEP antibody; arb.c.(37 °C; proc.) = ?
 NPU20529 P—Erythrocyte ENKT antibody; arb.c.(20 °C; proc.) = ?
 NPU20530 P—Erythrocyte ENKT antibody; arb.c.(37 °C; proc.) = ?
 NPU20531 P—Erythrocyte ERIK antibody; arb.c.(20 °C; proc.) = ?
 NPU20532 P—Erythrocyte ERIK antibody; arb.c.(37 °C; proc.) = ?
 NPU20533 P—Erythrocyte Es^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20534 P—Erythrocyte Es^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20535 P—Erythrocyte Evans antibody; arb.c.(20 °C; proc.) = ?
 NPU20536 P—Erythrocyte Evans antibody; arb.c.(37 °C; proc.) = ?
 NPU20537 P—Erythrocyte E^w antibody; arb.c.(20 °C; proc.) = ?
 NPU20538 P—Erythrocyte E^w antibody; arb.c.(37 °C; proc.) = ?
 NPU20539 P—Erythrocyte f antibody; arb.c.(20 °C; proc.) = ?
 NPU20540 P—Erythrocyte f antibody; arb.c.(37 °C; proc.) = ?
 NPU20541 P—Erythrocyte Far antibody; arb.c.(20 °C; proc.) = ?
 NPU20542 P—Erythrocyte Far antibody; arb.c.(37 °C; proc.) = ?
 NPU20543 P—Erythrocyte FPTT antibody; arb.c.(20 °C; proc.) = ?
 NPU20544 P—Erythrocyte FPTT antibody; arb.c.(37 °C; proc.) = ?
 NPU20545 P—Erythrocyte Fr^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20546 P—Erythrocyte Fr^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20547 P—Erythrocyte Fy3 antibody; arb.c.(20 °C; proc.) = ?
 NPU20548 P—Erythrocyte Fy3 antibody; arb.c.(37 °C; proc.) = ?
 NPU20549 P—Erythrocyte Fy4 antibody; arb.c.(20 °C; proc.) = ?
 NPU20550 P—Erythrocyte Fy4 antibody; arb.c.(37 °C; proc.) = ?
 NPU20551 P—Erythrocyte Fy5 antibody; arb.c.(20 °C; proc.) = ?
 NPU20552 P—Erythrocyte Fy5 antibody; arb.c.(37 °C; proc.) = ?
 NPU20553 P—Erythrocyte Fy6 antibody; arb.c.(20 °C; proc.) = ?
 NPU20554 P—Erythrocyte Fy6 antibody; arb.c.(37 °C; proc.) = ?
 NPU20555 P—Erythrocyte Fy^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20556 P—Erythrocyte Fy^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20557 P—Erythrocyte Fy^b antibody; arb.c.(20 °C; proc.) = ?
 NPU20558 P—Erythrocyte Fy^b antibody; arb.c.(37 °C; proc.) = ?
 NPU20559 P—Erythrocyte G antibody; arb.c.(20 °C; proc.) = ?
 NPU20560 P—Erythrocyte G antibody; arb.c.(37 °C; proc.) = ?
 NPU20561 P—Erythrocyte Ge2 antibody; arb.c.(20 °C; proc.) = ?
 NPU20562 P—Erythrocyte Ge2 antibody; arb.c.(37 °C; proc.) = ?
 NPU20563 P—Erythrocyte Ge3 antibody; arb.c.(20 °C; proc.) = ?
 NPU20564 P—Erythrocyte Ge3 antibody; arb.c.(37 °C; proc.) = ?
 NPU20565 P—Erythrocyte Ge4 antibody; arb.c.(20 °C; proc.) = ?
 NPU20566 P—Erythrocyte Ge4 antibody; arb.c.(37 °C; proc.) = ?
 NPU20567 P—Erythrocyte Go^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20568 P—Erythrocyte Go^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20569 P—Erythrocyte Gy^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20570 P—Erythrocyte Gy^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20571 P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?
 NPU20572 P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?
 NPU20573 P—Erythrocyte H antibody; arb.c.(20 °C; proc.) = ?
 NPU20574 P—Erythrocyte H antibody; arb.c.(37 °C; proc.) = ?
 NPU20575 P—Erythrocyte He antibody; arb.c.(20 °C; proc.) = ?
 NPU20576 P—Erythrocyte He antibody; arb.c.(37 °C; proc.) = ?
 NPU20577 P—Erythrocyte Hg^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20578 P—Erythrocyte Hg^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20579 P—Erythrocyte Hil antibody; arb.c.(20 °C; proc.) = ?
 NPU20580 P—Erythrocyte Hil antibody; arb.c.(37 °C; proc.) = ?
 NPU20581 P—Erythrocyte Hop antibody; arb.c.(20 °C; proc.) = ?
 NPU20582 P—Erythrocyte Hop antibody; arb.c.(37 °C; proc.) = ?
 NPU20583 P—Erythrocyte Hr antibody; arb.c.(20 °C; proc.) = ?
 NPU20584 P—Erythrocyte Hr antibody; arb.c.(37 °C; proc.) = ?
 NPU20585 P—Erythrocyte hr^b antibody; arb.c.(20 °C; proc.) = ?

NPU20666 P—Erythrocyte Le ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20704 P—Erythrocyte Lu ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20667 P—Erythrocyte Le ^{ab} antibody; arb.c.(20 °C; proc.) = ?	NPU20705 P—Erythrocyte Lu ^b antibody; arb.c.(20 °C; proc.) = ?
NPU20668 P—Erythrocyte Le ^{ab} antibody; arb.c.(37 °C; proc.) = ?	NPU20706 P—Erythrocyte Lu ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20669 P—Erythrocyte Le ^b antibody; arb.c.(20 °C; proc.) = ?	NPU20707 P—Erythrocyte LW ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20670 P—Erythrocyte Le ^b antibody; arb.c.(37 °C; proc.) = ?	NPU20708 P—Erythrocyte LW ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20671 P—Erythrocyte Le ^{bH} antibody; arb.c.(20 °C; proc.) = ?	NPU20709 P—Erythrocyte LW ^{ab} antibody; arb.c.(20 °C; proc.) = ?
NPU20672 P—Erythrocyte Le ^{bH} antibody; arb.c.(37 °C; proc.) = ?	NPU20710 P—Erythrocyte LW ^{ab} antibody; arb.c.(37 °C; proc.) = ?
NPU20673 P—Erythrocyte Ls ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20711 P—Erythrocyte LW ^b antibody; arb.c.(20 °C; proc.) = ?
NPU20674 P—Erythrocyte Ls ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20712 P—Erythrocyte LW ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20675 P—Erythrocyte Lu11 antibody; arb.c.(20 °C; proc.) = ?	NPU20713 P—Erythrocyte M antibody; arb.c.(20 °C; proc.) = ?
NPU20676 P—Erythrocyte Lu11 antibody; arb.c.(37 °C; proc.) = ?	NPU20714 P—Erythrocyte M antibody; arb.c.(37 °C; proc.) = ?
NPU20677 P—Erythrocyte Lu12 antibody; arb.c.(20 °C; proc.) = ?	NPU20715 P—Erythrocyte MAR antibody; arb.c.(20 °C; proc.) = ?
NPU20678 P—Erythrocyte Lu12 antibody; arb.c.(37 °C; proc.) = ?	NPU20716 P—Erythrocyte MAR antibody; arb.c.(37 °C; proc.) = ?
NPU20679 P—Erythrocyte Lu13 antibody; arb.c.(20 °C; proc.) = ?	NPU20717 P—Erythrocyte MARS antibody; arb.c.(20 °C; proc.) = ?
NPU20680 P—Erythrocyte Lu13 antibody; arb.c.(37 °C; proc.) = ?	NPU20718 P—Erythrocyte MARS antibody; arb.c.(37 °C; proc.) = ?
NPU20681 P—Erythrocyte Lu14 antibody; arb.c.(20 °C; proc.) = ?	NPU20719 P—Erythrocyte M ^c antibody; arb.c.(20 °C; proc.) = ?
NPU20682 P—Erythrocyte Lu14 antibody; arb.c.(37 °C; proc.) = ?	NPU20720 P—Erythrocyte M ^c antibody; arb.c.(37 °C; proc.) = ?
NPU20683 P—Erythrocyte Lu16 antibody; arb.c.(20 °C; proc.) = ?	NPU20721 P—Erythrocyte McC ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20684 P—Erythrocyte Lu16 antibody; arb.c.(37 °C; proc.) = ?	NPU20722 P—Erythrocyte McC ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20685 P—Erythrocyte Lu17 antibody; arb.c.(20 °C; proc.) = ?	NPU20723 P—Erythrocyte McC ^b antibody; arb.c.(20 °C; proc.) = ?
NPU20686 P—Erythrocyte Lu17 antibody; arb.c.(37 °C; proc.) = ?	NPU20724 P—Erythrocyte McC ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20687 P—Erythrocyte Lu20 antibody; arb.c.(20 °C; proc.) = ?	NPU20725 P—Erythrocyte M ^e antibody; arb.c.(20 °C; proc.) = ?
NPU20688 P—Erythrocyte Lu20 antibody; arb.c.(37 °C; proc.) = ?	NPU20726 P—Erythrocyte M ^e antibody; arb.c.(37 °C; proc.) = ?
NPU20689 P—Erythrocyte Lu3 antibody; arb.c.(20 °C; proc.) = ?	NPU20727 P—Erythrocyte MER2 antibody; arb.c.(20 °C; proc.) = ?
NPU20690 P—Erythrocyte Lu3 antibody; arb.c.(37 °C; proc.) = ?	NPU20728 P—Erythrocyte MER2 antibody; arb.c.(37 °C; proc.) = ?
NPU20691 P—Erythrocyte Lu4 antibody; arb.c.(20 °C; proc.) = ?	NPU20729 P—Erythrocyte M ^G antibody; arb.c.(20 °C; proc.) = ?
NPU20692 P—Erythrocyte Lu4 antibody; arb.c.(37 °C; proc.) = ?	NPU20730 P—Erythrocyte M ^G antibody; arb.c.(37 °C; proc.) = ?
NPU20693 P—Erythrocyte Lu5 antibody; arb.c.(20 °C; proc.) = ?	NPU20731 P—Erythrocyte Mi ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20694 P—Erythrocyte Lu5 antibody; arb.c.(37 °C; proc.) = ?	NPU20732 P—Erythrocyte Mi ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20695 P—Erythrocyte Lu6 antibody; arb.c.(20 °C; proc.) = ?	NPU20733 P—Erythrocyte MINY antibody; arb.c.(20 °C; proc.) = ?
NPU20696 P—Erythrocyte Lu6 antibody; arb.c.(37 °C; proc.) = ?	NPU20734 P—Erythrocyte MINY antibody; arb.c.(37 °C; proc.) = ?
NPU20697 P—Erythrocyte Lu7 antibody; arb.c.(20 °C; proc.) = ?	NPU20735 P—Erythrocyte Mit antibody; arb.c.(20 °C; proc.) = ?
NPU20698 P—Erythrocyte Lu7 antibody; arb.c.(37 °C; proc.) = ?	NPU20736 P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ?
NPU20699 P—Erythrocyte Lu8 antibody; arb.c.(20 °C; proc.) = ?	NPU20737 P—Erythrocyte Mo ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20700 P—Erythrocyte Lu8 antibody; arb.c.(37 °C; proc.) = ?	NPU20738 P—Erythrocyte Mo ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20701 P—Erythrocyte Lu9 antibody; arb.c.(20 °C; proc.) = ?	NPU20739 P—Erythrocyte Mt ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20702 P—Erythrocyte Lu9 antibody; arb.c.(37 °C; proc.) = ?	NPU20740 P—Erythrocyte Mt ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20703 P—Erythrocyte Lu ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20741 P—Erythrocyte Mur antibody; arb.c.(20 °C; proc.) = ?
	NPU20742 P—Erythrocyte Mur antibody; arb.c.(37 °C; proc.) = ?

NPU20743 P—Erythrocyte MUT antibody; arb.c.(20 °C; proc.) = ?	NPU20782 P—Erythrocyte Rh41 antibody; arb.c.(37 °C; proc.)
NPU20744 P—Erythrocyte MUT antibody; arb.c.(37 °C; proc.) = ?	NPU20783 P—Erythrocyte Rh42 antibody; arb.c.(20 °C; proc.)
NPU20745 P—Erythrocyte M ^v antibody; arb.c.(20 °C; proc.) = ?	NPU20784 P—Erythrocyte Rh42 antibody; arb.c.(37 °C; proc.)
NPU20746 P—Erythrocyte M ^v antibody; arb.c.(37 °C; proc.) = ?	NPU20785 P—Erythrocyte R ⁱ ^a antibody; arb.c.(20 °C; proc.)
NPU20747 P—Erythrocyte N antibody; arb.c.(20 °C; proc.) = ?	NPU20786 P—Erythrocyte R ⁱ ^a antibody; arb.c.(37 °C; proc.)
NPU20748 P—Erythrocyte N antibody; arb.c.(37 °C; proc.) = ?	NPU20787 P—Erythrocyte Riv antibody; arb.c.(20 °C; proc.)
NPU20749 P—Erythrocyte NFLD antibody; arb.c.(20 °C; proc.) = ?	NPU20788 P—Erythrocyte Riv antibody; arb.c.(37 °C; proc.)
NPU20750 P—Erythrocyte NFLD antibody; arb.c.(37 °C; proc.) = ?	NPU20789 P—Erythrocyte S antibody; arb.c.(20 °C; proc.)
NPU20751 P—Erythrocyte Nob antibody; arb.c.(20 °C; proc.) = ?	NPU20790 P—Erythrocyte s antibody; arb.c.(20 °C; proc.)
NPU20752 P—Erythrocyte Nob antibody; arb.c.(37 °C; proc.) = ?	NPU20791 P—Erythrocyte S antibody; arb.c.(37 °C; proc.)
NPU20753 P—Erythrocyte Nou antibody; arb.c.(20 °C; proc.) = ?	NPU20792 P—Erythrocyte s antibody; arb.c.(37 °C; proc.)
NPU20754 P—Erythrocyte Nou antibody; arb.c.(37 °C; proc.) = ?	NPU20793 P—Erythrocyte SAT antibody; arb.c.(20 °C; proc.)
NPU20755 P—Erythrocyte Ny ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20794 P—Erythrocyte SAT antibody; arb.c.(37 °C; proc.)
NPU20756 P—Erythrocyte Ny ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20795 P—Erythrocyte Sc1 antibody; arb.c.(20 °C; proc.)
NPU20757 P—Erythrocyte Ok ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20796 P—Erythrocyte Sc1 antibody; arb.c.(37 °C; proc.)
NPU20758 P—Erythrocyte Ok ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20797 P—Erythrocyte Sc2 antibody; arb.c.(20 °C; proc.)
NPU20759 P—Erythrocyte Or antibody; arb.c.(20 °C; proc.) = ?	NPU20798 P—Erythrocyte Sc2 antibody; arb.c.(37 °C; proc.)
NPU20760 P—Erythrocyte Or antibody; arb.c.(37 °C; proc.) = ?	NPU20799 P—Erythrocyte Sc3 antibody; arb.c.(20 °C; proc.)
NPU20761 P—Erythrocyte Os ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20800 P—Erythrocyte Sc3 antibody; arb.c.(37 °C; proc.)
NPU20762 P—Erythrocyte Os ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20801 P—Erythrocyte s ^D antibody; arb.c.(20 °C; proc.)
NPU20763 P—Erythrocyte P1 antibody; arb.c.(20 °C; proc.) = ?	NPU20802 P—Erythrocyte s ^D antibody; arb.c.(37 °C; proc.)
NPU20764 P—Erythrocyte P1 antibody; arb.c.(37 °C; proc.) = ?	NPU20803 P—Erythrocyte Sec antibody; arb.c.(20 °C; proc.)
NPU20765 P—Erythrocyte Rb ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20804 P—Erythrocyte Sec antibody; arb.c.(37 °C; proc.)
NPU20766 P—Erythrocyte Rb ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20805 P—Erythrocyte Si ^a antibody; arb.c.(20 °C; proc.)
NPU20767 P—Erythrocyte Rg1 antibody; arb.c.(20 °C; proc.) = ?	NPU20806 P—Erythrocyte Si ^a antibody; arb.c.(37 °C; proc.)
NPU20768 P—Erythrocyte Rg1 antibody; arb.c.(37 °C; proc.) = ?	NPU20807 P—Erythrocyte St ^a antibody; arb.c.(20 °C; proc.)
NPU20769 P—Erythrocyte Rg2 antibody; arb.c.(20 °C; proc.) = ?	NPU20808 P—Erythrocyte St ^a antibody; arb.c.(37 °C; proc.)
NPU20770 P—Erythrocyte Rg2 antibody; arb.c.(37 °C; proc.) = ?	NPU20809 P—Erythrocyte STEM antibody; arb.c.(20 °C; proc.)
NPU20771 P—Erythrocyte Rh29 antibody; arb.c.(20 °C; proc.) = ?	NPU20810 P—Erythrocyte STEM antibody; arb.c.(37 °C; proc.)
NPU20772 P—Erythrocyte Rh29 antibody; arb.c.(37 °C; proc.) = ?	NPU20811 P—Erythrocyte SW1 antibody; arb.c.(20 °C; proc.)
NPU20773 P—Erythrocyte Rh32 antibody; arb.c.(20 °C; proc.) = ?	NPU20812 P—Erythrocyte SW1 antibody; arb.c.(37 °C; proc.)
NPU20774 P—Erythrocyte Rh32 antibody; arb.c.(37 °C; proc.) = ?	NPU20813 P—Erythrocyte Sw ^a antibody; arb.c.(20 °C; proc.)
NPU20775 P—Erythrocyte Rh33 antibody; arb.c.(20 °C; proc.) = ?	NPU20814 P—Erythrocyte Sw ^a antibody; arb.c.(37 °C; proc.)
NPU20776 P—Erythrocyte Rh33 antibody; arb.c.(37 °C; proc.) = ?	NPU20815 P—Erythrocyte Tar antibody; arb.c.(20 °C; proc.)
NPU20777 P—Erythrocyte Rh35 antibody; arb.c.(20 °C; proc.) = ?	NPU20816 P—Erythrocyte Tar antibody; arb.c.(37 °C; proc.)
NPU20778 P—Erythrocyte Rh35 antibody; arb.c.(37 °C; proc.) = ?	NPU20817 P—Erythrocyte Tc ^a antibody; arb.c.(20 °C; proc.)
NPU20779 P—Erythrocyte Rh39 antibody; arb.c.(20 °C; proc.) = ?	NPU20818 P—Erythrocyte Tc ^a antibody; arb.c.(37 °C; proc.)
NPU20780 P—Erythrocyte Rh39 antibody; arb.c.(37 °C; proc.) = ?	NPU20819 P—Erythrocyte Tc ^b antibody; arb.c.(20 °C; proc.)
NPU20781 P—Erythrocyte Rh41 antibody; arb.c.(20 °C; proc.) = ?	NPU20820 P—Erythrocyte Tc ^b antibody; arb.c.(37 °C; proc.)

NPU20822 P—Erythrocyte Tc^c antibody; arb.c.(37 °C; proc.) = ?
 NPU20823 P—Erythrocyte TOU antibody; arb.c.(20 °C; proc.) = ?
 NPU20824 P—Erythrocyte TOU antibody; arb.c.(37 °C; proc.) = ?
 NPU20825 P—Erythrocyte Tr^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20826 P—Erythrocyte Tr^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20827 P—Erythrocyte TSEN antibody; arb.c.(20 °C; proc.) = ?
 NPU20828 P—Erythrocyte TSEN antibody; arb.c.(37 °C; proc.) = ?
 NPU20829 P—Erythrocyte U antibody; arb.c.(20 °C; proc.) = ?
 NPU20830 P—Erythrocyte U antibody; arb.c.(37 °C; proc.) = ?
 NPU20831 P—Erythrocyte UI^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20832 P—Erythrocyte UI^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20833 P—Erythrocyte UMC antibody; arb.c.(20 °C; proc.) = ?
 NPU20834 P—Erythrocyte UMC antibody; arb.c.(37 °C; proc.) = ?
 NPU20835 P—Erythrocyte V antibody; arb.c.(20 °C; proc.) = ?
 NPU20836 P—Erythrocyte V antibody; arb.c.(37 °C; proc.) = ?
 NPU20837 P—Erythrocyte Vg^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20838 P—Erythrocyte Vg^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20839 P—Erythrocyte Vil antibody; arb.c.(20 °C; proc.) = ?
 NPU20840 P—Erythrocyte Vil antibody; arb.c.(37 °C; proc.) = ?
 NPU20841 P—Erythrocyte VLAN antibody; arb.c.(20 °C; proc.) = ?
 NPU20842 P—Erythrocyte VLAN antibody; arb.c.(37 °C; proc.) = ?
 NPU20843 P—Erythrocyte Vr antibody; arb.c.(20 °C; proc.) = ?
 NPU20844 P—Erythrocyte Vr antibody; arb.c.(37 °C; proc.) = ?
 NPU20845 P—Erythrocyte VS antibody; arb.c.(20 °C; proc.) = ?
 NPU20846 P—Erythrocyte VS antibody; arb.c.(37 °C; proc.) = ?
 NPU20847 P—Erythrocyte Vw antibody; arb.c.(20 °C; proc.) = ?
 NPU20848 P—Erythrocyte Vw antibody; arb.c.(37 °C; proc.) = ?
 NPU20849 P—Erythrocyte WARR antibody; arb.c.(20 °C; proc.) = ?
 NPU20850 P—Erythrocyte WARR antibody; arb.c.(37 °C; proc.) = ?
 NPU20851 P—Erythrocyte Wb antibody; arb.c.(20 °C; proc.) = ?
 NPU20852 P—Erythrocyte Wb antibody; arb.c.(37 °C; proc.) = ?
 NPU20853 P—Erythrocyte Wd^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20854 P—Erythrocyte Wd^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20855 P—Erythrocyte WES^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20856 P—Erythrocyte WES^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20857 P—Erythrocyte WES^b antibody; arb.c.(20 °C; proc.) = ?
 NPU20858 P—Erythrocyte WES^b antibody; arb.c.(37 °C; proc.) = ?
 NPU20859 P—Erythrocyte WH antibody; arb.c.(20 °C; proc.) = ?
 NPU20860 P—Erythrocyte WH antibody; arb.c.(37 °C; proc.) = ?
 NPU20861 P—Erythrocyte Wr^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20862 P—Erythrocyte Wr^a antibody; arb.c.(37 °C; proc.) = ?

NPU20863 P—Erythrocyte Wr^b antibody; arb.c.(20 °C; proc.) = ?
 NPU20864 P—Erythrocyte Wr^b antibody; arb.c.(37 °C; proc.) = ?
 NPU20865 P—Erythrocyte Wu antibody; arb.c.(20 °C; proc.) = ?
 NPU20866 P—Erythrocyte Wu antibody; arb.c.(37 °C; proc.) = ?
 NPU20867 P—Erythrocyte Xg^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20868 P—Erythrocyte Xg^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20869 P—Erythrocyte Yk^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20870 P—Erythrocyte Yk^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20871 P—Erythrocyte Yt^a antibody; arb.c.(20 °C; proc.) = ?
 NPU20872 P—Erythrocyte Yt^a antibody; arb.c.(37 °C; proc.) = ?
 NPU20873 P—Erythrocyte Yt^b antibody; arb.c.(20 °C; proc.) = ?
 NPU20874 P—Erythrocyte Yt^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte antibody;
compatibility(donationID; absent present)

NPU21913
 P—Erythrocyte antibody; compatibility(donationID; absent present) = ?

Erythrocytes(Blood)—

Erythrocyte antigen;

arbitrary number(list; procedure)

NPU20200

Ercs(B)—Erythrocyte antigen; arb.num.(list; proc.)
NPU20201 Ercs(B)—Erythrocyte 'N' antigen; arb.num.(proc.) = ?
NPU21914 Ercs(B)—Erythrocyte A1 antigen; arb.num.(proc.) = ?
NPU21915 Ercs(B)—Erythrocyte A antigen; arb.num.(proc.) = ?
NPU20202 Ercs(B)—Erythrocyte ALe^bantigen; arb.num.(proc.) = ?
NPU20203 Ercs(B)—Erythrocyte An^a antigen; arb.num.(proc.) = ?
NPU20204 Ercs(B)—Erythrocyte Au^a antigen; arb.num.(proc.) = ?
NPU20205 Ercs(B)—Erythrocyte Au^bantigen; arb.num.(proc.) = ?
NPU21916 Ercs(B)—Erythrocyte B antigen; arb.num.(proc.) = ?
NPU20206 Ercs(B)—Erythrocyte BARC antigen; arb.num.(proc.) = ?
NPU20207 Ercs(B)—Erythrocyte Be^a antigen; arb.num.(proc.) = ?
NPU20208 Ercs(B)—Erythrocyte BLe^bantigen; arb.num.(proc.) = ?
NPU20209 Ercs(B)—Erythrocyte BOW antigen; arb.num.(proc.) = ?
NPU20210 Ercs(B)—Erythrocyte Bp^a antigen; arb.num.(proc.) = ?
NPU20211 Ercs(B)—Erythrocyte C antigen; arb.num.(proc.) = ?
NPU20212 Ercs(B)—Erythrocyte c antigen; arb.num.(proc.) = ?
NPU20213 Ercs(B)—Erythrocyte CD99 antigen; arb.num.(proc.) = ?
NPU20214 Ercs(B)—Erythrocyte Ce antigen; arb.num.(proc.) = ?
NPU20215 Ercs(B)—Erythrocyte CE antigen; arb.num.(proc.) = ?
NPU20216 Ercs(B)—Erythrocyte cE antigen; arb.num.(proc.) = ?
NPU20217 Ercs(B)—Erythrocyte C^G antigen; arb.num.(proc.) = ?
NPU20218 Ercs(B)—Erythrocyte Ch1 antigen; arb.num.(proc.) = ?
NPU20219 Ercs(B)—Erythrocyte Ch2 antigen; arb.num.(proc.) = ?
NPU20220 Ercs(B)—Erythrocyte Ch3 antigen; arb.num.(proc.) = ?
NPU20221 Ercs(B)—Erythrocyte Ch4 antigen; arb.num.(proc.) = ?
NPU20222 Ercs(B)—Erythrocyte Ch5 antigen; arb.num.(proc.) = ?
NPU20223 Ercs(B)—Erythrocyte Ch6 antigen; arb.num.(proc.) = ?
NPU20224 Ercs(B)—Erythrocyte Cl^a antigen; arb.num.(proc.) = ?
NPU20225 Ercs(B)—Erythrocyte c-like antigen; arb.num.(proc.) = ?
NPU20226 Ercs(B)—Erythrocyte Co3 antigen; arb.num.(proc.) = ?
NPU20227 Ercs(B)—Erythrocyte Co^a antigen; arb.num.(proc.) = ?
NPU20228 Ercs(B)—Erythrocyte Co^bantigen; arb.num.(proc.) = ?
NPU20229 Ercs(B)—Erythrocyte Cr^a antigen; arb.num.(proc.) = ?
NPU20230 Ercs(B)—Erythrocyte Crawford antigen; arb.num.(proc.) = ?
NPU20231 Ercs(B)—Erythrocyte C^w antigen; arb.num.(proc.) = ?
NPU20232 Ercs(B)—Erythrocyte C^x antigen; arb.num.(proc.) = ?
NPU20233 Ercs(B)—Erythrocyte DANE antigen; arb.num.(proc.) = ?

NPU21917 Ercs(B)—Erythrocyte D antigen; arb.num.(proc.) = ?
NPU20234 Ercs(B)—Erythrocyte Dantu antigen; arb.num.(proc.) = ?
NPU20235 Ercs(B)—Erythrocyte Dav antigen; arb.num.(proc.) = ?
NPU20236 Ercs(B)—Erythrocyte Dh^a antigen; arb.num.(proc.) = ?
NPU20237 Ercs(B)—Erythrocyte Di^a antigen; arb.num.(proc.) = ?
NPU20238 Ercs(B)—Erythrocyte Di^bantigen; arb.num.(proc.) = ?
NPU20239 Ercs(B)—Erythrocyte Do^a antigen; arb.num.(proc.) = ?
NPU20240 Ercs(B)—Erythrocyte Do^bantigen; arb.num.(proc.) = ?
NPU20241 Ercs(B)—Erythrocyte Dr^a antigen; arb.num.(proc.) = ?
NPU20242 Ercs(B)—Erythrocyte D^w antigen; arb.num.(proc.) = ?
NPU20243 Ercs(B)—Erythrocyte E antigen; arb.num.(proc.) = ?
NPU20244 Ercs(B)—Erythrocyte e antigen; arb.num.(proc.) = ?
NPU20245 Ercs(B)—Erythrocyte ELO antigen; arb.num.(proc.) = ?
NPU20246 Ercs(B)—Erythrocyte En^a antigen; arb.num.(proc.) = ?
NPU20247 Ercs(B)—Erythrocyte ENAV antigen; arb.num.(proc.) = ?
NPU20248 Ercs(B)—Erythrocyte ENEH antigen; arb.num.(proc.) = ?
NPU20249 Ercs(B)—Erythrocyte ENEP antigen; arb.num.(proc.) = ?
NPU20250 Ercs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?
NPU20251 Ercs(B)—Erythrocyte ERIK antigen; arb.num.(proc.) = ?
NPU20252 Ercs(B)—Erythrocyte Es^a antigen; arb.num.(proc.) = ?
NPU20253 Ercs(B)—Erythrocyte Evans antigen; arb.num.(proc.) = ?
NPU20254 Ercs(B)—Erythrocyte E^w antigen; arb.num.(proc.) = ?
NPU20255 Ercs(B)—Erythrocyte f antigen; arb.num.(proc.) = ?
NPU20256 Ercs(B)—Erythrocyte Far antigen; arb.num.(proc.) = ?
NPU20257 Ercs(B)—Erythrocyte FPTT antigen; arb.num.(proc.) = ?
NPU20258 Ercs(B)—Erythrocyte Fr^a antigen; arb.num.(proc.) = ?
NPU20259 Ercs(B)—Erythrocyte Fy3 antigen; arb.num.(proc.) = ?
NPU20260 Ercs(B)—Erythrocyte Fy4 antigen; arb.num.(proc.) = ?
NPU20261 Ercs(B)—Erythrocyte Fy5 antigen; arb.num.(proc.) = ?
NPU20262 Ercs(B)—Erythrocyte Fy6 antigen; arb.num.(proc.) = ?
NPU20263 Ercs(B)—Erythrocyte Fy^a antigen; arb.num.(proc.) = ?
NPU20264 Ercs(B)—Erythrocyte Fy^bantigen; arb.num.(proc.) = ?
NPU20265 Ercs(B)—Erythrocyte G antigen; arb.num.(proc.) = ?
NPU20266 Ercs(B)—Erythrocyte Ge2 antigen; arb.num.(proc.) = ?
NPU20267 Ercs(B)—Erythrocyte Ge3 antigen; arb.num.(proc.) = ?
NPU20268 Ercs(B)—Erythrocyte Ge4 antigen; arb.num.(proc.) = ?
NPU20269 Ercs(B)—Erythrocyte Go^a antigen; arb.num.(proc.) = ?
NPU20270 Ercs(B)—Erythrocyte Gy^a antigen; arb.num.(proc.) = ?
NPU20271 Ercs(B)—Erythrocyte HAG antigen; arb.num.(proc.) = ?

NPU20349 Ercs(B)—Erythrocyte MER2 antigen;
 arb.num.(proc.) = ?
 NPU20350 Ercs(B)—Erythrocyte M^G antigen; arb.num.(proc.) = ?
 NPU20351 Ercs(B)—Erythrocyte Mi^a antigen; arb.num.(proc.) = ?
 NPU20352 Ercs(B)—Erythrocyte MINY antigen;
 arb.num.(proc.) = ?
 NPU20353 Ercs(B)—Erythrocyte Mit antigen; arb.num.(proc.) = ?
 NPU20354 Ercs(B)—Erythrocyte Mo^a antigen; arb.num.(proc.) = ?
 NPU20355 Ercs(B)—Erythrocyte Mt^a antigen; arb.num.(proc.) = ?
 NPU20356 Ercs(B)—Erythrocyte Mur antigen; arb.num.(proc.) = ?
 NPU20357 Ercs(B)—Erythrocyte MUT antigen; arb.num.(proc.) = ?
 NPU20358 Ercs(B)—Erythrocyte M^V antigen; arb.num.(proc.) = ?
 NPU20359 Ercs(B)—Erythrocyte N antigen; arb.num.(proc.) = ?
 NPU20360 Ercs(B)—Erythrocyte NFLD antigen;
 arb.num.(proc.) = ?
 NPU20361 Ercs(B)—Erythrocyte Nob antigen; arb.num.(proc.) = ?
 NPU20362 Ercs(B)—Erythrocyte Nou antigen; arb.num.(proc.) = ?
 NPU20363 Ercs(B)—Erythrocyte Ny^a antigen; arb.num.(proc.) = ?
 NPU20364 Ercs(B)—Erythrocyte Ok^a antigen; arb.num.(proc.) = ?
 NPU20365 Ercs(B)—Erythrocyte Or antigen; arb.num.(proc.) = ?
 NPU20366 Ercs(B)—Erythrocyte Os^a antigen; arb.num.(proc.) = ?
 NPU20367 Ercs(B)—Erythrocyte P1 antigen; arb.num.(proc.) = ?
 NPU20368 Ercs(B)—Erythrocyte Rb^a antigen; arb.num.(proc.) = ?
 NPU20369 Ercs(B)—Erythrocyte Rg1 antigen; arb.num.(proc.) = ?
 NPU20370 Ercs(B)—Erythrocyte Rg2 antigen; arb.num.(proc.) = ?
 NPU20371 Ercs(B)—Erythrocyte Rh29 antigen;
 arb.num.(proc.) = ?
 NPU20372 Ercs(B)—Erythrocyte Rh32 antigen;
 arb.num.(proc.) = ?
 NPU20373 Ercs(B)—Erythrocyte Rh33 antigen;
 arb.num.(proc.) = ?
 NPU20374 Ercs(B)—Erythrocyte Rh35 antigen;
 arb.num.(proc.) = ?
 NPU20375 Ercs(B)—Erythrocyte Rh39 antigen;
 arb.num.(proc.) = ?
 NPU20376 Ercs(B)—Erythrocyte Rh41 antigen;
 arb.num.(proc.) = ?
 NPU20377 Ercs(B)—Erythrocyte Rh42 antigen;
 arb.num.(proc.) = ?
 NPU20378 Ercs(B)—Erythrocyte Ri^a antigen; arb.num.(proc.) = ?
 NPU20379 Ercs(B)—Erythrocyte Riv antigen; arb.num.(proc.) = ?
 NPU20380 Ercs(B)—Erythrocyte S antigen; arb.num.(proc.) = ?
 NPU20381 Ercs(B)—Erythrocyte s antigen; arb.num.(proc.) = ?
 NPU20382 Ercs(B)—Erythrocyte SAT antigen; arb.num.(proc.) = ?
 NPU20383 Ercs(B)—Erythrocyte Sc1 antigen; arb.num.(proc.) = ?
 NPU20384 Ercs(B)—Erythrocyte Sc2 antigen; arb.num.(proc.) = ?
 NPU20385 Ercs(B)—Erythrocyte Sc3 antigen; arb.num.(proc.) = ?
 NPU20386 Ercs(B)—Erythrocyte s^D antigen; arb.num.(proc.) = ?
 NPU20387 Ercs(B)—Erythrocyte Sec antigen; arb.num.(proc.) = ?
 NPU20388 Ercs(B)—Erythrocyte Si^a antigen; arb.num.(proc.) = ?
 NPU20389 Ercs(B)—Erythrocyte St^a antigen; arb.num.(proc.) = ?
 NPU20390 Ercs(B)—Erythrocyte STEM antigen;
 arb.num.(proc.) = ?
 NPU20391 Ercs(B)—Erythrocyte SW1 antigen; arb.num.(proc.) = ?
 NPU20392 Ercs(B)—Erythrocyte Sw^a antigen; arb.num.(proc.) = ?
 NPU20393 Ercs(B)—Erythrocyte Tar antigen; arb.num.(proc.) = ?
 NPU20394 Ercs(B)—Erythrocyte Tc^a antigen; arb.num.(proc.) = ?
 NPU20395 Ercs(B)—Erythrocyte Tc^b antigen; arb.num.(proc.) = ?
 NPU20396 Ercs(B)—Erythrocyte Tc^c antigen; arb.num.(proc.) = ?
 NPU20397 Ercs(B)—Erythrocyte TOU antigen; arb.num.(proc.) = ?
 NPU20398 Ercs(B)—Erythrocyte Tr^a antigen; arb.num.(proc.) = ?
 NPU20399 Ercs(B)—Erythrocyte TSEN antigen;
 arb.num.(proc.) = ?
 NPU20400 Ercs(B)—Erythrocyte U antigen; arb.num.(proc.) = ?
 NPU20401 Ercs(B)—Erythrocyte Ul^a antigen; arb.num.(proc.) = ?
 NPU20402 Ercs(B)—Erythrocyte UMC antigen;
 arb.num.(proc.) = ?
 NPU20403 Ercs(B)—Erythrocyte V antigen; arb.num.(proc.) = ?
 NPU20404 Ercs(B)—Erythrocyte Vg^a antigen; arb.num.(proc.) = ?
 NPU20405 Ercs(B)—Erythrocyte Vil antigen; arb.num.(proc.) = ?
 NPU20406 Ercs(B)—Erythrocyte VLAN antigen;
 arb.num.(proc.) = ?
 NPU20407 Ercs(B)—Erythrocyte Vr antigen; arb.num.(proc.) = ?
 NPU20408 Ercs(B)—Erythrocyte VS antigen; arb.num.(proc.) = ?
 NPU20409 Ercs(B)—Erythrocyte Vw antigen; arb.num.(proc.) = ?
 NPU20410 Ercs(B)—Erythrocyte WARR antigen;
 arb.num.(proc.) = ?
 NPU20411 Ercs(B)—Erythrocyte Wb antigen; arb.num.(proc.) = ?
 NPU20412 Ercs(B)—Erythrocyte Wd^a antigen; arb.num.(proc.) = ?
 NPU20413 Ercs(B)—Erythrocyte WES^a antigen;
 arb.num.(proc.) = ?
 NPU20414 Ercs(B)—Erythrocyte WES^b antigen;
 arb.num.(proc.) = ?
 NPU20415 Ercs(B)—Erythrocyte WH antigen; arb.num.(proc.) = ?
 NPU20416 Ercs(B)—Erythrocyte Wr^a antigen; arb.num.(proc.) = ?
 NPU20417 Ercs(B)—Erythrocyte Wr^b antigen; arb.num.(proc.) = ?
 NPU20418 Ercs(B)—Erythrocyte Wu antigen; arb.num.(proc.) = ?
 NPU20419 Ercs(B)—Erythrocyte Xg^a antigen; arb.num.(proc.) = ?
 NPU20420 Ercs(B)—Erythrocyte Yk^a antigen; arb.num.(proc.) = ?
 NPU20421 Ercs(B)—Erythrocyte Yt^a antigen; arb.num.(proc.) = ?
 NPU20422 Ercs(B)—Erythrocyte Yt^b antigen; arb.num.(proc.) = ?

**Erythrocytes(Blood)—
Erythrocyte antigen;
taxon(AB0; Rhesus D; procedure)
NPU01945
Ercs(B)—Erythrocyte antigen; taxon(AB0; Rh D; proc.) = ?**

Erythrocytes(Blood)—	Plasma—
Erythrocyte antigen;	Erythrocyte B antibody;
taxon(procedure)	arbitrary concentration(20 °C; procedure)
NPU01946	NPU20437
Ercs(B)—Erythrocyte antigen; taxon(proc.) = ?	P—Erythrocyte B antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Au^a antibody;	Erythrocyte B antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20433	NPU20438
P—Erythrocyte Au ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte B antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Au^a antibody;	Erythrocyte B antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20434	arbitrary unit/litre
P—Erythrocyte Au ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20889
Plasma—	P—Erythrocyte B antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Au^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	
NPU20885	
P—Erythrocyte Au ^a antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte Au^a antibody;	Erythrocyte B antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
NPU20886	NPU20890
P—Erythrocyte Au ^a antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte B antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Au^a antigen;	Erythrocyte B antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20204	NPU21916
Ercs(B)—Erythrocyte Au ^a antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte B antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Au^bantibody;	Erythrocyte BARC antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20435	NPU20439
P—Erythrocyte Au ^b antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte BARC antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Au^bantibody;	Erythrocyte BARC antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20436	NPU20440
P—Erythrocyte Au ^b antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte BARC antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Au^bantibody;	Erythrocyte BARC antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20887	arbitrary unit/litre
P—Erythrocyte Au ^b antibody; arb.subst.c.(20 °C; proc.) = ?	NPU20891
arb.unit/l	P—Erythrocyte BARC antibody; arb.subst.c.(20 °C; proc.) = ?
Plasma—	arb.unit/l
Erythrocyte Au^bantibody;	Plasma—
arbitrary substance concentration(37 °C; procedure)	Erythrocyte BARC antibody;
NPU20888	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Au ^b antibody; arb.subst.c.(37 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20892
Erythrocytes(Blood)—	P—Erythrocyte BARC antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Au^bantigen;	arb.unit/l
arbitrary number(procedure)	
NPU20205	
Ercs(B)—Erythrocyte Au ^b antigen; arb.num.(proc.) = ?	
Plasma—	Plasma—
Erythrocyte Be^a antibody;	Erythrocyte Be^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20441	NPU20441
P—Erythrocyte Be ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Be ^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Be^a antibody; arbitrary concentration(37 °C; procedure) NPU20442 P—Erythrocyte Be ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte BOW antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20897 P—Erythrocyte BOW antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Be^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20893 P—Erythrocyte Be ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte BOW antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20898 P—Erythrocyte BOW antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Be^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20894 P—Erythrocyte Be ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte BOW antigen; arbitrary number(procedure) NPU20209 Ercs(B)—Erythrocyte BOW antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Be^a antigen; arbitrary number(procedure) NPU20207 Ercs(B)—Erythrocyte Be ^a antigen; arb.num.(proc.) = ?	Erythrocyte Bp^a antibody; arbitrary concentration(20 °C; procedure) NPU20447 P—Erythrocyte Bp ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte BLe^b antibody; arbitrary concentration(20 °C; procedure) NPU20443 P—Erythrocyte BLe ^b antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Bp^a antibody; arbitrary concentration(37 °C; procedure) NPU20448 P—Erythrocyte Bp ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte BLe^b antibody; arbitrary concentration(37 °C; procedure) NPU20444 P—Erythrocyte BLe ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Bp^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20899 P—Erythrocyte Bp ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte BLe^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20895 P—Erythrocyte BLe ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Bp^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20900 P—Erythrocyte Bp ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte BLe^b antigen; arbitrary number(procedure) NPU20208 Ercs(B)—Erythrocyte BLe ^b antigen; arb.num.(proc.) = ?	Erythrocyte Bp^a antigen; arbitrary number(procedure) NPU20210 Ercs(B)—Erythrocyte Bp ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte BOW antibody; arbitrary concentration(20 °C; procedure) NPU20445 P—Erythrocyte BOW antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte C antibody; arbitrary concentration(20 °C; procedure) NPU20449 P—Erythrocyte C antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte BOW antibody; arbitrary concentration(37 °C; procedure) NPU20446 P—Erythrocyte BOW antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte c antibody; arbitrary concentration(20 °C; procedure) NPU20450 P—Erythrocyte c antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte BOW antibody; arbitrary concentration(37 °C; procedure) NPU20446 P—Erythrocyte BOW antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte C antibody; arbitrary concentration(37 °C; procedure) NPU20451 P—Erythrocyte C antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Erythrocytes(Blood)—
Erythrocyte c antibody;	Erythrocyte C^G antigen;
arbitrary concentration(37 °C; procedure)	arbitrary number(procedure)
NPU20452	NPU20217
P—Erythrocyte c antibody; arb.c.(37 °C; proc.) = ?	Ercs(B)—Erythrocyte C ^G antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte C antibody;	Erythrocyte C^w antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
arbitrary unit/litre	NPU20489
NPU20901	P—Erythrocyte C ^w antibody; arb.c.(20 °C; proc.) = ?
P—Erythrocyte C antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte c antibody;	Erythrocyte C^w antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
arbitrary unit/litre	NPU20490
NPU20902	P—Erythrocyte C ^w antibody; arb.c.(37 °C; proc.) = ?
P—Erythrocyte c antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte C antibody;	Erythrocyte C^w antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU20903	NPU20941
P—Erythrocyte C antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte C ^w antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte c antibody;	Erythrocyte C^w antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU20904	NPU20942
P—Erythrocyte c antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte C ^w antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte C antigen;	Erythrocyte C^w antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20211	NPU20231
Ercs(B)—Erythrocyte C antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte C ^w antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte c antigen;	Erythrocyte C^x antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20212	NPU20491
Ercs(B)—Erythrocyte c antigen; arb.num.(proc.) = ?	P—Erythrocyte C ^x antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte C^G antibody;	Erythrocyte C^x antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20461	NPU20492
P—Erythrocyte C ^G antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte C ^x antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte C^G antibody;	Erythrocyte C^x antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20462	NPU20943
P—Erythrocyte C ^G antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte C ^x antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte C^G antibody;	Erythrocyte C^x antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU20913	NPU20944
P—Erythrocyte C ^G antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte C ^x antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte C^G antibody;	Erythrocyte C^x antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20232
NPU20914	Ercs(B)—Erythrocyte C ^x antigen; arb.num.(proc.) = ?
P—Erythrocyte C ^G antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	

Plasma—	Plasma—
Erythrocyte CD99 antibody; arbitrary concentration(20 °C; procedure) NPU20453 P—Erythrocyte CD99 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte CE antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20908 P—Erythrocyte CE antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte CD99 antibody; arbitrary concentration(37 °C; procedure) NPU20454 P—Erythrocyte CD99 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte cE antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20909 P—Erythrocyte cE antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte CD99 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20905 P—Erythrocyte CD99 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ce antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20910 P—Erythrocyte Ce antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte CD99 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20906 P—Erythrocyte CD99 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte CE antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20911 P—Erythrocyte CE antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Plasma—
Erythrocyte CD99 antigen; arbitrary number(procedure) NPU20213 Ercs(B)—Erythrocyte CD99 antigen; arb.num.(proc.) = ?	Erythrocyte cE antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20912 P—Erythrocyte cE antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Ce antibody; arbitrary concentration(20 °C; procedure) NPU20455 P—Erythrocyte Ce antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ce antigen; arbitrary number(procedure) NPU20214 Ercs(B)—Erythrocyte Ce antigen; arb.num.(proc.) = ?
Plasma—	Erythrocytes(Blood)—
Erythrocyte CE antibody; arbitrary concentration(20 °C; procedure) NPU20456 P—Erythrocyte CE antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte CE antigen; arbitrary number(procedure) NPU20215 Ercs(B)—Erythrocyte CE antigen; arb.num.(proc.) = ?
Plasma—	Erythrocytes(Blood)—
Erythrocyte cE antibody; arbitrary concentration(20 °C; procedure) NPU20457 P—Erythrocyte cE antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte cE antigen; arbitrary number(procedure) NPU20216 Ercs(B)—Erythrocyte cE antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Ce antibody; arbitrary concentration(37 °C; procedure) NPU20458 P—Erythrocyte Ce antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ch1 antibody; arbitrary concentration(20 °C; procedure) NPU20463 P—Erythrocyte Ch1 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte CE antibody; arbitrary concentration(37 °C; procedure) NPU20459 P—Erythrocyte CE antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ch1 antibody; arbitrary concentration(37 °C; procedure) NPU20464 P—Erythrocyte Ch1 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	
Erythrocyte cE antibody; arbitrary concentration(37 °C; procedure) NPU20460 P—Erythrocyte cE antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Ce antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20907 P—Erythrocyte Ce antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	

Plasma—	Plasma—
Erythrocyte Ch1 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20915 P—Erythrocyte Ch1 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ch3 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20920 P—Erythrocyte Ch3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Ch1 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20916 P—Erythrocyte Ch1 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Ch3 antigen; arbitrary number(procedure) NPU20220 Ercs(B)—Erythrocyte Ch3 antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Ch1 antigen; arbitrary number(procedure) NPU20218 Ercs(B)—Erythrocyte Ch1 antigen; arb.num.(proc.) = ?	Erythrocyte Ch4 antibody; arbitrary concentration(20 °C; procedure) NPU20469 P—Erythrocyte Ch4 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch2 antibody; arbitrary concentration(20 °C; procedure) NPU20465 P—Erythrocyte Ch2 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ch4 antibody; arbitrary concentration(37 °C; procedure) NPU20470 P—Erythrocyte Ch4 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch2 antibody; arbitrary concentration(37 °C; procedure) NPU20466 P—Erythrocyte Ch2 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ch4 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20921 P—Erythrocyte Ch4 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Ch2 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20917 P—Erythrocyte Ch2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ch4 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20922 P—Erythrocyte Ch4 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Ch2 antigen; arbitrary number(procedure) NPU20219 Ercs(B)—Erythrocyte Ch2 antigen; arb.num.(proc.) = ?	Erythrocyte Ch4 antigen; arbitrary number(procedure) NPU20221 Ercs(B)—Erythrocyte Ch4 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch3 antibody; arbitrary concentration(20 °C; procedure) NPU20467 P—Erythrocyte Ch3 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ch5 antibody; arbitrary concentration(20 °C; procedure) NPU20471 P—Erythrocyte Ch5 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch3 antibody; arbitrary concentration(37 °C; procedure) NPU20468 P—Erythrocyte Ch3 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ch5 antibody; arbitrary concentration(37 °C; procedure) NPU20472 P—Erythrocyte Ch5 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch3 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20919 P—Erythrocyte Ch3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ch5 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20923 P—Erythrocyte Ch5 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Ch3 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20924 P—Erythrocyte Ch3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Ch5 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20924 P—Erythrocyte Ch5 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Ch5 antigen;	Erythrocyte c-like antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20222	NPU20477
Ercs(B)—Erythrocyte Ch5 antigen; arb.num.(proc.) = ?	P—Erythrocyte c-like antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch6 antibody;	Erythrocyte c-like antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20473	NPU20478
P—Erythrocyte Ch6 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte c-like antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ch6 antibody;	Erythrocyte c-like antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20474	arbitrary unit/litre
P—Erythrocyte Ch6 antibody; arb.c.(37 °C; proc.) = ?	NPU20929
Plasma—	P—Erythrocyte c-like antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Ch6 antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	
NPU20925	
P—Erythrocyte Ch6 antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte Ch6 antibody;	Erythrocyte c-like antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
NPU20926	arbitrary unit/litre
P—Erythrocyte Ch6 antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20930
arb.unit/l	P—Erythrocyte c-like antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Ch6 antigen;	Erythrocyte c-like antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20223	NPU20225
Ercs(B)—Erythrocyte Ch6 antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte c-like antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Cl^a antibody;	Erythrocyte Co^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20475	NPU20481
P—Erythrocyte Cl ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Co ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Cl^a antibody;	Erythrocyte Co^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20476	NPU20482
P—Erythrocyte Cl ^a antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte Co ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Cl^a antibody;	Erythrocyte Co^a antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20927	arbitrary unit/litre
P—Erythrocyte Cl ^a antibody; arb.subst.c.(20 °C; proc.) = ?	NPU20933
arb.unit/l	P—Erythrocyte Co ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Plasma—	arb.unit/l
Erythrocyte Cl^a antibody;	
arbitrary substance concentration(37 °C; procedure)	
NPU20928	
P—Erythrocyte Cl ^a antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Cl^a antigen;	Erythrocyte Co^a antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20224	NPU20227
Ercs(B)—Erythrocyte Cl ^a antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Co ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Cl^a antibody;	Erythrocyte Co^b antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20483	NPU20483
P—Erythrocyte Cl ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Co ^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Co^b antibody; arbitrary concentration(37 °C; procedure) NPU20484 P—Erythrocyte Co ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Cr^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20937 P—Erythrocyte Cr ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Co^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20935 P—Erythrocyte Co ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Cr^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20938 P—Erythrocyte Cr ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Co^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20936 P—Erythrocyte Co ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Cr^a antigen; arbitrary number(procedure) NPU20229 Ercs(B)—Erythrocyte Cr ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Co^b antigen; arbitrary number(procedure) NPU20228 Ercs(B)—Erythrocyte Co ^b antigen; arb.num.(proc.) = ?	Erythrocyte Crawford antibody; arbitrary concentration(20 °C; procedure) NPU20487 P—Erythrocyte Crawford antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Co3 antibody; arbitrary concentration(20 °C; procedure) NPU20479 P—Erythrocyte Co3 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Crawford antibody; arbitrary concentration(37 °C; procedure) NPU20488 P—Erythrocyte Crawford antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Co3 antibody; arbitrary concentration(37 °C; procedure) NPU20480 P—Erythrocyte Co3 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Crawford antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20939 P—Erythrocyte Crawford antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Co3 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20931 P—Erythrocyte Co3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Crawford antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20940 P—Erythrocyte Crawford antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Co3 antigen; arbitrary number(procedure) NPU20226 Ercs(B)—Erythrocyte Co3 antigen; arb.num.(proc.) = ?	Erythrocyte Crawford antigen; arbitrary number(procedure) NPU20230 Ercs(B)—Erythrocyte Crawford antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Cr^a antibody; arbitrary concentration(20 °C; procedure) NPU20485 P—Erythrocyte Cr ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte D antibody; arbitrary concentration(20 °C; procedure) NPU20495 P—Erythrocyte D antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Cr^a antibody; arbitrary concentration(37 °C; procedure) NPU20486 P—Erythrocyte Cr ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte D antibody; arbitrary concentration(37 °C; procedure) NPU20496 P—Erythrocyte D antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Cr^a antibody; arbitrary concentration(37 °C; procedure) NPU20487 P—Erythrocyte Cr ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte D antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20947 P—Erythrocyte D antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte D antibody;	Erythrocyte DANE antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20233
NPU20948	Ercs(B)—Erythrocyte DANE antigen; arb.num.(proc.) = ?
P—Erythrocyte D antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte D antigen;	Erythrocyte Dantu antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU21917	NPU20497
Ercs(B)—Erythrocyte D antigen; arb.num.(proc.) = ?	P—Erythrocyte Dantu antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte D^w antibody;	Erythrocyte Dantu antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20513	NPU20498
P—Erythrocyte D ^w antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Dantu antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte D^w antibody;	Erythrocyte Dantu antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20514	arbitrary unit/litre
P—Erythrocyte D ^w antibody; arb.c.(37 °C; proc.) = ?	NPU20949
Plasma—	P—Erythrocyte Dantu antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte D^w antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Dantu antibody;
NPU20965	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte D ^w antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20950
Plasma—	P—Erythrocyte Dantu antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte D^w antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Dantu antigen;
NPU20966	arbitrary number(procedure)
P—Erythrocyte D ^w antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20234
arb.unit/l	Ercs(B)—Erythrocyte Dantu antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte D^w antigen;	Erythrocyte Dav antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20242	NPU20499
Ercs(B)—Erythrocyte D ^w antigen; arb.num.(proc.) = ?	P—Erythrocyte Dav antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte DANE antibody;	Erythrocyte Dav antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20493	NPU20500
P—Erythrocyte DANE antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Dav antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte DANE antibody;	Erythrocyte Dav antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20494	arbitrary unit/litre
P—Erythrocyte DANE antibody; arb.c.(37 °C; proc.) = ?	NPU20951
Plasma—	P—Erythrocyte Dav antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte DANE antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Dav antibody;
NPU20945	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte DANE antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20952
Plasma—	P—Erythrocyte Dav antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte DANE antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Dav antigen;
NPU20946	arbitrary number(procedure)
P—Erythrocyte DANE antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20235
arb.unit/l	Ercs(B)—Erythrocyte Dav antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte Dh^a antibody; arbitrary concentration(20 °C; procedure) NPU20501 P—Erythrocyte Dh ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Di^b antibody; arbitrary concentration(37 °C; procedure) NPU20506 P—Erythrocyte Di ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Dh^a antibody; arbitrary concentration(37 °C; procedure) NPU20502 P—Erythrocyte Dh ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Di^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20957 P—Erythrocyte Di ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Dh^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20953 P—Erythrocyte Dh ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Di^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20958 P—Erythrocyte Di ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Dh^a antigen; arbitrary number(procedure) NPU20236 Ercs(B)—Erythrocyte Dh ^a antigen; arb.num.(proc.) = ?	Erythrocyte Di^b antigen; arbitrary number(procedure) NPU20238 Ercs(B)—Erythrocyte Di ^b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Di^a antibody; arbitrary concentration(20 °C; procedure) NPU20503 P—Erythrocyte Di ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Do^a antibody; arbitrary concentration(20 °C; procedure) NPU20507 P—Erythrocyte Do ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Di^a antibody; arbitrary concentration(37 °C; procedure) NPU20504 P—Erythrocyte Di ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Do^a antibody; arbitrary concentration(37 °C; procedure) NPU20508 P—Erythrocyte Do ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Di^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20955 P—Erythrocyte Di ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Do^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20959 P—Erythrocyte Do ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Di^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20956 P—Erythrocyte Di ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Do^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20960 P—Erythrocyte Do ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Di^a antigen; arbitrary number(procedure) NPU20237 Ercs(B)—Erythrocyte Di ^a antigen; arb.num.(proc.) = ?	Erythrocyte Do^a antigen; arbitrary number(procedure) NPU20239 Ercs(B)—Erythrocyte Do ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Di^b antibody; arbitrary concentration(20 °C; procedure) NPU20505 P—Erythrocyte Di ^b antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Do^b antibody; arbitrary concentration(20 °C; procedure) NPU20509 P—Erythrocyte Do ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Di^b antibody; arbitrary concentration(37 °C; procedure) NPU20510 P—Erythrocyte Di ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Do^b antibody; arbitrary concentration(37 °C; procedure) NPU20510 P—Erythrocyte Do ^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Erythrocyte Do^b antibody;	
	arbitrary substance concentration(20 °C; procedure)	
	arbitrary unit/litre	
	NPU20961	
P—Erythrocyte Do ^b antibody; arb.subst.c.(20 °C; proc.) = ?	arb.unit/l	
Plasma—	Erythrocyte Do^b antibody;	
	arbitrary substance concentration(37 °C; procedure)	
	arbitrary unit/litre	
	NPU20962	
P—Erythrocyte Do ^b antibody; arb.subst.c.(37 °C; proc.) = ?	arb.unit/l	
Erythrocytes(Blood)—		
Erythrocyte Do^b antigen;		
	arbitrary number(procedure)	
	NPU20240	
Ercs(B)—Erythrocyte Do ^b antigen; arb.num.(proc.) = ?		
Plasma—		
Erythrocyte Dr^a antibody;		
	arbitrary concentration(20 °C; procedure)	
	NPU20511	
P—Erythrocyte Dr ^a antibody; arb.c.(20 °C; proc.) = ?		
Plasma—		
Erythrocyte Dr^a antibody;		
	arbitrary concentration(37 °C; procedure)	
	NPU20512	
P—Erythrocyte Dr ^a antibody; arb.c.(37 °C; proc.) = ?		
Plasma—		
Erythrocyte Dr^a antibody;		
	arbitrary substance concentration(20 °C; procedure)	
	arbitrary unit/litre	
	NPU20963	
P—Erythrocyte Dr ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arb.unit/l	
Plasma—		
Erythrocyte Dr^a antibody;		
	arbitrary substance concentration(37 °C; procedure)	
	NPU20964	
P—Erythrocyte Dr ^a antibody; arb.subst.c.(37 °C; proc.) = ?	arb.unit/l	
Erythrocytes(Blood)—		
Erythrocyte Dr^a antigen;		
	arbitrary number(procedure)	
	NPU20243	
Ercs(B)—Erythrocyte Dr ^a antigen; arb.num.(proc.) = ?		
Erythrocytes(Blood)—		
Erythrocyte e antigen;		
	arbitrary number(procedure)	
	NPU20244	
Ercs(B)—Erythrocyte e antigen; arb.num.(proc.) = ?		
Plasma—		
Erythrocyte E^w antibody;		
	arbitrary concentration(20 °C; procedure)	
	NPU20537	
P—Erythrocyte E ^w antibody; arb.c.(20 °C; proc.) = ?		
Plasma—		
Erythrocyte E^w antibody;		
	arbitrary concentration(37 °C; procedure)	
	NPU20538	
P—Erythrocyte E ^w antibody; arb.c.(37 °C; proc.) = ?		
Plasma—		
Erythrocyte E^w antibody;		
	arbitrary substance concentration(20 °C; procedure)	
	arbitrary unit/litre	
	NPU20989	
P—Erythrocyte E ^w antibody; arb.subst.c.(20 °C; proc.) = ?	arb.unit/l	
Plasma—		
Erythrocyte E^w antibody;		
	arbitrary substance concentration(37 °C; procedure)	
	NPU20990	
P—Erythrocyte E ^w antibody; arb.subst.c.(37 °C; proc.) = ?	arb.unit/l	

Erythrocytes(Blood)—

Erythrocyte E^w antigen;
arbitrary number(procedure)
NPU20254
Ercs(B)—Erythrocyte E^w antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte ELO antibody;
arbitrary concentration(20 °C; procedure)
NPU20519
P—Erythrocyte ELO antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte ELO antibody;
arbitrary concentration(37 °C; procedure)
NPU20520
P—Erythrocyte ELO antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte ELO antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU20971
P—Erythrocyte ELO antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—

Erythrocyte ELO antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU20972
P—Erythrocyte ELO antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—

Erythrocyte ELO antigen;
arbitrary number(procedure)
NPU20245
Ercs(B)—Erythrocyte ELO antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte En^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20521
P—Erythrocyte En^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte En^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20522
P—Erythrocyte En^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte En^a antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU20973
P—Erythrocyte En^a antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—

Erythrocyte En^a antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU20974
P—Erythrocyte En^a antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—

Erythrocyte En^a antigen;
arbitrary number(procedure)
NPU20246
Ercs(B)—Erythrocyte En^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte ENAV antibody;
arbitrary concentration(20 °C; procedure)
NPU20523
P—Erythrocyte ENAV antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte ENAV antibody;
arbitrary concentration(37 °C; procedure)
NPU20524
P—Erythrocyte ENAV antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte ENAV antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU20975
P—Erythrocyte ENAV antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—

Erythrocyte ENAV antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU20976
P—Erythrocyte ENAV antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—

Erythrocyte ENAV antigen;
arbitrary number(procedure)
NPU20247
Ercs(B)—Erythrocyte ENAV antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte ENEH antibody;
arbitrary concentration(20 °C; procedure)
NPU20525
P—Erythrocyte ENEH antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte ENEH antibody;
arbitrary concentration(37 °C; procedure)
NPU20526
P—Erythrocyte ENEH antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte ENEH antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU20977
P—Erythrocyte ENEH antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—

Erythrocyte ENEH antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU20978
P—Erythrocyte ENEH antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—

Erythrocyte ENEH antigen;
arbitrary number(procedure)
NPU20248
Ercs(B)—Erythrocyte ENEH antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte ENEP antibody;
arbitrary concentration(20 °C; procedure)
NPU20527
P—Erythrocyte ENEP antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte ENEP antibody; arbitrary concentration(37 °C; procedure) NPU20528 P—Erythrocyte ENEP antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte ERIK antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20983 P—Erythrocyte ERIK antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte ENEP antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20979 P—Erythrocyte ENEP antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte ERIK antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20984 P—Erythrocyte ERIK antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte ENEP antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20980 P—Erythrocyte ENEP antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte ERIK antigen; arbitrary number(procedure) NPU20251 Ercs(B)—Erythrocyte ERIK antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte ENEP antigen; arbitrary number(procedure) NPU20249 Ercs(B)—Erythrocyte ENEP antigen; arb.num.(proc.) = ?	Erythrocyte Es^a antibody; arbitrary concentration(20 °C; procedure) NPU20533 P—Erythrocyte Es ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte ENKT antibody; arbitrary concentration(20 °C; procedure) NPU20529 P—Erythrocyte ENKT antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Es^a antibody; arbitrary concentration(37 °C; procedure) NPU20534 P—Erythrocyte Es ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte ENKT antibody; arbitrary concentration(37 °C; procedure) NPU20530 P—Erythrocyte ENKT antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Es^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20985 P—Erythrocyte Es ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte ENKT antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20981 P—Erythrocyte ENKT antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Es^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20986 P—Erythrocyte Es ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte ENKT antigen; arbitrary number(procedure) NPU20250 Ercs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?	Erythrocyte Es^a antigen; arbitrary number(procedure) NPU20252 Ercs(B)—Erythrocyte Es ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte ENKT antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20982 P—Erythrocyte ENKT antibody; arb.subst.c.(37 °C; proc.) = ? = ? arb.unit/l	Erythrocyte Evans antibody; arbitrary concentration(20 °C; procedure) NPU20535 P—Erythrocyte Evans antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte ENKT antigen; arbitrary number(procedure) NPU20251 Ercs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?	Erythrocyte Evans antibody; arbitrary concentration(37 °C; procedure) NPU20536 P—Erythrocyte Evans antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte ERIK antibody; arbitrary concentration(20 °C; procedure) NPU20531 P—Erythrocyte ERIK antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Evans antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20987 P—Erythrocyte Evans antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte ERIK antibody; arbitrary concentration(37 °C; procedure) NPU20532 P—Erythrocyte ERIK antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Evans antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20987 P—Erythrocyte Evans antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte Evans antibody;	Erythrocyte Far antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20256
NPU20988	Ercs(B)—Erythrocyte Far antigen; arb.num.(proc.) = ?
P—Erythrocyte Evans antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Evans antigen;	Erythrocyte FPTT antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20253	NPU20543
Ercs(B)—Erythrocyte Evans antigen; arb.num.(proc.) = ?	P—Erythrocyte FPTT antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte f antibody;	Erythrocyte FPTT antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20539	NPU20544
P—Erythrocyte f antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte FPTT antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte f antibody;	Erythrocyte FPTT antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20540	arbitrary unit/litre
P—Erythrocyte f antibody; arb.c.(37 °C; proc.) = ?	NPU20995
Plasma—	P—Erythrocyte FPTT antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte f antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte FPTT antibody;
NPU20991	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte f antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20996
Plasma—	P—Erythrocyte FPTT antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte f antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte FPTT antigen;
NPU20992	arbitrary number(procedure)
P—Erythrocyte f antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20257
arb.unit/l	Ercs(B)—Erythrocyte FPTT antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte f antigen;	Erythrocyte Fr^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20255	NPU20545
Ercs(B)—Erythrocyte f antigen; arb.num.(proc.) = ?	P—Erythrocyte Fr ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Far antibody;	Erythrocyte Fr^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20541	NPU20546
P—Erythrocyte Far antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Fr ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Far antibody;	Erythrocyte Fr^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20542	arbitrary unit/litre
P—Erythrocyte Far antibody; arb.c.(37 °C; proc.) = ?	NPU20997
Plasma—	P—Erythrocyte Fr ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Far antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Fr^a antibody;
NPU20993	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Far antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20998
Plasma—	P—Erythrocyte Fr ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Far antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Fr^a antigen;
NPU20994	arbitrary number(procedure)
P—Erythrocyte Far antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20258
arb.unit/l	Ercs(B)—Erythrocyte Fr ^a antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte Fy^a antibody; arbitrary concentration(20 °C; procedure) NPU20555 P—Erythrocyte Fy ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Fy3 antibody; arbitrary concentration(37 °C; procedure) NPU20548 P—Erythrocyte Fy3 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy^a antibody; arbitrary concentration(37 °C; procedure) NPU20556 P—Erythrocyte Fy ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Fy3 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20999 P—Erythrocyte Fy3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Fy^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21007 P—Erythrocyte Fy ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Fy3 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21000 P—Erythrocyte Fy3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Fy^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21008 P—Erythrocyte Fy ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Fy3 antigen; arbitrary number(procedure) NPU20259 Ercs(B)—Erythrocyte Fy3 antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Fy^a antigen; arbitrary number(procedure) NPU20263 Ercs(B)—Erythrocyte Fy ^a antigen; arb.num.(proc.) = ?	Erythrocyte Fy4 antibody; arbitrary concentration(20 °C; procedure) NPU20549 P—Erythrocyte Fy4 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy^b antibody; arbitrary concentration(20 °C; procedure) NPU20557 P—Erythrocyte Fy ^b antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Fy4 antibody; arbitrary concentration(37 °C; procedure) NPU20550 P—Erythrocyte Fy4 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy^b antibody; arbitrary concentration(37 °C; procedure) NPU20558 P—Erythrocyte Fy ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Fy4 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21001 P—Erythrocyte Fy4 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Fy^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21009 P—Erythrocyte Fy ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Fy4 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21002 P—Erythrocyte Fy4 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Fy^b antigen; arbitrary number(procedure) NPU20264 Ercs(B)—Erythrocyte Fy ^b antigen; arb.num.(proc.) = ?	Erythrocyte Fy4 antigen; arbitrary number(procedure) NPU20260 Ercs(B)—Erythrocyte Fy4 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy3 antibody; arbitrary concentration(20 °C; procedure) NPU20547 P—Erythrocyte Fy3 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Fy5 antibody; arbitrary concentration(20 °C; procedure) NPU20551 P—Erythrocyte Fy5 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy3 antibody; arbitrary concentration(37 °C; procedure) NPU20552 P—Erythrocyte Fy3 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Fy5 antibody; arbitrary concentration(37 °C; procedure) NPU20552 P—Erythrocyte Fy5 antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Fy5 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21003 P—Erythrocyte Fy5 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte G antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21012 P—Erythrocyte G antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Fy5 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21004 P—Erythrocyte Fy5 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte G antigen; arbitrary number(procedure) NPU20265 Ercs(B)—Erythrocyte G antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Fy5 antigen; arbitrary number(procedure) NPU20261 Ercs(B)—Erythrocyte Fy5 antigen; arb.num.(proc.) = ?	Erythrocyte Ge2 antibody; arbitrary concentration(20 °C; procedure) NPU20561 P—Erythrocyte Ge2 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy6 antibody; arbitrary concentration(20 °C; procedure) NPU20553 P—Erythrocyte Fy6 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ge2 antibody; arbitrary concentration(37 °C; procedure) NPU20562 P—Erythrocyte Ge2 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Fy6 antibody; arbitrary concentration(37 °C; procedure) NPU20554 P—Erythrocyte Fy6 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ge2 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21013 P—Erythrocyte Ge2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Fy6 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21005 P—Erythrocyte Fy6 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ge2 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21014 P—Erythrocyte Ge2 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Fy6 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21006 P—Erythrocyte Fy6 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Ge2 antigen; arbitrary number(procedure) NPU20266 Ercs(B)—Erythrocyte Ge2 antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Fy6 antigen; arbitrary number(procedure) NPU20262 Ercs(B)—Erythrocyte Fy6 antigen; arb.num.(proc.) = ?	Erythrocyte Ge3 antibody; arbitrary concentration(20 °C; procedure) NPU20563 P—Erythrocyte Ge3 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte G antibody; arbitrary concentration(20 °C; procedure) NPU20559 P—Erythrocyte G antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ge3 antibody; arbitrary concentration(37 °C; procedure) NPU20564 P—Erythrocyte Ge3 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte G antibody; arbitrary concentration(37 °C; procedure) NPU20560 P—Erythrocyte G antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ge3 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21015 P—Erythrocyte Ge3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte G antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21011 P—Erythrocyte G antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ge3 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21016 P—Erythrocyte Ge3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Ge3 antigen;	Erythrocyte Gy^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20267	NPU20569
Ercs(B)—Erythrocyte Ge3 antigen; arb.num.(proc.) = ?	P—Erythrocyte Gy ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ge4 antibody;	Erythrocyte Gy^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20565	NPU20570
P—Erythrocyte Ge4 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Gy ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ge4 antibody;	Erythrocyte Gy^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20566	arbitrary unit/litre
P—Erythrocyte Ge4 antibody; arb.c.(37 °C; proc.) = ?	NPU21021
Plasma—	P—Erythrocyte Gy ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Ge4 antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21017	
P—Erythrocyte Ge4 antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte Ge4 antibody;	Erythrocyte Gy^a antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21018	NPU21022
P—Erythrocyte Ge4 antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Gy ^a antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Ge4 antigen;	Erythrocyte Gy^a antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20268	NPU20270
Ercs(B)—Erythrocyte Ge4 antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Gy ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Go^a antibody;	Erythrocyte H antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20567	NPU20573
P—Erythrocyte Go ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte H antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Go^a antibody;	Erythrocyte H antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20568	NPU20574
P—Erythrocyte Go ^a antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte H antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Go^a antibody;	Erythrocyte H antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21019	NPU21025
P—Erythrocyte Go ^a antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte H antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Go^a antibody;	Erythrocyte H antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21020	NPU21026
P—Erythrocyte Go ^a antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte H antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Go^a antigen;	Erythrocyte H antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20269	NPU20272
Ercs(B)—Erythrocyte Go ^a antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte H antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte HAG antibody;	Erythrocyte HAG antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20571	
P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?	

Plasma—	Plasma—
Erythrocyte HAG antibody; arbitrary concentration(37 °C; procedure) NPU20572 P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Hg^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21029 P—Erythrocyte Hg ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte HAG antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21023 P—Erythrocyte HAG antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Hg^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21030 P—Erythrocyte Hg ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte HAG antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21024 P—Erythrocyte HAG antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Hg^a antigen; arbitrary number(procedure) NPU20274 Ercs(B)—Erythrocyte Hg ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte HAG antigen; arbitrary number(procedure) NPU20271 Ercs(B)—Erythrocyte HAG antigen; arb.num.(proc.) = ?	Erythrocyte Hil antibody; arbitrary concentration(20 °C; procedure) NPU20579 P—Erythrocyte Hil antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte He antibody; arbitrary concentration(20 °C; procedure) NPU20575 P—Erythrocyte He antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Hil antibody; arbitrary concentration(37 °C; procedure) NPU20580 P—Erythrocyte Hil antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte He antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21027 P—Erythrocyte He antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Hil antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21031 P—Erythrocyte Hil antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte He antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21028 P—Erythrocyte He antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Hil antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21032 P—Erythrocyte Hil antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte He antigen; arbitrary number(procedure) NPU20273 Ercs(B)—Erythrocyte He antigen; arb.num.(proc.) = ?	Erythrocyte Hil antigen; arbitrary number(procedure) NPU20275 Ercs(B)—Erythrocyte Hil antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Hg^a antibody; arbitrary concentration(20 °C; procedure) NPU20577 P—Erythrocyte Hg ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Hop antibody; arbitrary concentration(20 °C; procedure) NPU20581 P—Erythrocyte Hop antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Hg^a antibody; arbitrary concentration(37 °C; procedure) NPU20578 P—Erythrocyte Hg ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Hop antibody; arbitrary concentration(37 °C; procedure) NPU20582 P—Erythrocyte Hop antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Hg^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21033 P—Erythrocyte Hg ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Hop antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21034 P—Erythrocyte Hop antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte Hop antibody;	Erythrocyte Hr_o antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20281
NPU21034	Ercs(B)—Erythrocyte Hr _o antigen; arb.num.(proc.) = ?
P—Erythrocyte Hop antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Hop antigen;	Erythrocyte hr^bantibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20276	NPU20585
Ercs(B)—Erythrocyte Hop antigen; arb.num.(proc.) = ?	P—Erythrocyte hr ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Hr antibody;	Erythrocyte Hr^bantibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20583	NPU20586
P—Erythrocyte Hr antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Hr ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Hr antibody;	Erythrocyte hr^bantibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20584	NPU20587
P—Erythrocyte Hr antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte hr ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Hr antibody;	Erythrocyte Hr^bantibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
arbitrary unit/litre	NPU20588
NPU21035	P—Erythrocyte Hr ^b antibody; arb.c.(37 °C; proc.) = ?
P—Erythrocyte Hr antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte Hr antibody;	Erythrocyte hr^bantibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	NPU21037
NPU21036	P—Erythrocyte hr ^b antibody; arb.subst.c.(20 °C; proc.) = ?
P—Erythrocyte Hr antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Hr antigen;	Erythrocyte Hr^bantibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20277	NPU21038
Ercs(B)—Erythrocyte Hr antigen; arb.num.(proc.) = ?	P—Erythrocyte Hr ^b antibody; arb.subst.c.(20 °C; proc.) = ?
Plasma—	
Erythrocyte Hr_o antibody;	Plasma—
arbitrary concentration(20 °C; procedure)	Erythrocyte hr^bantibody;
NPU20591	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Hr _o antibody; arb.c.(20 °C; proc.) = ?	arbitrary unit/litre
Plasma—	NPU21039
Erythrocyte Hr_o antibody;	P—Erythrocyte hr ^b antibody; arb.subst.c.(37 °C; proc.) = ?
arbitrary concentration(37 °C; procedure)	
NPU20592	
P—Erythrocyte Hr _o antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	Plasma—
Erythrocyte Hr_o antibody;	Erythrocyte Hr^bantibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	NPU21040
NPU21043	P—Erythrocyte Hr ^b antibody; arb.subst.c.(37 °C; proc.) = ?
P—Erythrocyte Hr _o antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Erythrocytes(Blood)—
Erythrocyte Hr_o antibody;	Erythrocyte hr^bantigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20278
NPU21044	Ercs(B)—Erythrocyte hr ^b antigen; arb.num.(proc.) = ?
P—Erythrocyte Hr _o antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Plasma—	Erythrocytes(Blood)—
Erythrocyte Hr_o antibody;	Erythrocyte Hr^bantigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20279
NPU21044	Ercs(B)—Erythrocyte Hr ^b antigen; arb.num.(proc.) = ?
P—Erythrocyte Hr _o antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	

Plasma—	Plasma—
Erythrocyte hr^H antibody;	Erythrocyte Hut antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20589	NPU20596
P—Erythrocyte hr ^H antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Hut antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte hr^H antibody;	Erythrocyte Hut antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20590	arbitrary unit/litre
P—Erythrocyte hr ^H antibody; arb.c.(37 °C; proc.) = ?	NPU21047
Plasma—	P—Erythrocyte Hut antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte hr^H antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21041	
P—Erythrocyte hr ^H antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte hr^H antibody;	Erythrocyte Hut antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21042	NPU21048
P—Erythrocyte hr ^H antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Hut antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte hr^H antigen;	Erythrocyte Hut antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20280	NPU20283
Ercs(B)—Erythrocyte hr ^H antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Hut antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte hr^S antibody;	Erythrocyte Hy antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20593	NPU20597
P—Erythrocyte hr ^S antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Hy antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte hr^S antibody;	Erythrocyte Hy antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20594	NPU20598
P—Erythrocyte hr ^S antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte Hy antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte hr^S antibody;	Erythrocyte Hy antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21045	NPU21049
P—Erythrocyte hr ^S antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Hy antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte hr^S antibody;	Erythrocyte Hy antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21046	NPU21050
P—Erythrocyte hr ^S antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Hy antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte hr^S antigen;	Erythrocyte Hy antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20282	NPU20284
Ercs(B)—Erythrocyte hr ^S antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Hy antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Hut antibody;	Erythrocyte IFC antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20595	NPU20599
P—Erythrocyte Hut antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte IFC antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte IFC antibody;	Erythrocyte IFC antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20600	NPU20600
P—Erythrocyte IFC antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte IFC antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte IFC antibody;	Erythrocyte In^b antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21051	NPU21056
P—Erythrocyte IFC antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte In ^b antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte IFC antibody;	Erythrocyte In^b antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20287
NPU21052	Ercs(B)—Erythrocyte In ^b antigen; arb.num.(proc.) = ?
P—Erythrocyte IFC antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte IFC antigen;	Erythrocyte JAL antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20285	NPU20605
Ercs(B)—Erythrocyte IFC antigen; arb.num.(proc.) = ?	P—Erythrocyte JAL antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte In^a antibody;	Erythrocyte JAL antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20601	NPU20606
P—Erythrocyte In ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte JAL antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte In^a antibody;	Erythrocyte JAL antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20602	arbitrary unit/litre
P—Erythrocyte In ^a antibody; arb.c.(37 °C; proc.) = ?	NPU21057
Plasma—	P—Erythrocyte JAL antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte In^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte JAL antibody;
NPU21053	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte In ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21058
Plasma—	P—Erythrocyte JAL antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte In^a antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte JAL antigen;
NPU21054	arbitrary number(procedure)
P—Erythrocyte In ^a antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20288
arb.unit/l	Ercs(B)—Erythrocyte JAL antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte In^a antigen;	Erythrocyte Jk^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20286	NPU20609
Ercs(B)—Erythrocyte In ^a antigen; arb.num.(proc.) = ?	P—Erythrocyte Jk ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte In^b antibody;	Erythrocyte Jk^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20603	NPU20610
P—Erythrocyte In ^b antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Jk ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte In^b antibody;	Erythrocyte Jk^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20604	arbitrary unit/litre
P—Erythrocyte In ^b antibody; arb.c.(37 °C; proc.) = ?	NPU21061
Plasma—	P—Erythrocyte Jk ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte In^b antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Jk^a antibody;
NPU21055	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte In ^b antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21062
	P—Erythrocyte Jk ^a antibody; arb.subst.c.(37 °C; proc.) = ?
	arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Jk^a antigen;	Erythrocyte Jn^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20290	NPU20613
Ercs(B)—Erythrocyte Jk ^a antigen; arb.num.(proc.) = ?	P—Erythrocyte Jn ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Jk^bantibody;	Erythrocyte Jn^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20611	NPU20614
P—Erythrocyte Jk ^b antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Jn ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Jk^bantibody;	Erythrocyte Jn^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20612	arbitrary unit/litre
P—Erythrocyte Jk ^b antibody; arb.c.(37 °C; proc.) = ?	NPU21065
Plasma—	P—Erythrocyte Jn ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Jk^bantibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Jn^a antibody;
NPU21063	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Jk ^b antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21066
P—Erythrocyte Jk ^b antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Jn ^a antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Jk^bantigen;	Erythrocyte Jn^a antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20291	NPU20292
Ercs(B)—Erythrocyte Jk ^b antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Jn ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Jk3 antibody;	Erythrocyte Jo^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20607	NPU20615
P—Erythrocyte Jk3 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Jo ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Jk3 antibody;	Erythrocyte Jo^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20608	NPU20616
P—Erythrocyte Jk3 antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte Jo ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Jk3 antibody;	Erythrocyte Jo^a antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21059	NPU21067
P—Erythrocyte Jk3 antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Jo ^a antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Jk3 antibody;	Erythrocyte Jo^a antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21060	NPU21068
P—Erythrocyte Jk3 antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Jo ^a antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Jk3 antigen;	Erythrocyte Jo^a antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20289	NPU20293
Ercs(B)—Erythrocyte Jk3 antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Jo ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Jk3 antibody;	Erythrocyte Js^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20617	NPU20617
P—Erythrocyte Jk3 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Js ^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Js^a antibody;	Erythrocyte K antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20618	NPU20645
P—Erythrocyte Js ^a antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte K antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Js^a antibody;	Erythrocyte k antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21069	NPU20646
P—Erythrocyte Js ^a antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte k antibody; arb.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Js^a antibody;	Erythrocyte K antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21070	NPU210⁹/5
P—Erythrocyte Js ^a antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte K antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Plasma—
Erythrocyte Js^a antigen;	Erythrocyte k antibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20294	arbitrary unit/litre
Ercs(B)—Erythrocyte Js ^a antigen; arb.num.(proc.) = ?	NPU210⁹/6
	P—Erythrocyte k antibody; arb.subst.c.(20 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte Js^b antibody;	Erythrocyte K antibody;
arbitrary concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
NPU20619	arbitrary unit/litre
P—Erythrocyte Js ^b antibody; arb.c.(20 °C; proc.) = ?	NPU210⁹/7
	P—Erythrocyte K antibody; arb.subst.c.(37 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte Js^b antibody;	Erythrocyte k antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
NPU20620	arbitrary unit/litre
P—Erythrocyte Js ^b antibody; arb.c.(37 °C; proc.) = ?	NPU210⁹/7
	P—Erythrocyte k antibody; arb.subst.c.(37 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte Js^b antibody;	Erythrocyte K antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21071	NPU210⁹/8
P—Erythrocyte Js ^b antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte k antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Js^b antibody;	Erythrocyte K antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20307
NPU21072	Ercs(B)—Erythrocyte K antigen; arb.num.(proc.) = ?
P—Erythrocyte Js ^b antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Js^b antigen;	Erythrocyte K antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20295	NPU20308
Ercs(B)—Erythrocyte Js ^b antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte k antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte K antibody;	Erythrocyte K11 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20643	NPU20621
P—Erythrocyte K antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte K11 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte k antibody;	Erythrocyte K11 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20644	NPU20622
P—Erythrocyte k antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte K11 antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte K antigen;	Erythrocyte K11 antibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20296	arbitrary unit/litre
Ercs(B)—Erythrocyte K antigen; arb.num.(proc.) = ?	NPU21073
	P—Erythrocyte K11 antibody; arb.subst.c.(20 °C; proc.) = ?
	arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte K11 antibody;	Erythrocyte K13 antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20298
NPU21074	Ercs(B)—Erythrocyte K13 antigen; arb.num.(proc.) = ?
P—Erythrocyte K11 antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte K11 antigen;	Erythrocyte K14 antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20296	NPU20627
Ercs(B)—Erythrocyte K11 antigen; arb.num.(proc.) = ?	P—Erythrocyte K14 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K12 antibody;	Erythrocyte K14 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20623	NPU20628
P—Erythrocyte K12 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte K14 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K12 antibody;	Erythrocyte K14 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20624	arbitrary unit/litre
P—Erythrocyte K12 antibody; arb.c.(37 °C; proc.) = ?	NPU21079
Plasma—	P—Erythrocyte K14 antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte K12 antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte K14 antibody;
NPU21075	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte K12 antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21080
Plasma—	P—Erythrocyte K14 antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte K12 antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte K14 antigen;
NPU21076	arbitrary number(procedure)
P—Erythrocyte K12 antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20299
arb.unit/l	Ercs(B)—Erythrocyte K14 antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte K12 antigen;	Erythrocyte K16 antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20297	NPU20629
Ercs(B)—Erythrocyte K12 antigen; arb.num.(proc.) = ?	P—Erythrocyte K16 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K13 antibody;	Erythrocyte K16 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20625	NPU20630
P—Erythrocyte K13 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte K16 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K13 antibody;	Erythrocyte K16 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20626	arbitrary unit/litre
P—Erythrocyte K13 antibody; arb.c.(37 °C; proc.) = ?	NPU21081
Plasma—	P—Erythrocyte K16 antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte K13 antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte K16 antibody;
NPU21077	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte K13 antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21082
Plasma—	P—Erythrocyte K16 antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte K13 antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte K16 antigen;
NPU21078	arbitrary number(procedure)
P—Erythrocyte K13 antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20300
arb.unit/l	Ercs(B)—Erythrocyte K16 antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte K17 antibody; arbitrary concentration(20 °C; procedure) NPU20631 P—Erythrocyte K17 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte K19 antibody; arbitrary concentration(37 °C; procedure) NPU20636 P—Erythrocyte K19 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K17 antibody; arbitrary concentration(37 °C; procedure) NPU20632 P—Erythrocyte K17 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte K19 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21087 P—Erythrocyte K19 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte K17 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21083 P—Erythrocyte K17 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte K19 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21088 P—Erythrocyte K19 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte K17 antigen; arbitrary number(procedure) NPU20301 Ercs(B)—Erythrocyte K17 antigen; arb.num.(proc.) = ?	Erythrocyte K19 antigen; arbitrary number(procedure) NPU20303 Ercs(B)—Erythrocyte K19 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte K18 antibody; arbitrary concentration(20 °C; procedure) NPU20633 P—Erythrocyte K18 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte K22 antibody; arbitrary concentration(20 °C; procedure) NPU20637 P—Erythrocyte K22 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K18 antibody; arbitrary concentration(37 °C; procedure) NPU20634 P—Erythrocyte K18 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte K22 antibody; arbitrary concentration(37 °C; procedure) NPU20638 P—Erythrocyte K22 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K18 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21085 P—Erythrocyte K18 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte K22 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21089 P—Erythrocyte K22 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte K18 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21086 P—Erythrocyte K18 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte K22 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21090 P—Erythrocyte K22 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte K18 antigen; arbitrary number(procedure) NPU20302 Ercs(B)—Erythrocyte K18 antigen; arb.num.(proc.) = ?	Erythrocyte K22 antigen; arbitrary number(procedure) NPU20304 Ercs(B)—Erythrocyte K22 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte K19 antibody; arbitrary concentration(20 °C; procedure) NPU20635 P—Erythrocyte K19 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte K23 antibody; arbitrary concentration(20 °C; procedure) NPU20639 P—Erythrocyte K23 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
	Erythrocyte K23 antibody; arbitrary concentration(37 °C; procedure) NPU20640 P—Erythrocyte K23 antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte K23 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU210⁹/1 P—Erythrocyte K23 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Km antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21100 P—Erythrocyte Km antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte K23 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU210⁹/2 P—Erythrocyte K23 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Km antigen; arbitrary number(procedure) NPU20309 Ercs(B)—Erythrocyte Km antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte K23 antigen; arbitrary number(procedure) NPU20305 Ercs(B)—Erythrocyte K23 antigen; arb.num.(proc.) = ?	Erythrocyte Kn^a antibody; arbitrary concentration(20 °C; procedure) NPU20649 P—Erythrocyte Kn ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K24 antibody; arbitrary concentration(20 °C; procedure) NPU20641 P—Erythrocyte K24 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Kn^a antibody; arbitrary concentration(37 °C; procedure) NPU20650 P—Erythrocyte Kn ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K24 antibody; arbitrary concentration(37 °C; procedure) NPU20642 P—Erythrocyte K24 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Kn^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21101 P—Erythrocyte Kn ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte K24 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU210⁹/3 P—Erythrocyte K24 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Kn^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21102 P—Erythrocyte Kn ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte K24 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU210⁹/4 P—Erythrocyte K24 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Kn^a antigen; arbitrary number(procedure) NPU20310 Ercs(B)—Erythrocyte Kn ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte K24 antigen; arbitrary number(procedure) NPU20306 Ercs(B)—Erythrocyte K24 antigen; arb.num.(proc.) = ?	Erythrocyte Kn^b antibody; arbitrary concentration(20 °C; procedure) NPU20651 P—Erythrocyte Kn ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Km antibody; arbitrary concentration(20 °C; procedure) NPU20647 P—Erythrocyte Km antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Kn^b antibody; arbitrary concentration(37 °C; procedure) NPU20652 P—Erythrocyte Kn ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Km antibody; arbitrary concentration(37 °C; procedure) NPU20648 P—Erythrocyte Km antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Kn^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21103 P—Erythrocyte Kn ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Km antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU210⁹/9 P—Erythrocyte Km antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Kn^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21104 P—Erythrocyte Kn ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Kn^b antigen;	Erythrocyte Kp^c antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20311	NPU20657
Ercs(B)—Erythrocyte Kn ^b antigen; arb.num.(proc.) = ?	P—Erythrocyte Kp ^c antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Kp^a antibody;	Erythrocyte Kp^c antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20653	NPU20658
P—Erythrocyte Kp ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Kp ^c antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Kp^a antibody;	Erythrocyte Kp^c antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20654	NPU2110⁹/
P—Erythrocyte Kp ^a antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte Kp ^c antibody; arb.subst.c.(20 °C; proc.) = ?
Plasma—	arb.unit/l
Erythrocyte Kp^a antibody;	Plasma—
arbitrary substance concentration(20 °C; procedure)	Erythrocyte Kp^c antibody;
arbitrary unit/litre	arbitrary substance concentration(37 °C; procedure)
NPU21105	NPU2110
P—Erythrocyte Kp ^a antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Kp ^c antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Kp^a antibody;	Erythrocyte Kp^c antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
NPU21106	NPU20314
P—Erythrocyte Kp ^a antibody; arb.subst.c.(37 °C; proc.) = ?	Ercs(B)—Erythrocyte Kp ^c antigen; arb.num.(proc.) = ?
arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Kp^a antigen;	Plasma—
arbitrary number(procedure)	Erythrocyte KREP antibody;
NPU20312	arbitrary concentration(20 °C; procedure)
Ercs(B)—Erythrocyte Kp ^a antigen; arb.num.(proc.) = ?	NPU20659
	P—Erythrocyte KREP antibody; arb.c.(20 °C; proc.) = ?
Plasma—	
Erythrocyte Kp^bantibody;	Plasma—
arbitrary concentration(20 °C; procedure)	Erythrocyte KREP antibody;
NPU20655	arbitrary concentration(37 °C; procedure)
P—Erythrocyte Kp ^b antibody; arb.c.(20 °C; proc.) = ?	NPU20660
	P—Erythrocyte KREP antibody; arb.c.(37 °C; proc.) = ?
Plasma—	
Erythrocyte Kp^bantibody;	Plasma—
arbitrary concentration(37 °C; procedure)	Erythrocyte KREP antibody;
NPU20656	arbitrary substance concentration(20 °C; procedure)
P—Erythrocyte Kp ^b antibody; arb.c.(37 °C; proc.) = ?	NPU21111
	P—Erythrocyte KREP antibody; arb.subst.c.(20 °C; proc.) = ?
Plasma—	arb.unit/l
Erythrocyte Kp^bantibody;	Plasma—
arbitrary substance concentration(20 °C; procedure)	Erythrocyte KREP antibody;
NPU21107	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Kp ^b antibody; arb.subst.c.(20 °C; proc.) = ?	NPU21112
arb.unit/l	P—Erythrocyte KREP antibody; arb.subst.c.(37 °C; proc.) = ?
Plasma—	arb.unit/l
Erythrocyte Kp^bantibody;	Erythrocytes(Blood)—
arbitrary substance concentration(37 °C; procedure)	Erythrocyte KREP antigen;
NPU21108	arbitrary number(procedure)
P—Erythrocyte Kp ^b antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20315
arb.unit/l	Ercs(B)—Erythrocyte KREP antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	
Erythrocyte Kp^bantigen;	Plasma—
arbitrary number(procedure)	Erythrocyte Ku antibody;
NPU20313	arbitrary concentration(20 °C; procedure)
Ercs(B)—Erythrocyte Kp ^b antigen; arb.num.(proc.) = ?	NPU20661
	P—Erythrocyte Ku antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Ku antibody; arbitrary concentration(37 °C; procedure) NPU20662 P—Erythrocyte Ku antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Le^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21117 P—Erythrocyte Le ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Ku antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21113 P—Erythrocyte Ku antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Le^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21118 P—Erythrocyte Le ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Ku antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21114 P—Erythrocyte Ku antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Le^a antigen; arbitrary number(procedure) NPU20318 Ercs(B)—Erythrocyte Le ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Ku antigen; arbitrary number(procedure) NPU20316 Ercs(B)—Erythrocyte Ku antigen; arb.num.(proc.) = ?	Erythrocyte Le^{ab} antibody; arbitrary concentration(20 °C; procedure) NPU20667 P—Erythrocyte Le ^{ab} antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Kx antibody; arbitrary concentration(20 °C; procedure) NPU20663 P—Erythrocyte Kx antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Le^{ab} antibody; arbitrary concentration(37 °C; procedure) NPU20668 P—Erythrocyte Le ^{ab} antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Kx antibody; arbitrary concentration(37 °C; procedure) NPU20664 P—Erythrocyte Kx antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Le^{ab} antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21119 P—Erythrocyte Le ^{ab} antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Kx antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21115 P—Erythrocyte Kx antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Le^{ab} antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21120 P—Erythrocyte Le ^{ab} antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Kx antigen; arbitrary number(procedure) NPU20317 Ercs(B)—Erythrocyte Kx antigen; arb.num.(proc.) = ?	Erythrocyte Le^{ab} antigen; arbitrary number(procedure) NPU20319 Ercs(B)—Erythrocyte Le ^{ab} antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Le^a antibody; arbitrary concentration(20 °C; procedure) NPU20665 P—Erythrocyte Le ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Le^b antibody; arbitrary concentration(20 °C; procedure) NPU20669 P—Erythrocyte Le ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Le^a antibody; arbitrary concentration(37 °C; procedure) NPU20666 P—Erythrocyte Le ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Le^b antibody; arbitrary concentration(37 °C; procedure) NPU20670 P—Erythrocyte Le ^b antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Le^a antibody; arbitrary concentration(37 °C; procedure) NPU20666 P—Erythrocyte Le ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Le^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21121 P—Erythrocyte Le ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte Le^bantibody;	Erythrocyte Ls^a antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20322
NPU21122	Ercs(B)—Erythrocyte Ls ^a antigen; arb.num.(proc.) = ?
P—Erythrocyte Le ^b antibody; arb.subst.c.(37 °C; proc.) = ?	arb.unit/l
Erythrocytes(Blood)—	Plasma—
Erythrocyte Le^bantigen;	Erythrocyte Lu^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20320	NPU20703
Ercs(B)—Erythrocyte Le ^b antigen; arb.num.(proc.) = ?	P—Erythrocyte Lu ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Le^{bH} antibody;	Erythrocyte Lu^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20671	NPU20704
P—Erythrocyte Le ^{bH} antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Lu ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Le^{bH} antibody;	Erythrocyte Lu^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20672	arbitrary unit/litre
P—Erythrocyte Le ^{bH} antibody; arb.c.(37 °C; proc.) = ?	NPU21155
Plasma—	P—Erythrocyte Lu ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Le^{bH} antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Lu^a antibody;
NPU21123	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Le ^{bH} antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21156
Plasma—	P—Erythrocyte Lu ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Le^{bH} antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Lu^a antigen;
NPU21124	arbitrary number(procedure)
P—Erythrocyte Le ^{bH} antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20337
arb.unit/l	Ercs(B)—Erythrocyte Lu ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Le^{bH} antigen;	Erythrocyte Lu^b antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20321	NPU20705
Ercs(B)—Erythrocyte Le ^{bH} antigen; arb.num.(proc.) = ?	P—Erythrocyte Lu ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ls^a antibody;	Erythrocyte Lu^b antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20673	NPU20706
P—Erythrocyte Ls ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Lu ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ls^a antibody;	Erythrocyte Lu^b antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20674	arbitrary unit/litre
P—Erythrocyte Ls ^a antibody; arb.c.(37 °C; proc.) = ?	NPU21157
Plasma—	P—Erythrocyte Lu ^b antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Ls^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Lu^b antibody;
NPU21125	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Ls ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21158
Plasma—	P—Erythrocyte Lu ^b antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Ls^a antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Lu^b antigen;
NPU21126	arbitrary number(procedure)
P—Erythrocyte Ls ^a antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20338
arb.unit/l	Ercs(B)—Erythrocyte Lu ^b antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte Lu11 antibody; arbitrary concentration(20 °C; procedure) NPU20675 P—Erythrocyte Lu11 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Lu13 antibody; arbitrary concentration(37 °C; procedure) NPU20680 P—Erythrocyte Lu13 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu11 antibody; arbitrary concentration(37 °C; procedure) NPU20676 P—Erythrocyte Lu11 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Lu13 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21131 P—Erythrocyte Lu13 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu11 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21127 P—Erythrocyte Lu11 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Lu13 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21132 P—Erythrocyte Lu13 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Lu11 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21128 P—Erythrocyte Lu11 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Lu13 antigen; arbitrary number(procedure) NPU20325 Ercs(B)—Erythrocyte Lu13 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu12 antibody; arbitrary concentration(20 °C; procedure) NPU20677 P—Erythrocyte Lu12 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Lu14 antibody; arbitrary concentration(20 °C; procedure) NPU20681 P—Erythrocyte Lu14 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu12 antibody; arbitrary concentration(37 °C; procedure) NPU20678 P—Erythrocyte Lu12 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Lu14 antibody; arbitrary concentration(37 °C; procedure) NPU20682 P—Erythrocyte Lu14 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu12 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21129 P—Erythrocyte Lu12 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Lu14 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21133 P—Erythrocyte Lu14 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu12 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21130 P—Erythrocyte Lu12 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Lu14 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21134 P—Erythrocyte Lu14 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Lu12 antigen; arbitrary number(procedure) NPU20324 Ercs(B)—Erythrocyte Lu12 antigen; arb.num.(proc.) = ?	Erythrocyte Lu14 antigen; arbitrary number(procedure) NPU20326 Ercs(B)—Erythrocyte Lu14 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu13 antibody; arbitrary concentration(20 °C; procedure) NPU20679 P—Erythrocyte Lu13 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Lu16 antibody; arbitrary concentration(20 °C; procedure) NPU20683 P—Erythrocyte Lu16 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
	Erythrocyte Lu16 antibody; arbitrary concentration(37 °C; procedure) NPU20684 P—Erythrocyte Lu16 antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Lu16 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21135 P—Erythrocyte Lu16 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Lu20 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21140 P—Erythrocyte Lu20 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Lu16 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21136 P—Erythrocyte Lu16 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Lu20 antigen; arbitrary number(procedure) NPU20329 Ercs(B)—Erythrocyte Lu20 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu16 antigen; arbitrary number(procedure) NPU20327 Ercs(B)—Erythrocyte Lu16 antigen; arb.num.(proc.) = ?	Erythrocyte Lu3 antibody; arbitrary concentration(20 °C; procedure) NPU20689 P—Erythrocyte Lu3 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu17 antibody; arbitrary concentration(20 °C; procedure) NPU20685 P—Erythrocyte Lu17 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Lu3 antibody; arbitrary concentration(37 °C; procedure) NPU20690 P—Erythrocyte Lu3 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu17 antibody; arbitrary concentration(37 °C; procedure) NPU20686 P—Erythrocyte Lu17 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Lu3 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21141 P—Erythrocyte Lu3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu17 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21137 P—Erythrocyte Lu17 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Lu3 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21142 P—Erythrocyte Lu3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Lu17 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21138 P—Erythrocyte Lu17 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Lu3 antigen; arbitrary number(procedure) NPU20330 Ercs(B)—Erythrocyte Lu3 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu17 antigen; arbitrary number(procedure) NPU20328 Ercs(B)—Erythrocyte Lu17 antigen; arb.num.(proc.) = ?	Erythrocyte Lu4 antibody; arbitrary concentration(20 °C; procedure) NPU20691 P—Erythrocyte Lu4 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu20 antibody; arbitrary concentration(20 °C; procedure) NPU20687 P—Erythrocyte Lu20 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Lu4 antibody; arbitrary concentration(37 °C; procedure) NPU20692 P—Erythrocyte Lu4 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu20 antibody; arbitrary concentration(37 °C; procedure) NPU20688 P—Erythrocyte Lu20 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Lu4 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21143 P—Erythrocyte Lu4 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu20 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21139 P—Erythrocyte Lu20 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Lu4 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21144 P—Erythrocyte Lu4 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Lu4 antigen;	Erythrocyte Lu7 antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20331	NPU20697
Ercs(B)—Erythrocyte Lu4 antigen; arb.num.(proc.) = ?	P—Erythrocyte Lu7 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu5 antibody;	Erythrocyte Lu7 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20693	NPU20698
P—Erythrocyte Lu5 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Lu7 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu5 antibody;	Erythrocyte Lu7 antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21145	NPU21149
P—Erythrocyte Lu5 antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Lu7 antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu5 antibody;	Erythrocyte Lu7 antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21146	NPU21150
P—Erythrocyte Lu5 antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Lu7 antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Lu5 antigen;	Erythrocyte Lu7 antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20332	NPU20334
Ercs(B)—Erythrocyte Lu5 antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Lu7 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu6 antibody;	Erythrocyte Lu8 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20695	NPU20699
P—Erythrocyte Lu6 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Lu8 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu6 antibody;	Erythrocyte Lu8 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20696	NPU20700
P—Erythrocyte Lu6 antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte Lu8 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu6 antibody;	Erythrocyte Lu8 antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21147	NPU21151
P—Erythrocyte Lu6 antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Lu8 antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu6 antibody;	Erythrocyte Lu8 antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21148	NPU21152
P—Erythrocyte Lu6 antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte Lu8 antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Lu6 antigen;	Erythrocyte Lu8 antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20333	NPU20335
Ercs(B)—Erythrocyte Lu6 antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte Lu8 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Lu9 antibody;	Erythrocyte Lu9 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20701	NPU20701
P—Erythrocyte Lu9 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Lu9 antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Lu9 antibody; arbitrary concentration(37 °C; procedure) NPU20702 P—Erythrocyte Lu9 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte LW^{ab} antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21161 P—Erythrocyte LW ^{ab} antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Lu9 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21153 P—Erythrocyte Lu9 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte LW^{ab} antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21162 P—Erythrocyte LW ^{ab} antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Lu9 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21154 P—Erythrocyte Lu9 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte LW^{ab} antigen; arbitrary number(procedure) NPU20340 Ercs(B)—Erythrocyte LW ^{ab} antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Lu9 antigen; arbitrary number(procedure) NPU20336 Ercs(B)—Erythrocyte Lu9 antigen; arb.num.(proc.) = ?	Erythrocyte LW^b antibody; arbitrary concentration(20 °C; procedure) NPU20711 P—Erythrocyte LW ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte LW^a antibody; arbitrary concentration(20 °C; procedure) NPU20707 P—Erythrocyte LW ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte LW^b antibody; arbitrary concentration(37 °C; procedure) NPU20712 P—Erythrocyte LW ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte LW^a antibody; arbitrary concentration(37 °C; procedure) NPU20708 P—Erythrocyte LW ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte LW^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21163 P—Erythrocyte LW ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte LW^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21159 P—Erythrocyte LW ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte LW^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21164 P—Erythrocyte LW ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte LW^a antigen; arbitrary number(procedure) NPU20339 Ercs(B)—Erythrocyte LW ^a antigen; arb.num.(proc.) = ?	Erythrocyte LW^b antigen; arbitrary number(procedure) NPU20341 Ercs(B)—Erythrocyte LW ^b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte LW^{ab} antibody; arbitrary concentration(20 °C; procedure) NPU20709 P—Erythrocyte LW ^{ab} antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte M antibody; arbitrary concentration(20 °C; procedure) NPU20713 P—Erythrocyte M antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte LW^{ab} antibody; arbitrary concentration(37 °C; procedure) NPU20710 P—Erythrocyte LW ^{ab} antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte M antibody; arbitrary concentration(37 °C; procedure) NPU20714 P—Erythrocyte M antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte LW^{ab} antigen; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21165 P—Erythrocyte M antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte M antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21166 P—Erythrocyte M antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte M antibody;	Erythrocyte M^e antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20348
NPU21166	Ercs(B)—Erythrocyte M ^e antigen; arb.num.(proc.) = ?
P—Erythrocyte M antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte M antigen;	Erythrocyte M^G antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20342	NPU20729
Ercs(B)—Erythrocyte M antigen; arb.num.(proc.) = ?	P—Erythrocyte M ^G antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte M^c antibody;	Erythrocyte M^G antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20719	NPU20730
P—Erythrocyte M ^c antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte M ^G antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte M^c antibody;	Erythrocyte M^G antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20720	arbitrary unit/litre
P—Erythrocyte M ^c antibody; arb.c.(37 °C; proc.) = ?	NPU21181
Plasma—	P—Erythrocyte M ^G antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte M^c antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte M^G antibody;
NPU21171	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte M ^c antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21182
Plasma—	P—Erythrocyte M ^G antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte M^c antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte M^G antibody;
NPU21172	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte M ^c antibody; arb.subst.c.(37 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU20350
Erythrocytes(Blood)—	Ercs(B)—Erythrocyte M ^G antigen; arb.num.(proc.) = ?
Erythrocyte M^c antigen;	
arbitrary number(procedure)	
NPU20345	
Ercs(B)—Erythrocyte M ^c antigen; arb.num.(proc.) = ?	
Plasma—	Plasma—
Erythrocyte M^e antibody;	Erythrocyte M^v antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20725	NPU20745
P—Erythrocyte M ^e antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte M ^v antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte M^e antibody;	Erythrocyte M^v antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20726	NPU20746
P—Erythrocyte M ^e antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte M ^v antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte M^e antibody;	Erythrocyte M^v antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21177	NPU21197
P—Erythrocyte M ^e antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte M ^v antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte M^e antibody;	Erythrocyte M^v antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21178	NPU21198
P—Erythrocyte M ^e antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte M ^v antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte M^e antibody;	Erythrocyte M^v antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20358
NPU21179	Ercs(B)—Erythrocyte M ^v antigen; arb.num.(proc.) = ?
P—Erythrocyte M ^e antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	

Plasma—	Plasma—
Erythrocyte MAR antibody; arbitrary concentration(20 °C; procedure) NPU20715 P—Erythrocyte MAR antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte McC^a antibody; arbitrary concentration(37 °C; procedure) NPU20722 P—Erythrocyte McC ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte MAR antibody; arbitrary concentration(37 °C; procedure) NPU20716 P—Erythrocyte MAR antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte McC^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21173 P—Erythrocyte McC ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte MAR antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21167 P—Erythrocyte MAR antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte McC^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21174 P—Erythrocyte McC ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte MAR antigen; arbitrary number(procedure) NPU20343 Ercs(B)—Erythrocyte MAR antigen; arb.num.(proc.) = ?	Erythrocyte McC^a antigen; arbitrary number(procedure) NPU20346 Ercs(B)—Erythrocyte McC ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte MARS antibody; arbitrary concentration(20 °C; procedure) NPU20717 P—Erythrocyte MARS antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte McC^b antibody; arbitrary concentration(20 °C; procedure) NPU20723 P—Erythrocyte McC ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte MARS antibody; arbitrary concentration(37 °C; procedure) NPU20718 P—Erythrocyte MARS antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte McC^b antibody; arbitrary concentration(37 °C; procedure) NPU20724 P—Erythrocyte McC ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte MARS antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21169 P—Erythrocyte MARS antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte McC^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21175 P—Erythrocyte McC ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte MARS antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21170 P—Erythrocyte MARS antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte McC^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21176 P—Erythrocyte McC ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte MARS antigen; arbitrary number(procedure) NPU20344 Ercs(B)—Erythrocyte MARS antigen; arb.num.(proc.) = ?	Erythrocyte McC^b antigen; arbitrary number(procedure) NPU20347 Ercs(B)—Erythrocyte McC ^b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte McC^a antibody; arbitrary concentration(20 °C; procedure) NPU20721 P—Erythrocyte McC ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte MER2 antibody; arbitrary concentration(20 °C; procedure) NPU20727 P—Erythrocyte MER2 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
	Erythrocyte MER2 antibody; arbitrary concentration(37 °C; procedure) NPU20728 P—Erythrocyte MER2 antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte MER2 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21179 P—Erythrocyte MER2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte MINY antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21186 P—Erythrocyte MINY antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte MER2 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21180 P—Erythrocyte MER2 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte MINY antigen; arbitrary number(procedure) NPU20352 Ercs(B)—Erythrocyte MINY antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte MER2 antigen; arbitrary number(procedure) NPU20349 Ercs(B)—Erythrocyte MER2 antigen; arb.num.(proc.) = ?	Erythrocyte Mit antibody; arbitrary concentration(20 °C; procedure) NPU20735 P—Erythrocyte Mit antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mi^a antibody; arbitrary concentration(20 °C; procedure) NPU20731 P—Erythrocyte Mi ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Mit antibody; arbitrary concentration(37 °C; procedure) NPU20736 P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mi^a antibody; arbitrary concentration(37 °C; procedure) NPU20732 P—Erythrocyte Mi ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Mit antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21187 P—Erythrocyte Mit antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Mi^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21183 P—Erythrocyte Mi ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Mit antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21188 P—Erythrocyte Mit antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Mi^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21184 P—Erythrocyte Mi ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Mit antigen; arbitrary number(procedure) NPU20353 Ercs(B)—Erythrocyte Mit antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Mo^a antibody; arbitrary concentration(20 °C; procedure) NPU20737 P—Erythrocyte Mo ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Mo^a antibody; arbitrary concentration(20 °C; procedure) NPU20737 P—Erythrocyte Mo ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mo^a antibody; arbitrary concentration(37 °C; procedure) NPU20738 P—Erythrocyte Mo ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Mo^a antibody; arbitrary concentration(37 °C; procedure) NPU20738 P—Erythrocyte Mo ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mo^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21189 P—Erythrocyte Mo ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Mo^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21190 P—Erythrocyte Mo ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Mo^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21190 P—Erythrocyte Mo ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Mo^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21190 P—Erythrocyte Mo ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Mo^a antigen;	Erythrocyte MUT antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20354	NPU20743
Ercs(B)—Erythrocyte Mo ^a antigen; arb.num.(proc.) = ?	P—Erythrocyte MUT antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mt^a antibody;	Erythrocyte MUT antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20739	NPU20744
P—Erythrocyte Mt ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte MUT antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mt^a antibody;	Erythrocyte MUT antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20740	arbitrary unit/litre
P—Erythrocyte Mt ^a antibody; arb.c.(37 °C; proc.) = ?	NPU21195
Plasma—	P—Erythrocyte MUT antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Mt^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte MUT antibody;
NPU21191	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Mt ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21196
P—Erythrocyte Mt ^a antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte MUT antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Mt^a antigen;	Erythrocyte MUT antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20355	NPU20357
Ercs(B)—Erythrocyte Mt ^a antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte MUT antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Mur antibody;	Erythrocyte N antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20741	NPU20747
P—Erythrocyte Mur antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte N antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mur antibody;	Erythrocyte N antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20742	NPU20748
P—Erythrocyte Mur antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte N antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Mur antibody;	Erythrocyte N antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21193	NPU21199
P—Erythrocyte Mur antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte N antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte Mur antibody;	Erythrocyte N antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21194	NPU21200
P—Erythrocyte Mur antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte N antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Mur antigen;	Erythrocyte N antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20356	NPU20359
Ercs(B)—Erythrocyte Mur antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte N antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte NFLD antibody;	Erythrocyte NFLD antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20749	NPU20749
P—Erythrocyte NFLD antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte NFLD antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte NFLD antibody; arbitrary concentration(37 °C; procedure) NPU20750 P—Erythrocyte NFLD antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Nou antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21205 P—Erythrocyte Nou antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte NFLD antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21201 P—Erythrocyte NFLD antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Nou antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21206 P—Erythrocyte Nou antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte NFLD antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21202 P—Erythrocyte NFLD antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Nou antigen; arbitrary number(procedure) NPU20362 Ercs(B)—Erythrocyte Nou antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Ny^a antibody; arbitrary concentration(20 °C; procedure) NPU20751 P—Erythrocyte Ny ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ny^a antibody; arbitrary concentration(20 °C; procedure) NPU20755 P—Erythrocyte Ny ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ny^a antibody; arbitrary concentration(37 °C; procedure) NPU20752 P—Erythrocyte Ny ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ny^a antibody; arbitrary concentration(37 °C; procedure) NPU20756 P—Erythrocyte Ny ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ny^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21203 P—Erythrocyte Ny ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ny^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21207 P—Erythrocyte Ny ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Ny^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21204 P—Erythrocyte Ny ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Ny^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21208 P—Erythrocyte Ny ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Ny^a antigen; arbitrary number(procedure) NPU20361 Ercs(B)—Erythrocyte Ny ^a antigen; arb.num.(proc.) = ?	Erythrocyte Ny^a antigen; arbitrary number(procedure) NPU20363 Ercs(B)—Erythrocyte Ny ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Ok^a antibody; arbitrary concentration(20 °C; procedure) NPU20757 P—Erythrocyte Ok ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Ok^a antibody; arbitrary concentration(20 °C; procedure) NPU20757 P—Erythrocyte Ok ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ok^a antibody; arbitrary concentration(37 °C; procedure) NPU20758 P—Erythrocyte Ok ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Ok^a antibody; arbitrary concentration(37 °C; procedure) NPU20758 P—Erythrocyte Ok ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Ok^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21209 P—Erythrocyte Ok ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ok^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21209 P—Erythrocyte Ok ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte Ok^a antibody;	Erythrocyte Os^a antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20366
NPU21210	Ercs(B)—Erythrocyte Os ^a antigen; arb.num.(proc.) = ?
P—Erythrocyte Ok ^a antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Ok^a antigen;	Erythrocyte P1 antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20364	NPU20763
Ercs(B)—Erythrocyte Ok ^a antigen; arb.num.(proc.) = ?	P—Erythrocyte P1 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Or antibody;	Erythrocyte P1 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20759	NPU20764
P—Erythrocyte Or antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte P1 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Or antibody;	Erythrocyte P1 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20760	arbitrary unit/litre
P—Erythrocyte Or antibody; arb.c.(37 °C; proc.) = ?	NPU21215
Plasma—	P—Erythrocyte P1 antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Or antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte P1 antibody;
NPU21211	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Or antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21216
Plasma—	P—Erythrocyte P1 antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Or antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte P1 antigen;
NPU21212	arbitrary number(procedure)
P—Erythrocyte Or antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20367
arb.unit/l	Ercs(B)—Erythrocyte P1 antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Or antigen;	Erythrocyte Rb^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20365	NPU20765
Ercs(B)—Erythrocyte Or antigen; arb.num.(proc.) = ?	P—Erythrocyte Rb ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Os^a antibody;	Erythrocyte Rb^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20761	NPU20766
P—Erythrocyte Os ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Rb ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Os^a antibody;	Erythrocyte Rb^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20762	arbitrary unit/litre
P—Erythrocyte Os ^a antibody; arb.c.(37 °C; proc.) = ?	NPU21217
Plasma—	P—Erythrocyte Rb ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Os^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Rb^a antibody;
NPU21213	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Os ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21218
Plasma—	P—Erythrocyte Rb ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Os^a antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Rb^a antigen;
NPU21214	arbitrary number(procedure)
P—Erythrocyte Os ^a antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20368
arb.unit/l	Ercs(B)—Erythrocyte Rb ^a antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte Rg1 antibody; arbitrary concentration(20 °C; procedure) NPU20767 P—Erythrocyte Rg1 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Rh29 antibody; arbitrary concentration(37 °C; procedure) NPU20772 P—Erythrocyte Rh29 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rg1 antibody; arbitrary concentration(37 °C; procedure) NPU20768 P—Erythrocyte Rg1 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Rh29 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21223 P—Erythrocyte Rh29 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Rg1 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21219 P—Erythrocyte Rg1 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Rh29 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21224 P—Erythrocyte Rh29 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Rg1 antigen; arbitrary number(procedure) NPU20369 Ercs(B)—Erythrocyte Rg1 antigen; arb.num.(proc.) = ?	Erythrocyte Rh29 antigen; arbitrary number(procedure) NPU20371 Ercs(B)—Erythrocyte Rh29 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Rg2 antibody; arbitrary concentration(20 °C; procedure) NPU20769 P—Erythrocyte Rg2 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Rh32 antibody; arbitrary concentration(20 °C; procedure) NPU20773 P—Erythrocyte Rh32 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rg2 antibody; arbitrary concentration(37 °C; procedure) NPU20770 P—Erythrocyte Rg2 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Rh32 antibody; arbitrary concentration(37 °C; procedure) NPU20774 P—Erythrocyte Rh32 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rg2 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21221 P—Erythrocyte Rg2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Rh32 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21225 P—Erythrocyte Rh32 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Rg2 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21222 P—Erythrocyte Rg2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Rh32 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21226 P—Erythrocyte Rh32 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Rg2 antigen; arbitrary number(procedure) NPU20370 Ercs(B)—Erythrocyte Rg2 antigen; arb.num.(proc.) = ?	Erythrocyte Rh32 antigen; arbitrary number(procedure) NPU20372 Ercs(B)—Erythrocyte Rh32 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh29 antibody; arbitrary concentration(20 °C; procedure) NPU20771 P—Erythrocyte Rh29 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Rh33 antibody; arbitrary concentration(20 °C; procedure) NPU20775 P—Erythrocyte Rh33 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh29 antibody; arbitrary concentration(37 °C; procedure) NPU20776 P—Erythrocyte Rh29 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Rh33 antibody; arbitrary concentration(37 °C; procedure) NPU20776 P—Erythrocyte Rh33 antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Rh33 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21227 P—Erythrocyte Rh33 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Rh39 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21232 P—Erythrocyte Rh39 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Rh33 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21228 P—Erythrocyte Rh33 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Rh39 antigen; arbitrary number(procedure) NPU20375 Ercs(B)—Erythrocyte Rh39 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh35 antibody; arbitrary concentration(20 °C; procedure) NPU20777 P—Erythrocyte Rh35 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Rh41 antibody; arbitrary concentration(20 °C; procedure) NPU20781 P—Erythrocyte Rh41 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh35 antibody; arbitrary concentration(37 °C; procedure) NPU20778 P—Erythrocyte Rh35 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Rh41 antibody; arbitrary concentration(37 °C; procedure) NPU20782 P—Erythrocyte Rh41 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh35 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21229 P—Erythrocyte Rh35 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Rh41 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21233 P—Erythrocyte Rh41 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Rh35 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21230 P—Erythrocyte Rh35 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Rh41 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21234 P—Erythrocyte Rh41 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte Rh35 antigen; arbitrary number(procedure) NPU20374 Ercs(B)—Erythrocyte Rh35 antigen; arb.num.(proc.) = ?	Erythrocyte Rh41 antigen; arbitrary number(procedure) NPU20376 Ercs(B)—Erythrocyte Rh41 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh39 antibody; arbitrary concentration(20 °C; procedure) NPU20779 P—Erythrocyte Rh39 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Rh42 antibody; arbitrary concentration(20 °C; procedure) NPU20783 P—Erythrocyte Rh42 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh39 antibody; arbitrary concentration(37 °C; procedure) NPU20780 P—Erythrocyte Rh39 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Rh42 antibody; arbitrary concentration(37 °C; procedure) NPU20784 P—Erythrocyte Rh42 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Rh39 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21231 P—Erythrocyte Rh39 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Rh42 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21235 P—Erythrocyte Rh42 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
	Plasma—
	Erythrocyte Rh42 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21236 P—Erythrocyte Rh42 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Rh42 antigen;	Erythrocyte S antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20377	NPU20789
Ercs(B)—Erythrocyte Rh42 antigen; arb.num.(proc.) = ?	P—Erythrocyte S antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte R^a antibody;	Erythrocyte s antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20785	NPU20790
P—Erythrocyte R ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte s antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte R^a antibody;	Erythrocyte S antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20786	NPU20791
P—Erythrocyte R ^a antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte S antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte R^a antibody;	Erythrocyte s antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
arbitrary unit/litre	NPU20792
NPU21237	P—Erythrocyte s antibody; arb.c.(37 °C; proc.) = ?
P—Erythrocyte R ^a antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
Erythrocyte R^a antibody;	Erythrocyte S antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21238	NPU21241
P—Erythrocyte R ^a antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte S antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Plasma—
Erythrocyte R^a antigen;	Erythrocyte s antibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20378	arbitrary unit/litre
Ercs(B)—Erythrocyte R ^a antigen; arb.num.(proc.) = ?	NPU21242
	P—Erythrocyte s antibody; arb.subst.c.(20 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte Riv antibody;	Erythrocyte S antibody;
arbitrary concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
NPU20787	arbitrary unit/litre
P—Erythrocyte Riv antibody; arb.c.(20 °C; proc.) = ?	NPU21243
	P—Erythrocyte S antibody; arb.subst.c.(37 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte Riv antibody;	Erythrocyte s antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
NPU20788	arbitrary unit/litre
P—Erythrocyte Riv antibody; arb.c.(37 °C; proc.) = ?	NPU21244
	P—Erythrocyte s antibody; arb.subst.c.(37 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte Riv antibody;	Erythrocyte S antigen;
arbitrary substance concentration(20 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20380
NPU21239	Ercs(B)—Erythrocyte S antigen; arb.num.(proc.) = ?
P—Erythrocyte Riv antibody; arb.subst.c.(20 °C; proc.) = ?	
arb.unit/l	
Plasma—	Erythrocytes(Blood)—
Erythrocyte Riv antibody;	Erythrocyte S antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20381
NPU21240	Ercs(B)—Erythrocyte s antigen; arb.num.(proc.) = ?
P—Erythrocyte Riv antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Riv antigen;	Erythrocyte s^D antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20379	NPU20801
Ercs(B)—Erythrocyte Riv antigen; arb.num.(proc.) = ?	P—Erythrocyte s ^D antibody; arb.c.(20 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte s^D antibody;	Erythrocyte Sc1 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20802	NPU21247
P—Erythrocyte s ^D antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte Sc1 antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte s^D antibody;	Erythrocyte Sc1 antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21253	NPU21248
P—Erythrocyte s ^D antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Sc1 antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte s^D antibody;	Erythrocyte Sc1 antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20383
NPU21254	Ercs(B)—Erythrocyte Sc1 antigen; arb.num.(proc.) = ?
P—Erythrocyte s ^D antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte s^D antigen;	Erythrocyte Sc2 antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20386	NPU20797
Ercs(B)—Erythrocyte s ^D antigen; arb.num.(proc.) = ?	P—Erythrocyte Sc2 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte SAT antibody;	Erythrocyte Sc2 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20793	NPU20798
P—Erythrocyte SAT antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Sc2 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte SAT antibody;	Erythrocyte Sc2 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20794	arbitrary unit/litre
P—Erythrocyte SAT antibody; arb.c.(37 °C; proc.) = ?	NPU21249
	P—Erythrocyte Sc2 antibody; arb.subst.c.(20 °C; proc.) = ?
	arb.unit/l
Plasma—	Plasma—
Erythrocyte SAT antibody;	Erythrocyte Sc2 antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21245	NPU21250
P—Erythrocyte SAT antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Sc2 antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte SAT antibody;	Erythrocyte Sc2 antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20384
NPU21246	Ercs(B)—Erythrocyte Sc2 antigen; arb.num.(proc.) = ?
P—Erythrocyte SAT antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte SAT antigen;	Erythrocyte Sc3 antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20382	NPU20799
Ercs(B)—Erythrocyte SAT antigen; arb.num.(proc.) = ?	P—Erythrocyte Sc3 antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Sc1 antibody;	Erythrocyte Sc3 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20795	NPU20800
P—Erythrocyte Sc1 antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Sc3 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Sc1 antibody;	Erythrocyte Sc3 antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20796	arbitrary unit/litre
P—Erythrocyte Sc1 antibody; arb.c.(37 °C; proc.) = ?	NPU21251
	P—Erythrocyte Sc3 antibody; arb.subst.c.(20 °C; proc.) = ?
	arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte Sc3 antibody;	Erythrocyte Si^a antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20388
NPU21252	Ercs(B)—Erythrocyte Si ^a antigen; arb.num.(proc.) = ?
P—Erythrocyte Sc3 antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Sc3 antigen;	Erythrocyte St^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20385	NPU20807
Ercs(B)—Erythrocyte Sc3 antigen; arb.num.(proc.) = ?	P—Erythrocyte St ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Sec antibody;	Erythrocyte St^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20803	NPU20808
P—Erythrocyte Sec antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte St ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Sec antibody;	Erythrocyte St^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20804	arbitrary unit/litre
P—Erythrocyte Sec antibody; arb.c.(37 °C; proc.) = ?	NPU21259
Plasma—	P—Erythrocyte St ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Sec antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte St^a antibody;
NPU21255	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Sec antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21260
Plasma—	P—Erythrocyte St ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Sec antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte St^a antibody;
NPU21256	arbitrary number(procedure)
P—Erythrocyte Sec antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20389
arb.unit/l	Ercs(B)—Erythrocyte St ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Sec antigen;	Erythrocyte STEM antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20387	NPU20809
Ercs(B)—Erythrocyte Sec antigen; arb.num.(proc.) = ?	P—Erythrocyte STEM antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Si^a antibody;	Erythrocyte STEM antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20805	NPU20810
P—Erythrocyte Si ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte STEM antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Si^a antibody;	Erythrocyte STEM antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20806	arbitrary unit/litre
P—Erythrocyte Si ^a antibody; arb.c.(37 °C; proc.) = ?	NPU21261
Plasma—	P—Erythrocyte STEM antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Si^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte STEM antibody;
NPU21257	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Si ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21262
Plasma—	P—Erythrocyte STEM antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Si^a antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte STEM antigen;
NPU21258	arbitrary number(procedure)
P—Erythrocyte Si ^a antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20390
arb.unit/l	Ercs(B)—Erythrocyte STEM antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte Sw^a antibody; arbitrary concentration(20 °C; procedure) NPU20813 P—Erythrocyte Sw ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Tar antibody; arbitrary concentration(37 °C; procedure) NPU20816 P—Erythrocyte Tar antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Sw^a antibody; arbitrary concentration(37 °C; procedure) NPU20814 P—Erythrocyte Sw ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Tar antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21267 P—Erythrocyte Tar antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Sw^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21265 P—Erythrocyte Sw ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Tar antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21268 P—Erythrocyte Tar antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Sw^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21266 P—Erythrocyte Sw ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Tar antigen; arbitrary number(procedure) NPU20393 Ercs(B)—Erythrocyte Tar antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Sw^a antigen; arbitrary number(procedure) NPU20392 Ercs(B)—Erythrocyte Sw ^a antigen; arb.num.(proc.) = ?	Erythrocyte Tc^a antibody; arbitrary concentration(20 °C; procedure) NPU20817 P—Erythrocyte Tc ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte SW1 antibody; arbitrary concentration(20 °C; procedure) NPU20811 P—Erythrocyte SW1 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Tc^a antibody; arbitrary concentration(37 °C; procedure) NPU20818 P—Erythrocyte Tc ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte SW1 antibody; arbitrary concentration(37 °C; procedure) NPU20812 P—Erythrocyte SW1 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Tc^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21269 P—Erythrocyte Tc ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte SW1 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21263 P—Erythrocyte SW1 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Tc^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21270 P—Erythrocyte Tc ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte SW1 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21264 P—Erythrocyte SW1 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Tc^a antigen; arbitrary number(procedure) NPU20394 Ercs(B)—Erythrocyte Tc ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte SW1 antigen; arbitrary number(procedure) NPU20391 Ercs(B)—Erythrocyte SW1 antigen; arb.num.(proc.) = ?	Erythrocyte Tc^b antibody; arbitrary concentration(20 °C; procedure) NPU20819 P—Erythrocyte Tc ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Tar antibody; arbitrary concentration(20 °C; procedure) NPU20815 P—Erythrocyte Tar antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Tc^b antibody; arbitrary concentration(37 °C; procedure) NPU20820 P—Erythrocyte Tc ^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Tc^bantibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21271 P—Erythrocyte Tc ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte TOU antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21276 P—Erythrocyte TOU antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Tc^bantibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21272 P—Erythrocyte Tc ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte TOU antigen; arbitrary number(procedure) NPU20397 Ercs(B)—Erythrocyte TOU antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Tc^bantigen; arbitrary number(procedure) NPU20395 Ercs(B)—Erythrocyte Tc ^b antigen; arb.num.(proc.) = ?	Erythrocyte Tr^a antibody; arbitrary concentration(20 °C; procedure) NPU20825 P—Erythrocyte Tr ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Tc^c antibody; arbitrary concentration(20 °C; procedure) NPU20821 P—Erythrocyte Tc ^c antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Tr^a antibody; arbitrary concentration(37 °C; procedure) NPU20826 P—Erythrocyte Tr ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Tc^c antibody; arbitrary concentration(37 °C; procedure) NPU20822 P—Erythrocyte Tc ^c antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Tr^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21277 P—Erythrocyte Tr ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Tc^c antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21273 P—Erythrocyte Tc ^c antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Tr^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21278 P—Erythrocyte Tr ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Tc^c antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21274 P—Erythrocyte Tc ^c antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Tr^a antigen; arbitrary number(procedure) NPU20398 Ercs(B)—Erythrocyte Tr ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Tc^c antigen; arbitrary number(procedure) NPU20396 Ercs(B)—Erythrocyte Tc ^c antigen; arb.num.(proc.) = ?	Erythrocyte TSEN antibody; arbitrary concentration(20 °C; procedure) NPU20827 P—Erythrocyte TSEN antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte TOU antibody; arbitrary concentration(20 °C; procedure) NPU20823 P—Erythrocyte TOU antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte TSEN antibody; arbitrary concentration(37 °C; procedure) NPU20828 P—Erythrocyte TSEN antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte TOU antibody; arbitrary concentration(37 °C; procedure) NPU20824 P—Erythrocyte TOU antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte TSEN antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21279 P—Erythrocyte TSEN antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte TOU antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21275 P—Erythrocyte TOU antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte TSEN antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21280 P—Erythrocyte TSEN antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte TSEN antigen;	Erythrocyte UMC antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20399	NPU20833
Ercs(B)—Erythrocyte TSEN antigen; arb.num.(proc.) = ?	P—Erythrocyte UMC antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte U antibody;	Erythrocyte UMC antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20829	NPU20834
P—Erythrocyte U antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte UMC antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte U antibody;	Erythrocyte UMC antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20830	arbitrary unit/litre
P—Erythrocyte U antibody; arb.c.(37 °C; proc.) = ?	NPU21285
Plasma—	P—Erythrocyte UMC antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte U antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte UMC antibody;
NPU21281	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte U antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21286
P—Erythrocyte U antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte UMC antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte U antigen;	Erythrocyte UMC antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20400	NPU20402
Ercs(B)—Erythrocyte U antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte UMC antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte UI^a antibody;	Erythrocyte V antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20831	NPU20835
P—Erythrocyte UI ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte V antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte UI^a antibody;	Erythrocyte V antibody;
arbitrary concentration(37 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20832	NPU20836
P—Erythrocyte UI ^a antibody; arb.c.(37 °C; proc.) = ?	P—Erythrocyte V antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte UI^a antibody;	Erythrocyte V antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21283	NPU21287
P—Erythrocyte UI ^a antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte V antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
Erythrocyte UI^a antibody;	Erythrocyte V antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21284	NPU21288
P—Erythrocyte UI ^a antibody; arb.subst.c.(37 °C; proc.) = ?	P—Erythrocyte V antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Erythrocyte UI^a antigen;	Erythrocyte V antigen;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20401	NPU20403
Ercs(B)—Erythrocyte UI ^a antigen; arb.num.(proc.) = ?	Ercs(B)—Erythrocyte V antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Vg^a antibody;	Erythrocyte Vg^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(20 °C; procedure)
NPU20837	NPU20837
P—Erythrocyte Vg ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Vg ^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte Vg^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20838
P—Erythrocyte Vg^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—
Erythrocyte Vg^a antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21289
P—Erythrocyte Vg^a antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—
Erythrocyte Vg^a antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21290
P—Erythrocyte Vg^a antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Vg^a antigen;
arbitrary number(procedure)
NPU20404
Ercs(B)—Erythrocyte Vg^a antigen; arb.num.(proc.) = ?

Plasma—
Erythrocyte Vil antibody;
arbitrary concentration(20 °C; procedure)
NPU20839
P—Erythrocyte Vil antibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte Vil antibody;
arbitrary concentration(37 °C; procedure)
NPU20840
P—Erythrocyte Vil antibody; arb.c.(37 °C; proc.) = ?

Plasma—
Erythrocyte Vil antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21291
P—Erythrocyte Vil antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—
Erythrocyte Vil antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21292
P—Erythrocyte Vil antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Vil antigen;
arbitrary number(procedure)
NPU20405
Ercs(B)—Erythrocyte Vil antigen; arb.num.(proc.) = ?

Plasma—
Erythrocyte VLAN antibody;
arbitrary concentration(20 °C; procedure)
NPU20841
P—Erythrocyte VLAN antibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte VLAN antibody;
arbitrary concentration(37 °C; procedure)
NPU20842
P—Erythrocyte VLAN antibody; arb.c.(37 °C; proc.) = ?

Plasma—
Erythrocyte VLAN antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21293
P—Erythrocyte VLAN antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—
Erythrocyte VLAN antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21294
P—Erythrocyte VLAN antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—
Erythrocyte VLAN antigen;
arbitrary number(procedure)
NPU20406
Ercs(B)—Erythrocyte VLAN antigen; arb.num.(proc.) = ?

Plasma—
Erythrocyte Vr antibody;
arbitrary concentration(20 °C; procedure)
NPU20843
P—Erythrocyte Vr antibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte Vr antibody;
arbitrary concentration(37 °C; procedure)
NPU20844
P—Erythrocyte Vr antibody; arb.c.(37 °C; proc.) = ?

Plasma—
Erythrocyte Vr antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21295
P—Erythrocyte Vr antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—
Erythrocyte Vr antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21296
P—Erythrocyte Vr antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Vr antigen;
arbitrary number(procedure)
NPU20407
Ercs(B)—Erythrocyte Vr antigen; arb.num.(proc.) = ?

Plasma—
Erythrocyte VS antibody;
arbitrary concentration(20 °C; procedure)
NPU20845
P—Erythrocyte VS antibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte VS antibody;
arbitrary concentration(37 °C; procedure)
NPU20846
P—Erythrocyte VS antibody; arb.c.(37 °C; proc.) = ?

Plasma—
Erythrocyte VS antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21297
P—Erythrocyte VS antibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—	Erythrocytes(Blood)—
Erythrocyte VS antibody;	Erythrocyte WARR antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20410
NPU21298	Ercs(B)—Erythrocyte WARR antigen; arb.num.(proc.) = ?
P—Erythrocyte VS antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte VS antigen;	Erythrocyte Wb antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20408	NPU20851
Ercs(B)—Erythrocyte VS antigen; arb.num.(proc.) = ?	P—Erythrocyte Wb antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Vw antibody;	Erythrocyte Wb antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20847	NPU20852
P—Erythrocyte Vw antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Wb antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Vw antibody;	Erythrocyte Wb antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20848	arbitrary unit/litre
P—Erythrocyte Vw antibody; arb.c.(37 °C; proc.) = ?	NPU21303
Plasma—	P—Erythrocyte Wb antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Vw antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Wb antibody;
NPU21299	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Vw antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21304
Plasma—	P—Erythrocyte Wb antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Vw antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Wb antigen;
NPU21300	arbitrary number(procedure)
P—Erythrocyte Vw antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20411
arb.unit/l	Ercs(B)—Erythrocyte Wb antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Vw antigen;	Erythrocyte Wd^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20409	NPU20853
Ercs(B)—Erythrocyte Vw antigen; arb.num.(proc.) = ?	P—Erythrocyte Wd ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte WARR antibody;	Erythrocyte Wd^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20849	NPU20854
P—Erythrocyte WARR antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Wd ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte WARR antibody;	Erythrocyte Wd^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20850	arbitrary unit/litre
P—Erythrocyte WARR antibody; arb.c.(37 °C; proc.) = ?	NPU21305
Plasma—	P—Erythrocyte Wd ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte WARR antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Wd^a antibody;
NPU21301	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte WARR antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21306
Plasma—	P—Erythrocyte Wd ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte WARR antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Wd^a antigen;
NPU21302	arbitrary number(procedure)
P—Erythrocyte WARR antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20412
arb.unit/l	Ercs(B)—Erythrocyte Wd ^a antigen; arb.num.(proc.) = ?

Plasma—	Plasma—
Erythrocyte WES^a antibody; arbitrary concentration(20 °C; procedure) NPU20855 P—Erythrocyte WES ^a antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte WH antibody; arbitrary concentration(37 °C; procedure) NPU20860 P—Erythrocyte WH antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte WES^a antibody; arbitrary concentration(37 °C; procedure) NPU20856 P—Erythrocyte WES ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte WH antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21311 P—Erythrocyte WH antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte WES^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21307 P—Erythrocyte WES ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte WH antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21312 P—Erythrocyte WH antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte WES^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21308 P—Erythrocyte WES ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte WH antigen; arbitrary number(procedure) NPU20415 Ercs(B)—Erythrocyte WH antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte WES^a antigen; arbitrary number(procedure) NPU20413 Ercs(B)—Erythrocyte WES ^a antigen; arb.num.(proc.) = ?	Erythrocyte Wr^a antibody; arbitrary concentration(20 °C; procedure) NPU20861 P—Erythrocyte Wr ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte WES^b antibody; arbitrary concentration(20 °C; procedure) NPU20857 P—Erythrocyte WES ^b antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Wr^a antibody; arbitrary concentration(37 °C; procedure) NPU20862 P—Erythrocyte Wr ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte WES^b antibody; arbitrary concentration(37 °C; procedure) NPU20858 P—Erythrocyte WES ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Wr^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21313 P—Erythrocyte Wr ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte WES^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21309 P—Erythrocyte WES ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Wr^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21314 P—Erythrocyte Wr ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte WES^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21310 P—Erythrocyte WES ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Wr^a antigen; arbitrary number(procedure) NPU20416 Ercs(B)—Erythrocyte Wr ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte WES^b antigen; arbitrary number(procedure) NPU20414 Ercs(B)—Erythrocyte WES ^b antigen; arb.num.(proc.) = ?	Erythrocyte Wr^b antibody; arbitrary concentration(20 °C; procedure) NPU20863 P—Erythrocyte Wr ^b antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte WH antibody; arbitrary concentration(20 °C; procedure) NPU20859 P—Erythrocyte WH antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Wr^b antibody; arbitrary concentration(37 °C; procedure) NPU20864 P—Erythrocyte Wr ^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—	Plasma—
Erythrocyte Wr^bantibody;	Erythrocyte Xg^a antibody;
arbitrary substance concentration(20 °C; procedure)	arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21315	NPU21320
P—Erythrocyte Wr ^b antibody; arb.subst.c.(20 °C; proc.) = ?	P—Erythrocyte Xg ^a antibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Wr^bantibody;	Erythrocyte Xg^a antigen;
arbitrary substance concentration(37 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20419
NPU21316	Ercs(B)—Erythrocyte Xg ^a antigen; arb.num.(proc.) = ?
P—Erythrocyte Wr ^b antibody; arb.subst.c.(37 °C; proc.) = ?	
arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte Wr^bantigen;	Erythrocyte Yk^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20417	NPU20869
Ercs(B)—Erythrocyte Wr ^b antigen; arb.num.(proc.) = ?	P—Erythrocyte Yk ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Wu antibody;	Erythrocyte Yk^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20865	NPU20870
P—Erythrocyte Wu antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Yk ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Wu antibody;	Erythrocyte Yk^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20866	arbitrary unit/litre
P—Erythrocyte Wu antibody; arb.c.(37 °C; proc.) = ?	NPU21321
Plasma—	P—Erythrocyte Yk ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Wu antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Yk^a antibody;
NPU21317	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Wu antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21322
Plasma—	P—Erythrocyte Yk ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Wu antibody;	arb.unit/l
arbitrary substance concentration(37 °C; procedure)	Erythrocytes(Blood)—
arbitrary unit/litre	Erythrocyte Yk^a antigen;
NPU21318	arbitrary number(procedure)
P—Erythrocyte Wu antibody; arb.subst.c.(37 °C; proc.) = ?	NPU20420
arb.unit/l	Ercs(B)—Erythrocyte Yk ^a antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Wu antigen;	Erythrocyte Yt^a antibody;
arbitrary number(procedure)	arbitrary concentration(20 °C; procedure)
NPU20418	NPU20871
Ercs(B)—Erythrocyte Wu antigen; arb.num.(proc.) = ?	P—Erythrocyte Yt ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Xg^a antibody;	Erythrocyte Yt^a antibody;
arbitrary concentration(20 °C; procedure)	arbitrary concentration(37 °C; procedure)
NPU20867	NPU20872
P—Erythrocyte Xg ^a antibody; arb.c.(20 °C; proc.) = ?	P—Erythrocyte Yt ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Xg^a antibody;	Erythrocyte Yt^a antibody;
arbitrary concentration(37 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20868	arbitrary unit/litre
P—Erythrocyte Xg ^a antibody; arb.c.(37 °C; proc.) = ?	NPU21323
Plasma—	P—Erythrocyte Yt ^a antibody; arb.subst.c.(20 °C; proc.) = ?
Erythrocyte Xg^a antibody;	arb.unit/l
arbitrary substance concentration(20 °C; procedure)	Plasma—
arbitrary unit/litre	Erythrocyte Yt^a antibody;
NPU21319	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Xg ^a antibody; arb.subst.c.(20 °C; proc.) = ?	arbitrary unit/litre
arb.unit/l	NPU21324
Plasma—	P—Erythrocyte Yt ^a antibody; arb.subst.c.(37 °C; proc.) = ?
Erythrocyte Xg^a antibody;	arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Yt^a antigen;
arbitrary number(procedure)
NPU20421
Ercs(B)—Erythrocyte Yt^a antigen; arb.num.(proc.) = ?

Plasma—
Erythrocyte Yt^bantibody;
arbitrary concentration(20 °C; procedure)
NPU20873
P—Erythrocyte Yt^bantibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte Yt^bantibody;
arbitrary concentration(37 °C; procedure)
NPU20874
P—Erythrocyte Yt^bantibody; arb.c.(37 °C; proc.) = ?

Plasma—
Erythrocyte Yt^bantibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21325
P—Erythrocyte Yt^bantibody; arb.subst.c.(20 °C; proc.) = ?
arb.unit/l

Plasma—
Erythrocyte Yt^bantibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21326
P—Erythrocyte Yt^bantibody; arb.subst.c.(37 °C; proc.) = ?
arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Yt^bantigen;
arbitrary number(procedure)
NPU20422
Ercs(B)—Erythrocyte Yt^bantigen; arb.num.(proc.) = ?

Erythrocytes(Blood)—
Erythrocytes;
compatibility(Plasma; donationID; absent present)
NPU21754
Ercs(B)—Erythrocytes; compatibility(P; donationID; absent present) = ?

Plasma—
HLA antibody;
arbitrary concentration(procedure)
NPU21366
P—HLA antibody; arb.c.(proc.) = ?

Plasma—
HLA class antibody;
taxon(list)
NPU21367
P—HLA class antibody; taxon(list)
NPU21368 P—HLA class I antibody; taxon(HLA-A HLA-B HLA-C antibody) = ?
NPU21369 P—HLA class II antibody; taxon(HLA-DR HLA-DQ HLA-DP antibody) = ?

Plasma—
HLA class I antibody;
number fraction(panel; procedure)
NPU21407
P—HLA class I antibody; num.fr.(panel; proc.) = ?

Plasma—
HLA class I antibody;
taxon(HLA-A HLA-B HLA-C antibody)
NPU21368
P—HLA class I antibody; taxon(HLA-A HLA-B HLA-C antibody) = ?

Leukocytes(Blood)—
HLA class I antigen;
taxon(list)
NPU21374
Lkcs(B)—HLA class I antigen; taxon(list)
NPU21375 Lkcs(B)—HLA-A antigen; taxon = ?
NPU21376 Lkcs(B)—HLA-B antigen; taxon = ?
NPU21377 Lkcs(B)—HLA-C antigen; taxon = ?

Plasma—
HLA class II antibody;
number fraction(panel; procedure)
NPU21408
P—HLA class II antibody; num.fr.(panel; proc.) = ?

Plasma—
HLA class II antibody;
taxon(HLA-DR HLA-DQ HLA-DP antibody)
NPU21369
P—HLA class II antibody; taxon(HLA-DR HLA-DQ HLA-DP antibody) = ?

Leukocytes(Blood)—
HLA class II antigen;
taxon(list)
NPU21384
Lkcs(B)—HLA class II antigen; taxon(list)
NPU21385 Lkcs(B)—HLA-DP antigen; taxon = ?
NPU21386 Lkcs(B)—HLA-DQ antigen; taxon = ?
NPU21387 Lkcs(B)—HLA-DR antigen; taxon = ?

Leukocytes(Blood)—
HLA-A antigen;
taxon
NPU21375
Lkcs(B)—HLA-A antigen; taxon = ?

Leukocytes(Blood)—
HLA-B antigen(B16);
arbitrary number(procedure)
NPU21370
Lkcs(B)—HLA-B antigen(B16); arb.num.(proc.) = ?

Leukocytes(Blood)—
HLA-B antigen(B27);
arbitrary number(procedure)
NPU21371
Lkcs(B)—HLA-B antigen(B27); arb.num.(proc.) = ?

Leukocytes(Blood)—
HLA-B antigen(B38);
arbitrary number(procedure)
NPU21372
Lkcs(B)—HLA-B antigen(B38); arb.num.(proc.) = ?

Leukocytes(Blood)—
HLA-B antigen(B39);
arbitrary number(procedure)
NPU21373
Lkcs(B)—HLA-B antigen(B39); arb.num.(proc.) = ?

Leukocytes(Blood)—
HLA-B antigen;
taxon
NPU21376
Lkcs(B)—HLA-B antigen; taxon = ?

Leukocytes(Blood)—
HLA-C antigen;
taxon
NPU21377
Lkcs(B)—HLA-C antigen; taxon = ?

Leukocytes(Blood)—	Plasma—
HLA-DP antigen;	HNA antibody;
taxon	arbitrary concentration(list; procedure)
NPU21385	NPU21764
Lkcs(B)—HLA-DP antigen; taxon = ?	P—HNA antibody; arb.c.(list; proc.)
Leukocytes(Blood)—	NPU21765 P—HNA-1a antibody; arb.c.(proc.) = ?
HLA-DQ antigen;	NPU21766 P—HNA-1b antibody; arb.c.(proc.) = ?
taxon	NPU21767 P—HNA-1c antibody; arb.c.(proc.) = ?
NPU21386	NPU21768 P—HNA-2a antibody; arb.c.(proc.) = ?
Lkcs(B)—HLA-DQ antigen; taxon = ?	NPU21769 P—HNA-3a antibody; arb.c.(proc.) = ?
Leukocytes(Blood)—	NPU21770 P—HNA-4a antibody; arb.c.(proc.) = ?
HLA-DR antigen;	NPU21771 P—HNA-5a antibody; arb.c.(proc.) = ?
taxon	
NPU21387	
Lkcs(B)—HLA-DR antigen; taxon = ?	
Plasma—	Plasma—
HNA antibody(Immunoglobulin A);	HNA antibody;
arbitrary concentration(list; procedure)	arbitrary substance concentration(procedure)
NPU21978	NPU21925
P—HNA antibody(IgA); arb.c.(list; proc.)	P—HNA antibody; arb.subst.c.(proc.) = ? arb.unit/l
NPU21979 P—HNA-1a antibody(IgA); arb.c.(proc.) = ?	
NPU21980 P—HNA-1b antibody(IgA); arb.c.(proc.) = ?	
NPU21981 P—HNA-1c antibody(IgA); arb.c.(proc.) = ?	
NPU21982 P—HNA-2a antibody(IgA); arb.c.(proc.) = ?	
NPU21983 P—HNA-3a antibody(IgA); arb.c.(proc.) = ?	
NPU21984 P—HNA-4a antibody(IgA); arb.c.(proc.) = ?	
NPU21985 P—HNA-5a antibody(IgA); arb.c.(proc.) = ?	
Plasma—	Plasma—
HNA antibody(Immunoglobulin A);	HNA antibody;
taxon	arbitrary unit/litre
NPU21923	NPU21921
P—HNA antibody(IgA); taxon = ?	P—HNA antibody; taxon = ?
Plasma—	Neutrophilocytes(Blood)—
HNA antibody(Immunoglobulin G);	HNA antigen;
arbitrary concentration(list; procedure)	arbitrary number(list; procedure)
NPU21962	NPU21772
P—HNA antibody(IgG); arb.c.(list; proc.)	Ntrcs(B)—HNA antigen; arb.num.(list; proc.)
NPU21963 P—HNA-1a antibody(IgG); arb.c.(proc.) = ?	NPU21773 Ntrcs(B)—HNA-1a antigen; arb.num.(proc.) = ?
NPU21964 P—HNA-1b antibody(IgG); arb.c.(proc.) = ?	NPU21774 Ntrcs(B)—HNA-1b antigen; arb.num.(proc.) = ?
NPU21965 P—HNA-1c antibody(IgG); arb.c.(proc.) = ?	NPU21775 Ntrcs(B)—HNA-1c antigen; arb.num.(proc.) = ?
NPU21966 P—HNA-2a antibody(IgG); arb.c.(proc.) = ?	NPU21776 Ntrcs(B)—HNA-2a antigen; arb.num.(proc.) = ?
NPU21967 P—HNA-3a antibody(IgG); arb.c.(proc.) = ?	NPU21777 Ntrcs(B)—HNA-3a antigen; arb.num.(proc.) = ?
NPU21968 P—HNA-4a antibody(IgG); arb.c.(proc.) = ?	NPU21778 Ntrcs(B)—HNA-4a antigen; arb.num.(proc.) = ?
NPU21969 P—HNA-5a antibody(IgG); arb.c.(proc.) = ?	NPU21779 Ntrcs(B)—HNA-5a antigen; arb.num.(proc.) = ?
Plasma—	Neutrophilocytes(Blood)—
HNA antibody(Immunoglobulin G);	HNA antigen;
taxon	taxon
NPU21922	NPU21920
P—HNA antibody(IgG); taxon = ?	Ntrcs(B)—HNA antigen; taxon = ?
Plasma—	Plasma—
HNA antibody(Immunoglobulin M);	HNA-1a antibody(Immunoglobulin A);
arbitrary concentration(list; procedure)	arbitrary concentration(procedure)
NPU21970	NPU21979
P—HNA antibody(IgM); arb.c.(list; proc.)	P—HNA-1a antibody(IgA); arb.c.(proc.) = ?
NPU21971 P—HNA-1a antibody(IgM); arb.c.(proc.) = ?	
NPU21972 P—HNA-1b antibody(IgM); arb.c.(proc.) = ?	
NPU21973 P—HNA-1c antibody(IgM); arb.c.(proc.) = ?	
NPU21974 P—HNA-2a antibody(IgM); arb.c.(proc.) = ?	
NPU21975 P—HNA-3a antibody(IgM); arb.c.(proc.) = ?	
NPU21976 P—HNA-4a antibody(IgM); arb.c.(proc.) = ?	
NPU21977 P—HNA-5a antibody(IgM); arb.c.(proc.) = ?	
Plasma—	Plasma—
HNA antibody(Immunoglobulin M);	HNA-1a antibody(Immunoglobulin A);
taxon	arbitrary substance concentration(procedure)
NPU21924	NPU21986
P—HNA antibody(IgM); taxon = ?	P—HNA-1a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HNA antibody(Immunoglobulin M);	HNA-1a antibody(Immunoglobulin G);
taxon	arbitrary concentration(procedure)
NPU21924	NPU21963
P—HNA antibody(IgM); taxon = ?	P—HNA-1a antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA antibody(Immunoglobulin G);	HNA-1a antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
NPU21987	NPU21987
P—HNA-1a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	P—HNA-1a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—	Plasma—
HNA-1a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21971 P—HNA-1a antibody(IgM); arb.c.(proc.) = ?	HNA-1b antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21993 P—HNA-1b antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Neutrophilocytes(Blood)—
HNA-1a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21988 P—HNA-1a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	HNA-1b antigen; arbitrary number(procedure) NPU21774 Ntrcs(B)—HNA-1b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HNA-1a antibody; arbitrary concentration(procedure) NPU21765 P—HNA-1a antibody; arb.c.(proc.) = ?	HNA-1c antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21981 P—HNA-1c antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-1a antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21989 P—HNA-1a antibody; arb.subst.c.(proc.) = ? arb.unit/l	HNA-1c antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21998 P—HNA-1c antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Neutrophilocytes(Blood)—	Plasma—
HNA-1a antigen; arbitrary number(procedure) NPU21773 Ntrcs(B)—HNA-1a antigen; arb.num.(proc.) = ?	HNA-1c antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21965 P—HNA-1c antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-1b antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21980 P—HNA-1b antibody(IgA); arb.c.(proc.) = ?	HNA-1c antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21999 P—HNA-1c antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HNA-1b antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21990 P—HNA-1b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	HNA-1c antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21973 P—HNA-1c antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-1b antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21964 P—HNA-1b antibody(IgG); arb.c.(proc.) = ?	HNA-1c antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22000 P—HNA-1c antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HNA-1b antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21991 P—HNA-1b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	HNA-1c antibody; arbitrary concentration(procedure) NPU21767 P—HNA-1c antibody; arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-1b antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21972 P—HNA-1b antibody(IgM); arb.c.(proc.) = ?	HNA-1c antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU22001 P—HNA-1c antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Neutrophilocytes(Blood)—
HNA-1b antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21992 P—HNA-1b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	HNA-1c antigen; arbitrary number(procedure) NPU21775 Ntrcs(B)—HNA-1c antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HNA-1b antibody; arbitrary concentration(procedure) NPU21766 P—HNA-1b antibody; arb.c.(proc.) = ?	HNA-2a antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21982 P—HNA-2a antibody(IgA); arb.c.(proc.) = ?

Plasma—	Plasma—
HNA-2a antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21994 P—HNA-2a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	HNA-3a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21975 P—HNA-3a antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-2a antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21966 P—HNA-2a antibody(IgG); arb.c.(proc.) = ?	HNA-3a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22004 P—HNA-3a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HNA-2a antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21995 P—HNA-2a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	HNA-3a antibody; arbitrary concentration(procedure) NPU21769 P—HNA-3a antibody; arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-2a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21974 P—HNA-2a antibody(IgM); arb.c.(proc.) = ?	HNA-3a antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU22005 P—HNA-3a antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Neutrophilocytes(Blood)—
HNA-2a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21996 P—HNA-2a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	HNA-3a antigen; arbitrary number(procedure) NPU21777 Ntrcs(B)—HNA-3a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HNA-2a antibody; arbitrary concentration(procedure) NPU21768 P—HNA-2a antibody; arb.c.(proc.) = ?	HNA-4a antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21984 P—HNA-4a antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-2a antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21997 P—HNA-2a antibody; arb.subst.c.(proc.) = ? arb.unit/l	HNA-4a antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22006 P—HNA-4a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Neutrophilocytes(Blood)—	Plasma—
HNA-2a antigen; arbitrary number(procedure) NPU21776 Ntrcs(B)—HNA-2a antigen; arb.num.(proc.) = ?	HNA-4a antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21968 P—HNA-4a antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-3a antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21983 P—HNA-3a antibody(IgA); arb.c.(proc.) = ?	HNA-4a antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22007 P—HNA-4a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HNA-3a antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22002 P—HNA-3a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	HNA-4a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21976 P—HNA-4a antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-3a antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21967 P—HNA-3a antibody(IgG); arb.c.(proc.) = ?	HNA-4a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22008 P—HNA-4a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HNA-3a antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU22003 P—HNA-3a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	HNA-4a antibody; arbitrary concentration(procedure) NPU21770 P—HNA-4a antibody; arb.c.(proc.) = ?

Plasma—
HNA-4a antibody;
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU22009
P—HNA-4a antibody; arb.subst.c.(proc.) = ? arb.unit/l

Neutrophilocytes(Blood)—
HNA-4a antigen;
arbitrary number(procedure)
NPU21778
Ntrcs(B)—HNA-4a antigen; arb.num.(proc.) = ?

Plasma—
HNA-5a antibody(Immunoglobulin A);
arbitrary concentration(procedure)
NPU21985
P—HNA-5a antibody(IgA); arb.c.(proc.) = ?

Plasma—
HNA-5a antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU22010
P—HNA-5a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—
HNA-5a antibody(Immunoglobulin G);
arbitrary concentration(procedure)
NPU21969
P—HNA-5a antibody(IgG); arb.c.(proc.) = ?

Plasma—
HNA-5a antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU22011
P—HNA-5a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—
HNA-5a antibody(Immunoglobulin M);
arbitrary concentration(procedure)
NPU21977
P—HNA-5a antibody(IgM); arb.c.(proc.) = ?

Plasma—
HNA-5a antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU22012
P—HNA-5a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—
HNA-5a antibody;
arbitrary concentration(procedure)
NPU21771
P—HNA-5a antibody; arb.c.(proc.) = ?

Plasma—
HNA-5a antibody;
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU22013
P—HNA-5a antibody; arb.subst.c.(proc.) = ? arb.unit/l

Neutrophilocytes(Blood)—
HNA-5a antigen;
arbitrary number(procedure)
NPU21779
Ntrcs(B)—HNA-5a antigen; arb.num.(proc.) = ?

Plasma—
HPA antibody(Immunoglobulin A);
arbitrary concentration(list; procedure)
NPU21460
P—HPA antibody(IgA); arb.c.(list; proc.)
NPU21461 P—HPA-1a antibody(IgA); arb.c.(proc.) = ?
NPU21462 P—HPA-1b antibody(IgA); arb.c.(proc.) = ?
NPU21463 P—HPA-2a antibody(IgA); arb.c.(proc.) = ?
NPU21464 P—HPA-2b antibody(IgA); arb.c.(proc.) = ?
NPU21465 P—HPA-3a antibody(IgA); arb.c.(proc.) = ?
NPU21466 P—HPA-3b antibody(IgA); arb.c.(proc.) = ?
NPU21467 P—HPA-4a antibody(IgA); arb.c.(proc.) = ?
NPU21468 P—HPA-4b antibody(IgA); arb.c.(proc.) = ?
NPU21469 P—HPA-5a antibody(IgA); arb.c.(proc.) = ?
NPU21470 P—HPA-5b antibody(IgA); arb.c.(proc.) = ?
NPU21471 P—HPA-6b antibody(IgA); arb.c.(proc.) = ?
NPU21893 P—HPA-7b antibody(IgA); arb.c.(proc.) = ?
NPU21894 P—HPA-8b antibody(IgA); arb.c.(proc.) = ?
NPU21895 P—HPA-9b antibody(IgA); arb.c.(proc.) = ?
NPU21896 P—HPA-10b antibody(IgA); arb.c.(proc.) = ?
NPU21472 P—HPA-unknown antibody(IgA); arb.c.(proc.) = ?

Plasma—
HPA antibody(Immunoglobulin A);
taxon
NPU21872
P—HPA antibody(IgA); taxon = ?

Plasma—
HPA antibody(Immunoglobulin G);
arbitrary concentration(list; procedure)
NPU21447
P—HPA antibody(IgG); arb.c.(list; proc.)
NPU21448 P—HPA-1a antibody(IgG); arb.c.(proc.) = ?
NPU21449 P—HPA-1b antibody(IgG); arb.c.(proc.) = ?
NPU21450 P—HPA-2a antibody(IgG); arb.c.(proc.) = ?
NPU21451 P—HPA-2b antibody(IgG); arb.c.(proc.) = ?
NPU21452 P—HPA-3a antibody(IgG); arb.c.(proc.) = ?
NPU21453 P—HPA-3b antibody(IgG); arb.c.(proc.) = ?
NPU21454 P—HPA-4a antibody(IgG); arb.c.(proc.) = ?
NPU21455 P—HPA-4b antibody(IgG); arb.c.(proc.) = ?
NPU21456 P—HPA-5a antibody(IgG); arb.c.(proc.) = ?
NPU21457 P—HPA-5b antibody(IgG); arb.c.(proc.) = ?
NPU21458 P—HPA-6b antibody(IgG); arb.c.(proc.) = ?
NPU21889 P—HPA-7b antibody(IgG); arb.c.(proc.) = ?
NPU21890 P—HPA-8b antibody(IgG); arb.c.(proc.) = ?
NPU21891 P—HPA-9b antibody(IgG); arb.c.(proc.) = ?
NPU21892 P—HPA-10b antibody(IgG); arb.c.(proc.) = ?
NPU21459 P—HPA-unknown antibody(IgG); arb.c.(proc.) = ?

Plasma—
HPA antibody(Immunoglobulin G);
taxon
NPU21871
P—HPA antibody(IgG); taxon = ?

Plasma—
HPA antibody(Immunoglobulin M);
arbitrary concentration(list; procedure)
NPU21473
P—HPA antibody(IgM); arb.c.(list; proc.)
NPU21474 P—HPA-1a antibody(IgM); arb.c.(proc.) = ?
NPU21475 P—HPA-1b antibody(IgM); arb.c.(proc.) = ?
NPU21476 P—HPA-2a antibody(IgM); arb.c.(proc.) = ?
NPU21477 P—HPA-2b antibody(IgM); arb.c.(proc.) = ?
NPU21478 P—HPA-3a antibody(IgM); arb.c.(proc.) = ?
NPU21479 P—HPA-3b antibody(IgM); arb.c.(proc.) = ?
NPU21480 P—HPA-4a antibody(IgM); arb.c.(proc.) = ?
NPU21481 P—HPA-4b antibody(IgM); arb.c.(proc.) = ?
NPU21482 P—HPA-5a antibody(IgM); arb.c.(proc.) = ?
NPU21483 P—HPA-5b antibody(IgM); arb.c.(proc.) = ?
NPU21484 P—HPA-6b antibody(IgM); arb.c.(proc.) = ?
NPU21897 P—HPA-7b antibody(IgM); arb.c.(proc.) = ?
NPU21898 P—HPA-8b antibody(IgM); arb.c.(proc.) = ?
NPU21899 P—HPA-9b antibody(IgM); arb.c.(proc.) = ?
NPU21900 P—HPA-10b antibody(IgM); arb.c.(proc.) = ?
NPU21485 P—HPA-unknown antibody(IgM); arb.c.(proc.) = ?

Plasma—	Thrombocytes(Blood)—
HPA antibody(Immunoglobulin M);	HPA antigen;
taxon	arbitrary number(list; procedure)
NPU21873	NPU21341
P—HPA antibody(IgM); taxon = ?	Trcs(B)—HPA antigen; arb.num.(list; proc.)
Plasma—	NPNU21342 Trcs(B)—HPA-1a antigen; arb.num.(proc.) = ?
HPA antibody;	NPNU21343 Trcs(B)—HPA-1b antigen; arb.num.(proc.) = ?
arbitrary concentration(list; procedure)	NPNU21344 Trcs(B)—HPA-2a antigen; arb.num.(proc.) = ?
NPU21328	NPNU21345 Trcs(B)—HPA-2b antigen; arb.num.(proc.) = ?
P—HPA antibody; arb.c.(list; proc.)	NPNU21346 Trcs(B)—HPA-3a antigen; arb.num.(proc.) = ?
NPNU21329 P—HPA-1a antibody; arb.c.(proc.) = ?	NPNU21347 Trcs(B)—HPA-3b antigen; arb.num.(proc.) = ?
NPNU21330 P—HPA-1b antibody; arb.c.(proc.) = ?	NPNU21348 Trcs(B)—HPA-4a antigen; arb.num.(proc.) = ?
NPNU21331 P—HPA-2a antibody; arb.c.(proc.) = ?	NPNU21349 Trcs(B)—HPA-4b antigen; arb.num.(proc.) = ?
NPNU21332 P—HPA-2b antibody; arb.c.(proc.) = ?	NPNU21350 Trcs(B)—HPA-5a antigen; arb.num.(proc.) = ?
NPNU21333 P—HPA-3a antibody; arb.c.(proc.) = ?	NPNU21351 Trcs(B)—HPA-5b antigen; arb.num.(proc.) = ?
NPNU21334 P—HPA-3b antibody; arb.c.(proc.) = ?	NPNU21352 Trcs(B)—HPA-6b antigen; arb.num.(proc.) = ?
NPNU21335 P—HPA-4a antibody; arb.c.(proc.) = ?	NPNU21353 Trcs(B)—HPA-7b antigen; arb.num.(proc.) = ?
NPNU21336 P—HPA-4b antibody; arb.c.(proc.) = ?	NPNU21865 Trcs(B)—HPA-8b antigen; arb.num.(proc.) = ?
NPNU21337 P—HPA-5a antibody; arb.c.(proc.) = ?	NPNU21866 Trcs(B)—HPA-9b antigen; arb.num.(proc.) = ?
NPNU21338 P—HPA-5b antibody; arb.c.(proc.) = ?	NPNU21867 Trcs(B)—HPA-10b antigen; arb.num.(proc.) = ?
NPNU21339 P—HPA-6b antibody; arb.c.(proc.) = ?	
NPNU21881 P—HPA-7b antibody; arb.c.(proc.) = ?	
NPNU21882 P—HPA-8b antibody; arb.c.(proc.) = ?	
NPNU21883 P—HPA-9b antibody; arb.c.(proc.) = ?	
NPNU21884 P—HPA-10b antibody; arb.c.(proc.) = ?	
NPNU21340 P—HPA-unknown antibody; arb.c.(proc.) = ?	
Plasma—	Thrombocytes(Blood)—
HPA antibody;	HPA antigen;
arbitrary concentration(procedure)	taxon
NPU21327	NPU21869
P—HPA antibody; arb.c.(proc.) = ?	Trcs(B)—HPA antigen; taxon = ?
Plasma—	Plasma—
HPA antibody;	HPA-10b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary concentration(procedure)
NPU21327	NPU21896
P—HPA antibody; arb.c.(proc.) = ?	P—HPA-10b antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA antibody;	HPA-10b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
Other term(s): Thrombocyte specific alloantibody; Thrombocyte autoantibody. Other term(s): Platelet(s) is a full synonym to Thrombocyte(s)	NPU21908
Authority: ISTH/SSC93	P—HPA-10b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
NPU03564	
P—HPA antibody; arb.subst.c.(proc.) = ? arb.unit/l	
Plasma—	Plasma—
HPA antibody;	HPA-10b antibody(Immunoglobulin G);
compatibility(donationID; absent present)	arbitrary concentration(procedure)
NPU21425	NPU21892
P—HPA antibody; compatibility(donationID; absent present) = ?	P—HPA-10b antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA antibody;	HPA-10b antibody(Immunoglobulin G);
taxon	arbitrary substance concentration(procedure)
NPU21870	arbitrary unit/litre
P—HPA antibody; taxon = ?	NPU21904
	P—HPA-10b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA antibody(Immunoglobulin M);	HPA-10b antibody(Immunoglobulin M);
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21900	arbitrary unit/litre
P—HPA-10b antibody(IgM); arb.c.(proc.) = ?	NPU21912
	P—HPA-10b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-10b antibody;	HPA-10b antibody(Immunoglobulin M);
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21884	NPU21912
P—HPA-10b antibody; arb.c.(proc.) = ?	P—HPA-10b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—	Plasma—
HPA-10b antibody;	HPA-1b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21888	NPU21499
P—HPA-10b antibody; arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-1b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Thrombocytes(Blood)—	Plasma—
HPA-10b antigen;	HPA-1b antibody(Immunoglobulin G);
arbitrary number(procedure)	arbitrary concentration(procedure)
NPU21867	NPU21449
Trcs(B)—HPA-10b antigen; arb.num.(proc.) = ?	P—HPA-1b antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-1a antibody(Immunoglobulin A);	HPA-1b antibody(Immunoglobulin G);
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21461	arbitrary unit/litre
P—HPA-1a antibody(IgA); arb.c.(proc.) = ?	NPU21487
Plasma—	P—HPA-1b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
HPA-1a antibody(Immunoglobulin A);	Plasma—
arbitrary substance concentration(procedure)	HPA-1b antibody(Immunoglobulin M);
arbitrary unit/litre	arbitrary concentration(procedure)
NPU21498	NPU21475
P—HPA-1a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-1b antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-1a antibody(Immunoglobulin G);	HPA-1b antibody(Immunoglobulin M);
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21448	arbitrary unit/litre
P—HPA-1a antibody(IgG); arb.c.(proc.) = ?	NPU21511
Plasma—	P—HPA-1b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
HPA-1a antibody(Immunoglobulin G);	Plasma—
arbitrary substance concentration(procedure)	HPA-1b antibody;
arbitrary unit/litre	arbitrary concentration(procedure)
NPU21486	NPU21330
P—HPA-1a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-1b antibody; arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-1a antibody(Immunoglobulin M);	HPA-1b antibody;
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21474	arbitrary unit/litre
P—HPA-1a antibody(IgM); arb.c.(proc.) = ?	NPU21436
Plasma—	P—HPA-1b antibody; arb.subst.c.(proc.) = ? arb.unit/l
HPA-1a antibody(Immunoglobulin M);	Thrombocytes(Blood)—
arbitrary substance concentration(procedure)	HPA-1b antigen;
arbitrary unit/litre	arbitrary number(procedure)
NPU21510	NPU21343
P—HPA-1a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	Trcs(B)—HPA-1b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HPA-1a antibody;	HPA-2a antibody(Immunoglobulin A);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21329	NPU21463
P—HPA-1a antibody; arb.c.(proc.) = ?	P—HPA-2a antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-1a antibody;	HPA-2a antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21435	NPU21500
P—HPA-1a antibody; arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-2a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Thrombocytes(Blood)—	Plasma—
HPA-1a antigen;	HPA-2a antibody(Immunoglobulin G);
arbitrary number(procedure)	arbitrary concentration(procedure)
NPU21342	NPU21450
Trcs(B)—HPA-1a antigen; arb.num.(proc.) = ?	P—HPA-2a antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-1b antibody(Immunoglobulin A);	HPA-2a antibody(Immunoglobulin G);
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21462	arbitrary unit/litre
P—HPA-1b antibody(IgA); arb.c.(proc.) = ?	NPU21488
	P—HPA-2a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—	Plasma—
HPA-2a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21476 P—HPA-2a antibody(IgM); arb.c.(proc.) = ?	HPA-2b antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21438 P—HPA-2b antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Thrombocytes(Blood)—
HPA-2a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21512 P—HPA-2a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	HPA-2b antigen; arbitrary number(procedure) NPU21345 Trcs(B)—HPA-2b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HPA-2a antibody; arbitrary concentration(procedure) NPU21331 P—HPA-2a antibody; arb.c.(proc.) = ?	HPA-3a antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21465 P—HPA-3a antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-2a antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21437 P—HPA-2a antibody; arb.subst.c.(proc.) = ? arb.unit/l	HPA-3a antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21502 P—HPA-3a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Thrombocytes(Blood)—	Plasma—
HPA-2a antigen; arbitrary number(procedure) NPU21344 Trcs(B)—HPA-2a antigen; arb.num.(proc.) = ?	HPA-3a antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21452 P—HPA-3a antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-2b antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21464 P—HPA-2b antibody(IgA); arb.c.(proc.) = ?	HPA-3a antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21490 P—HPA-3a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-2b antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21501 P—HPA-2b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	HPA-3a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21478 P—HPA-3a antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-2b antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21451 P—HPA-2b antibody(IgG); arb.c.(proc.) = ?	HPA-3a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21514 P—HPA-3a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-2b antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21489 P—HPA-2b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	HPA-3a antibody; arbitrary concentration(procedure) NPU21333 P—HPA-3a antibody; arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-2b antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21477 P—HPA-2b antibody(IgM); arb.c.(proc.) = ?	HPA-3a antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21439 P—HPA-3a antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Thrombocytes(Blood)—
HPA-2b antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21513 P—HPA-2b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	HPA-3a antigen; arbitrary number(procedure) NPU21346 Trcs(B)—HPA-3a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HPA-2b antibody; arbitrary concentration(procedure) NPU21332 P—HPA-2b antibody; arb.c.(proc.) = ?	HPA-3b antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21466 P—HPA-3b antibody(IgA); arb.c.(proc.) = ?

Plasma—	Plasma—
HPA-3b antibody(Immunoglobulin A);	HPA-4a antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21503	NPU21492
P—HPA-3b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-4a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-3b antibody(Immunoglobulin G);	HPA-4a antibody(Immunoglobulin M);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21453	NPU21480
P—HPA-3b antibody(IgG); arb.c.(proc.) = ?	P—HPA-4a antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-3b antibody(Immunoglobulin G);	HPA-4a antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21491	NPU21516
P—HPA-3b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-4a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-3b antibody(Immunoglobulin M);	HPA-4a antibody;
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21479	NPU21335
P—HPA-3b antibody(IgM); arb.c.(proc.) = ?	P—HPA-4a antibody; arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-3b antibody(Immunoglobulin M);	HPA-4a antibody;
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21515	NPU21441
P—HPA-3b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-4a antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Thrombocytes(Blood)—
HPA-3b antibody;	HPA-4a antigen;
arbitrary concentration(procedure)	arbitrary number(procedure)
NPU21334	NPU21348
P—HPA-3b antibody; arb.c.(proc.) = ?	Trcs(B)—HPA-4a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HPA-3b antibody;	HPA-4b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary concentration(procedure)
arbitrary unit/litre	NPU21468
NPU21440	P—HPA-4b antibody(IgA); arb.c.(proc.) = ?
P—HPA-3b antibody; arb.subst.c.(proc.) = ? arb.unit/l	
Thrombocytes(Blood)—	Plasma—
HPA-3b antigen;	HPA-4b antibody(Immunoglobulin A);
arbitrary number(procedure)	arbitrary substance concentration(procedure)
NPU21347	arbitrary unit/litre
Trcs(B)—HPA-3b antigen; arb.num.(proc.) = ?	NPU21505
	P—HPA-4b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-4a antibody(Immunoglobulin A);	HPA-4b antibody(Immunoglobulin G);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21467	NPU21455
P—HPA-4a antibody(IgA); arb.c.(proc.) = ?	P—HPA-4b antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-4a antibody(Immunoglobulin A);	HPA-4b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21504	NPU21493
P—HPA-4a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-4b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-4a antibody(Immunoglobulin G);	HPA-4b antibody(Immunoglobulin M);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21454	NPU21481
P—HPA-4a antibody(IgG); arb.c.(proc.) = ?	P—HPA-4b antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-4b antibody(Immunoglobulin M);	HPA-4b antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21517	NPU21517
P—HPA-4b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-4b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—	Plasma—
HPA-4b antibody; arbitrary concentration(procedure) NPU21336 P—HPA-4b antibody; arb.c.(proc.) = ?	HPA-5b antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21470 P—HPA-5b antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-4b antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21442 P—HPA-4b antibody; arb.subst.c.(proc.) = ? arb.unit/l	HPA-5b antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21507 P—HPA-5b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Thrombocytes(Blood)—	Plasma—
HPA-4b antigen; arbitrary number(procedure) NPU21349 Trcs(B)—HPA-4b antigen; arb.num.(proc.) = ?	HPA-5b antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21457 P—HPA-5b antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-5a antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21469 P—HPA-5a antibody(IgA); arb.c.(proc.) = ?	HPA-5b antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21495 P—HPA-5b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-5a antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21506 P—HPA-5a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	HPA-5b antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21483 P—HPA-5b antibody(IgM); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-5a antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21456 P—HPA-5a antibody(IgG); arb.c.(proc.) = ?	HPA-5b antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21519 P—HPA-5b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-5a antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21494 P—HPA-5a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	HPA-5b antibody; arbitrary concentration(procedure) NPU21338 P—HPA-5b antibody; arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-5a antibody(Immunoglobulin M); arbitrary concentration(procedure) NPU21482 P—HPA-5a antibody(IgM); arb.c.(proc.) = ?	HPA-5b antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21444 P—HPA-5b antibody; arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Thrombocytes(Blood)—
HPA-5a antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21518 P—HPA-5a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	HPA-5b antigen; arbitrary number(procedure) NPU21351 Trcs(B)—HPA-5b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HPA-5a antibody; arbitrary concentration(procedure) NPU21337 P—HPA-5a antibody; arb.c.(proc.) = ?	HPA-6b antibody(Immunoglobulin A); arbitrary concentration(procedure) NPU21471 P—HPA-6b antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HPA-5a antibody; arbitrary substance concentration(procedure) arbitrary unit/litre NPU21443 P—HPA-5a antibody; arb.subst.c.(proc.) = ? arb.unit/l	HPA-6b antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre NPU21508 P—HPA-6b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Thrombocytes(Blood)—	Plasma—
HPA-5a antigen; arbitrary number(procedure) NPU21350 Trcs(B)—HPA-5a antigen; arb.num.(proc.) = ?	HPA-6b antibody(Immunoglobulin G); arbitrary concentration(procedure) NPU21458 P—HPA-6b antibody(IgG); arb.c.(proc.) = ?

- Plasma—**
HPA-6b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21496
P—HPA-6b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-6b antibody(Immunoglobulin M);
arbitrary concentration(procedure)
NPU21484
P—HPA-6b antibody(IgM); arb.c.(proc.) = ?
- Plasma—**
HPA-6b antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21520
P—HPA-6b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-6b antibody;
arbitrary concentration(procedure)
NPU21339
P—HPA-6b antibody; arb.c.(proc.) = ?
- Plasma—**
HPA-6b antibody;
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21445
P—HPA-6b antibody; arb.subst.c.(proc.) = ? arb.unit/l
- Thrombocytes(Blood)—**
HPA-6b antigen;
arbitrary number(procedure)
NPU21352
Trcs(B)—HPA-6b antigen; arb.num.(proc.) = ?
- Plasma—**
HPA-7b antibody(Immunoglobulin A);
arbitrary concentration(procedure)
NPU21893
P—HPA-7b antibody(IgA); arb.c.(proc.) = ?
- Plasma—**
HPA-7b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21905
P—HPA-7b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-7b antibody(Immunoglobulin G);
arbitrary concentration(procedure)
NPU21889
P—HPA-7b antibody(IgG); arb.c.(proc.) = ?
- Plasma—**
HPA-7b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21901
P—HPA-7b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-7b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21907
P—HPA-7b antibody(IgG); arb.c.(proc.) = ?
- Plasma—**
HPA-7b antibody(Immunoglobulin M);
arbitrary concentration(procedure)
NPU21897
P—HPA-7b antibody(IgM); arb.c.(proc.) = ?
- Plasma—**
HPA-7b antibody(Immunoglobulin M);
arbitrary concentration(procedure)
NPU21897
P—HPA-7b antibody(IgM); arb.c.(proc.) = ?
- Plasma—**
HPA-7b antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21909
P—HPA-7b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-7b antibody;
arbitrary concentration(procedure)
NPU21881
P—HPA-7b antibody; arb.c.(proc.) = ?
- Plasma—**
HPA-7b antibody;
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21885
P—HPA-7b antibody; arb.subst.c.(proc.) = ? arb.unit/l
- Thrombocytes(Blood)—**
HPA-7b antigen;
arbitrary number(procedure)
NPU21353
Trcs(B)—HPA-7b antigen; arb.num.(proc.) = ?
- Plasma—**
HPA-8b antibody(Immunoglobulin A);
arbitrary concentration(procedure)
NPU21894
P—HPA-8b antibody(IgA); arb.c.(proc.) = ?
- Plasma—**
HPA-8b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21906
P—HPA-8b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-8b antibody(Immunoglobulin G);
arbitrary concentration(procedure)
NPU21890
P—HPA-8b antibody(IgG); arb.c.(proc.) = ?
- Plasma—**
HPA-8b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21902
P—HPA-8b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-8b antibody(Immunoglobulin M);
arbitrary concentration(procedure)
NPU21898
P—HPA-8b antibody(IgM); arb.c.(proc.) = ?
- Plasma—**
HPA-8b antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21910
P—HPA-8b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
- Plasma—**
HPA-8b antibody;
arbitrary concentration(procedure)
NPU21882
P—HPA-8b antibody; arb.c.(proc.) = ?
- Plasma—**
HPA-8b antibody;
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21886
P—HPA-8b antibody; arb.subst.c.(proc.) = ? arb.unit/l

Thrombocytes(Blood)—

HPA-8b antigen;

arbitrary number(procedure)

NPU21865

Trcs(B)—HPA-8b antigen; arb.num.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21895

P—HPA-9b antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21907

P—HPA-9b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-9b antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21891

P—HPA-9b antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21903

P—HPA-9b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-9b antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21899

P—HPA-9b antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21911

P—HPA-9b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-9b antibody;

arbitrary concentration(procedure)

NPU21883

P—HPA-9b antibody; arb.c.(proc.) = ?

Plasma—

HPA-9b antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21887

P—HPA-9b antibody; arb.subst.c.(proc.) = ? arb.unit/l

Thrombocytes(Blood)—

HPA-9b antigen;

arbitrary number(procedure)

NPU21866

Trcs(B)—HPA-9b antigen; arb.num.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21472

P—HPA-unknown antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21509

P—HPA-unknown antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-unknown antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21459

P—HPA-unknown antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21497

P—HPA-unknown antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-unknown antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21485

P—HPA-unknown antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21521

P—HPA-unknown antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-unknown antibody;

arbitrary concentration(procedure)

NPU21340

P—HPA-unknown antibody; arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21446

P—HPA-unknown antibody; arb.subst.c.(proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Immunoglobulin A;

arbitrary entitic number(procedure)

arbitrary unit

M = 160 000 g/mol

Other term(s): IgA

NPU01947

Ercs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—

Immunoglobulin A;

arbitrary entitic number(procedure)

arbitrary unit

NPU21943

Ntrcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ?

arb.unit

Thrombocytes(Blood)—

Immunoglobulin A;

arbitrary entitic number(procedure)

arbitrary unit

NPU20057

Trcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)— Immunoglobulin A; arbitrary number(procedure) NPU20028 Ercs(B)—Immunoglobulin A; arb.num.(proc.) = ?	Neutrophilocytes(Blood)— Immunoglobulin G; entitic number NPU21956 Ntrcs(B)—Immunoglobulin G; entitic num. = ?
Thrombocytes(Blood)— Immunoglobulin A; arbitrary number(procedure) NPU20046 Trcs(B)—Immunoglobulin A; arb.num.(proc.) = ?	Thrombocytes(Blood)— Immunoglobulin G; entitic number NPU20069 Trcs(B)—Immunoglobulin G; entitic num. = ?
Erythrocytes(Blood)— Immunoglobulin A; entitic number $M = 160\ 000 \text{ g/mol}$ Other term(s): IgA NPU02475 Ercs(B)—Immunoglobulin A; entitic num. = ?	Erythrocytes(Blood)— Immunoglobulin G1; arbitrary entitic number(procedure) arbitrary unit $M = 146\ 000 \text{ g/mol}$ NPU04066 Ercs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
Neutrophilocytes(Blood)— Immunoglobulin A; entitic number NPU21955 Ntrcs(B)—Immunoglobulin A; entitic num. = ?	Neutrophilocytes(Blood)— Immunoglobulin G1; arbitrary entitic number(procedure) arbitrary unit NPU21945 Ntrcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
Thrombocytes(Blood)— Immunoglobulin A; entitic number NPU20068 Trcs(B)—Immunoglobulin A; entitic num. = ?	Thrombocytes(Blood)— Immunoglobulin G1; arbitrary entitic number(procedure) arbitrary unit NPU20059 Trcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
Erythrocytes(Blood)— Immunoglobulin G; arbitrary entitic number(procedure) arbitrary unit NPU20003 Ercs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit	Erythrocytes(Blood)— Immunoglobulin G1; arbitrary number(procedure) NPU20030 Ercs(B)—Immunoglobulin G1; arb.num.(proc.) = ?
Neutrophilocytes(Blood)— Immunoglobulin G; arbitrary entitic number(procedure) arbitrary unit NPU21944 Ntrcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit	Thrombocytes(Blood)— Immunoglobulin G1; arbitrary number(procedure) NPU20048 Trcs(B)—Immunoglobulin G1; arb.num.(proc.) = ?
Thrombocytes(Blood)— Immunoglobulin G; arbitrary entitic number(procedure) arbitrary unit NPU20058 Trcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit	Erythrocytes(Blood)— Immunoglobulin G1; entitic number NPU01949 Ercs(B)—Immunoglobulin G1; entitic num. = ?
Erythrocytes(Blood)— Immunoglobulin G; arbitrary number(procedure) $M = 160\ 000 \text{ g/mol}$ Other term(s): IgG NPU04070 Ercs(B)—Immunoglobulin G; arb.num.(proc.) = ?	Neutrophilocytes(Blood)— Immunoglobulin G1; entitic number NPU21957 Ntrcs(B)—Immunoglobulin G1; entitic num. = ?
Thrombocytes(Blood)— Immunoglobulin G; arbitrary number(procedure) NPU20047 Trcs(B)—Immunoglobulin G; arb.num.(proc.) = ?	Thrombocytes(Blood)— Immunoglobulin G1; entitic number NPU20070 Trcs(B)—Immunoglobulin G1; entitic num. = ?
Erythrocytes(Blood)— Immunoglobulin G; entitic number $M = 160\ 000 \text{ g/mol}$ Other term(s): IgG NPU01948 Ercs(B)—Immunoglobulin G; entitic num. = ?	Erythrocytes(Blood)— Immunoglobulin G2; arbitrary entitic number(procedure) arbitrary unit $M = 146\ 000 \text{ g/mol}$ NPU04067 Ercs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G2;	Immunoglobulin G3;
arbitrary entitic number(procedure)	arbitrary number(procedure)
arbitrary unit	NPU20050
NPU21946	Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?
Ntrcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ?	
arb.unit	
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G2;	Immunoglobulin G3;
arbitrary entitic number(procedure)	entitic number
arbitrary unit	M = 170 000 g/mol
NPU20060	NPU01951
Trcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ?	Ercs(B)—Immunoglobulin G3; entitic num. = ?
arb.unit	
Erythrocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin G2;	Immunoglobulin G3;
arbitrary number(procedure)	entitic number
NPU20031	NPU21959
Ercs(B)—Immunoglobulin G2; arb.num.(proc.) = ?	Ntrcs(B)—Immunoglobulin G3; entitic num. = ?
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G2;	Immunoglobulin G3;
arbitrary number(procedure)	entitic number
NPU20049	NPU20072
Trcs(B)—Immunoglobulin G2; arb.num.(proc.) = ?	Trcs(B)—Immunoglobulin G3; entitic num. = ?
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G2;	Immunoglobulin G4;
entitic number	arbitrary entitic number(procedure)
M = 146 000 g/mol	arbitrary unit
NPU01950	M = 146 000 g/mol
Ercs(B)—Immunoglobulin G2; entitic num. = ?	NPU04069
Neutrophilocytes(Blood)—	Ercs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ?
Immunoglobulin G2;	arb.unit
entitic number	
NPU21958	
Ntrcs(B)—Immunoglobulin G2; entitic num. = ?	
Thrombocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin G2;	Immunoglobulin G4;
entitic number	arbitrary entitic number(procedure)
NPU20071	arbitrary unit
Trcs(B)—Immunoglobulin G2; entitic num. = ?	NPU21948
Erythrocytes(Blood)—	Ntrcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ?
Immunoglobulin G3;	arb.unit
arbitrary entitic number(procedure)	
arbitrary unit	
M = 170 000 g/mol	
NPU04068	
Ercs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ?	
arb.unit	
Neutrophilocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU21947	NPU20062
Ntrcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ?	Trcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ?
arb.unit	arb.unit
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary entitic number(procedure)	arbitrary number(procedure)
arbitrary unit	NPU20033
NPU20061	Ercs(B)—Immunoglobulin G4; arb.num.(proc.) = ?
Trcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ?	
arb.unit	
Erythrocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20032	NPU20051
Ercs(B)—Immunoglobulin G3; arb.num.(proc.) = ?	Trcs(B)—Immunoglobulin G4; arb.num.(proc.) = ?

Thrombocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G4;	Immunoglobulin;
entitic number	arbitrary entitic number(procedure)
NPU20073	arbitrary unit
Trcs(B)—Immunoglobulin G4; entitic num. = ?	Trcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary entitic number(procedure)	arbitrary number(procedure)
arbitrary unit	NPU20175
$M = 950\ 000\ \text{g/mol}$	Ercs(B)—Immunoglobulin; arb.num.(proc.) = ?
Other term(s): IgM	
NPU02487	
Ercs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ?	
arb.unit	
Neutrophilocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary entitic number(procedure)	arbitrary number(procedure)
arbitrary unit	NPU20178
NPU21949	Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?
Ntrcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ?	
arb.unit	
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary entitic number(procedure)	arbitrary number(procedure)
arbitrary unit	NPU20178
NPU20063	Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?
Trcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ?	
arb.unit	
Erythrocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary number(procedure)	entitic number
NPU20034	NPU21954
Ercs(B)—Immunoglobulin M; arb.num.(proc.) = ?	Ntrcs(B)—Immunoglobulin; entitic num. = ?
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary number(procedure)	entitic number
NPU20052	NPU20180
Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?	Trcs(B)—Immunoglobulin; entitic num. = ?
Erythrocytes(Blood)—	Culture(Lymphocytes; Blood)—
Immunoglobulin M;	Lymphocyte stimulation(antigen);
arbitrary number(procedure)	relative number concentration(list;
NPU20052	stimulated/unstimulated; procedure)
Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?	NPU21413
Erythrocytes(Blood)—	Culture(Lymcs; B)—Lymphocyte stimulation(Ag);
Immunoglobulin M;	rel.num.c.(list; stim./unstim.; proc.)
entitic number	NPU21415 Culture(Lymcs; B)— <i>Candida albicans</i> stimulated
$M = 950\ 000\ \text{g/mol}$	lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
NPU01953	NPU21416 Culture(Lymcs; B)— <i>Cytomegalovirus</i> stimulated
Ercs(B)—Immunoglobulin M; entitic num. = ?	lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
Neutrophilocytes(Blood)—	NPU21417 Culture(Lymcs; B)— <i>Staphylococcus aureus</i>
Immunoglobulin M;	stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
entitic number	NPU21418 Culture(Lymcs; B)—Tetanus toxoid stimulated
$M = 950\ 000\ \text{g/mol}$	lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
NPU21961	NPU21419 Culture(Lymcs; B)—Tuberculin stimulated
Ntrcs(B)—Immunoglobulin M; entitic num. = ?	lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
Thrombocytes(Blood)—	Culture(Lymphocytes; Blood)—
Immunoglobulin M;	Lymphocyte stimulation(mitogen);
entitic number	relative number ratio(list; actual/norm; procedure)
NPU20074	NPU21421
Trcs(B)—Immunoglobulin M; entitic num. = ?	Culture(Lymcs; B)—Lymphocyte stimulation(mitogen);
Erythrocytes(Blood)—	rel.num.ratio(list; actual/norm; proc.)
Immunoglobulin;	NPU21422 Culture(Lymcs; B)—Concanavalin A stimulated
arbitrary entitic number(procedure)	lymphocytes; rel.num.ratio(actual/norm; proc.) = ?
arbitrary unit	NPU21423 Culture(Lymcs; B)—Phytohaemagglutinin stimulated
NPU20176	lymphocytes; rel.num.ratio(actual/norm; proc.) = ?
Ercs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit	NPU21424 Culture(Lymcs; B)—Pokeweed stimulated
Neutrophilocytes(Blood)—	lymphocytes; rel.num.ratio(actual/norm; proc.) = ?
Immunoglobulin;	
arbitrary entitic number(procedure)	
arbitrary unit	
NPU21942	
Ntrcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit	

Blood—**Lymphocyte type;****number concentration(list)****NPU21818**

B—Lymphocyte type; num.c.(list)

NPU21819 B—B-lymphocytes; num.c. = ? $\times 10^9/l$ NPU21820 B—B-lymphocytes(mature); num.c. = ? $\times 10^9/l$ NPU21821 B—B-lymphocytes(immature); num.c. = ? $\times 10^9/l$ NPU21822 B—T-lymphocytes; num.c. = ? $\times 10^9/l$ NPU21823 B—T-lymphocytes(helper); num.c. = ? $\times 10^9/l$ NPU21824 B—T-lymphocytes(helper; virgin); num.c. = ? $\times 10^9/l$ NPU21825 B—T-lymphocytes(helper; memory); num.c. = ? $\times 10^9/l$ NPU21826 B—T-lymphocytes(helper; memory; Th1); num.c. = ? $\times 10^9/l$ NPU21827 B—T-lymphocytes(helper; memory; Th2); num.c. = ? $\times 10^9/l$ NPU21828 B—T-lymphocytes(cytotox.); num.c. = ? $\times 10^9/l$ NPU21829 B—T-lymphocytes(cytotox.; virgin); num.c. = ? $\times 10^9/l$ NPU21830 B—T-lymphocytes(cytotox.; memory); num.c. = ? $\times 10^9/l$ NPU21831 B—T-lymphocytes(cytotox.; memory; Th1); num.c. = ? $\times 10^9/l$ NPU21832 B—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? $\times 10^9/l$ NPU21833 B—T-lymphocytes(alpha beta TCR); num.c. = ? $\times 10^9/l$ NPU21834 B—T-lymphocytes(gamma delta TCR); num.c. = ? $\times 10^9/l$ NPU21835 B—NK-lymphocytes; num.c. = ? $\times 10^9/l$ **Bone marrow—****Lymphocyte type;****number concentration(list)****NPU21836**

Marrow—Lymphocyte type; num.c.(list)

NPU21837 Marrow—B-lymphocytes; num.c. = ? $\times 10^9/l$ NPU21838 Marrow—B-lymphocytes(mature); num.c. = ? $\times 10^9/l$ NPU21839 Marrow—B-lymphocytes(immature); num.c. = ? $\times 10^9/l$ NPU21840 Marrow—T-lymphocytes; num.c. = ? $\times 10^9/l$ NPU21841 Marrow—T-lymphocytes(helper); num.c. = ? $\times 10^9/l$ NPU21842 Marrow—T-lymphocytes(helper; virgin); num.c. = ? $\times 10^9/l$ NPU21843 Marrow—T-lymphocytes(helper; memory); num.c. = ? $\times 10^9/l$ NPU21844 Marrow—T-lymphocytes(helper; memory; Th1); num.c. = ? $\times 10^9/l$ NPU21845 Marrow—T-lymphocytes(helper; memory; Th2); num.c. = ? $\times 10^9/l$ NPU21846 Marrow—T-lymphocytes(cytotox.); num.c. = ? $\times 10^9/l$ NPU21847 Marrow—T-lymphocytes(cytotox.; virgin); num.c. = ? $\times 10^9/l$ NPU21848 Marrow—T-lymphocytes(cytotox.; memory); num.c. = ? $\times 10^9/l$ NPU21849 Marrow—T-lymphocytes(cytotox.; memory; Th1); num.c. = ? $\times 10^9/l$ NPU21850 Marrow—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? $\times 10^9/l$ NPU21851 Marrow—T-lymphocytes(alpha beta TCR); num.c. = ? $\times 10^9/l$ NPU21852 Marrow—T-lymphocytes(gamma delta TCR); num.c. = ? $\times 10^9/l$ NPU21853 Marrow—NK-lymphocytes; num.c. = ? $\times 10^9/l$ **Lymphocytes(Blood)—****Lymphocyte type;****number fraction(list)****NPU21780**

Lymcs(B)—Lymphocyte type; num.fr.(list)

NPU21781 Lymcs(B)—B-lymphocytes; num.fr. = ?

NPU21782 Lymcs(B)—B-lymphocytes(mature); num.fr. = ?

NPU21783 Lymcs(B)—B-lymphocytes(immature); num.fr. = ?

NPU21784 Lymcs(B)—T-lymphocytes; num.fr. = ?

NPU21785 Lymcs(B)—T-lymphocytes(helper); num.fr. = ?

NPU21786 Lymcs(B)—T-lymphocytes(helper; virgin); num.fr. = ?

NPU21787 Lymcs(B)—T-lymphocytes(helper; memory); num.fr. = ?

NPU21788 Lymcs(B)—T-lymphocytes(helper; memory; Th1); num.fr. = ?

NPU21789 Lymcs(B)—T-lymphocytes(helper; memory; Th2); num.fr. = ?

NPU21790 Lymcs(B)—T-lymphocytes(cytotox.); num.fr. = ?

NPU21791 Lymcs(B)—T-lymphocytes(cytotox.; virgin); num.fr. = ?

NPU21792 Lymcs(B)—T-lymphocytes(cytotox.; memory); num.fr. = ?

NPU21793 Lymcs(B)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?

NPU21794 Lymcs(B)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?

NPU21795 Lymcs(B)—T-lymphocytes(alpha beta TCR); num.fr. = ?

NPU21796 Lymcs(B)—T-lymphocytes(gamma delta TCR); num.fr. = ?

NPU21797 Lymcs(B)—T-lymphocytes(activated); num.fr. = ?

NPU21798 Lymcs(B)—NK-lymphocytes; num.fr. = ?

Lymphocytes(Bone marrow)—**Lymphocyte type;****number fraction(list)****NPU21799**

Lymcs(Marrow)—Lymphocyte type; num.fr.(list)

NPU21800 Lymcs(Marrow)—B-lymphocytes; num.fr. = ?

NPU21801 Lymcs(Marrow)—B-lymphocytes(mature); num.fr. = ?

NPU21802 Lymcs(Marrow)—B-lymphocytes(immature); num.fr. = ?

NPU21803 Lymcs(Marrow)—T-lymphocytes; num.fr. = ?

NPU21804 Lymcs(Marrow)—T-lymphocytes(helper); num.fr. = ?

NPU21805 Lymcs(Marrow)—T-lymphocytes(helper; virgin); num.fr. = ?

NPU21806 Lymcs(Marrow)—T-lymphocytes(helper; memory); num.fr. = ?

NPU21807 Lymcs(Marrow)—T-lymphocytes(helper; memory; Th1); num.fr. = ?

NPU21808 Lymcs(Marrow)—T-lymphocytes(helper; memory; Th2); num.fr. = ?

NPU21809 Lymcs(Marrow)—T-lymphocytes(cytotox.); num.fr. = ?

NPU21810 Lymcs(Marrow)—T-lymphocytes(cytotox.; virgin); num.fr. = ?

NPU21811 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory); num.fr. = ?

NPU21812 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?

NPU21813 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?

NPU21814 Lymcs(Marrow)—T-lymphocytes(alpha beta TCR); num.fr. = ?

NPU21815 Lymcs(Marrow)—T-lymphocytes(gamma delta TCR); num.fr. = ?

NPU21816 Lymcs(Marrow)—T-lymphocytes(activated); num.fr. = ?

NPU21817 Lymcs(Marrow)—NK-lymphocytes; num.fr. = ?

Blood—	Thrombocytes(Blood)—
NK-lymphocytes;	Surface glycoprotein(lb);
number concentration	arbitrary entitic number(procedure)
10 ⁹ /litre	arbitrary unit
NPU21835	NPU21428
B—NK-lymphocytes; num.c. = ? × 10 ⁹ /l	Trcs(B)—Surface glycoprotein(lb); arb.entitic num.(proc.) = ? arb.unit
Bone marrow—	Thrombocytes(Blood)—
NK-lymphocytes;	Surface glycoprotein(lb);
number concentration	relative entitic number(actual/norm)
10 ⁹ /litre	NPU21750
NPU21853	Trcs(B)—Surface glycoprotein(lb); rel.entitic num.(actual/norm) = ?
Marrow—NK-lymphocytes; num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	Thrombocytes(Blood)—
NK-lymphocytes;	Surface glycoprotein(lla);
number fraction	arbitrary entitic number(procedure)
NPU21798	arbitrary unit
Lymcs(B)—NK-lymphocytes; num.fr. = ?	NPU21875
	Trcs(B)—Surface glycoprotein(lla); arb.entitic num.(proc.) = ? arb.unit
Lymphocytes(Bone marrow)—	Thrombocytes(Blood)—
NK-lymphocytes;	Surface glycoprotein(lla);
number fraction	relative entitic number(actual/norm)
NPU21817	NPU21751
Lymcs(Marrow)—NK-lymphocytes; num.fr. = ?	Trcs(B)—Surface glycoprotein(lla); rel.entitic num.(actual/norm) = ?
Culture(Lymphocytes; Blood)—	Thrombocytes(Blood)—
Phytohaemagglutinin stimulated lymphocytes;	Surface glycoprotein(lla);
relative number ratio(actual/norm; procedure)	arbitrary entitic number(procedure)
NPU21423	arbitrary unit
Culture(Lymcs; B)—Phytohaemagglutinin stimulated	NPU21426
lymphocytes; rel.num.ratio(actual/norm; proc.) = ?	Trcs(B)—Surface glycoprotein(lla); arb.entitic num.(proc.) = ? arb.unit
Culture(Lymphocytes; Blood)—	Thrombocytes(Blood)—
Pokeweed stimulated lymphocytes;	Surface glycoprotein(llb);
relative number ratio(actual/norm; procedure)	arbitrary entitic number(procedure)
NPU21424	arbitrary unit
Culture(Lymcs; B)—Pokeweed stimulated lymphocytes;	NPU21427
rel.num.ratio(actual/norm; proc.) = ?	Trcs(B)—Surface glycoprotein(llb); arb.entitic num.(proc.) = ? arb.unit
Culture(Lymphocytes; Blood)—	Thrombocytes(Blood)—
Staphylococcus aureus stimulated lymphocytes;	Surface glycoprotein(llb);
relative number concentration(stimulated/unstimulated;	relative entitic number(actual/norm)
procedure)	NPU21752
NPU21417	Trcs(B)—Surface glycoprotein(llb); rel.entitic num.(actual/norm) = ?
Culture(Lymcs; B)—Staphylococcus aureus stimulated	
lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?	
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Surface glycoprotein(GMP-140);	Surface glycoprotein(IIIa);
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU21876	NPU21427
Trcs(B)—Surface glycoprotein(GMP-140); arb.entitic	Trcs(B)—Surface glycoprotein(IIIa); arb.entitic num.(proc.) = ? arb.unit
num.(proc.) = ? arb.unit	
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Surface glycoprotein(GMP-140);	Surface glycoprotein(IIIa);
relative entitic number(actual/norm)	relative entitic number(actual/norm)
NPU21748	NPU21753
Trcs(B)—Surface glycoprotein(GMP-140); rel.entitic	Trcs(B)—Surface glycoprotein(IIIa); rel.entitic num.(actual/norm) = ?
num.(actual/norm) = ?	
Thrombocytes(Blood)—	Culture(Lymphocytes; Blood)—
Surface glycoprotein(Ia);	Tetanus toxoid stimulated lymphocytes;
arbitrary entitic number(procedure)	relative number concentration(stimulated/unstimulated;
arbitrary unit	procedure)
NPU21874	NPU21418
Trcs(B)—Surface glycoprotein(Ia); arb.entitic num.(proc.) = ?	Culture(Lymcs; B)—Tetanus toxoid stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
arb.unit	
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Surface glycoprotein(Ia);	Thrombocytes;
relative entitic number(actual/norm)	compatibility(Plasma; donationID; absent present)
NPU21749	NPU21755
Trcs(B)—Surface glycoprotein(Ia); rel.entitic num.(actual/norm) = ?	Trcs(B)—Thrombocytes; compatibility(P; donationID; absent present) = ?

Plasma—	
T-lymphocyte antibody; compatibility(donationID; absent present)	
NPU21411	
P—T-lymphocyte antibody; compatibility(donationID; absent present) = ?	
Lymphocytes(Blood)—	
T-lymphocytes(activated); number fraction	
NPU21797	
Lymcs(B)—T-lymphocytes(activated); num.fr. = ?	
Lymphocytes(Bone marrow)—	
T-lymphocytes(activated); number fraction	
NPU21816	
Lymcs(Marrow)—T-lymphocytes(activated); num.fr. = ?	
Blood—	
T-lymphocytes(alpha beta TCR); number concentration	
10⁹/litre	
NPU21833	
B—T-lymphocytes(alpha beta TCR); num.c. = ? × 10 ⁹ /l	
Bone marrow—	
T-lymphocytes(alpha beta TCR); number concentration	
10⁹/litre	
NPU21851	
Marrow—T-lymphocytes(alpha beta TCR); num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	
T-lymphocytes(alpha beta TCR); number fraction	
NPU21795	
Lymcs(B)—T-lymphocytes(alpha beta TCR); num.fr. = ?	
Lymphocytes(Bone marrow)—	
T-lymphocytes(alpha beta TCR); number fraction	
NPU21814	
Lymcs(Marrow)—T-lymphocytes(alpha beta TCR); num.fr. = ?	
Blood—	
T-lymphocytes(cytotox.); number concentration	
10⁹/litre	
NPU21828	
B—T-lymphocytes(cytotox.); num.c. = ? × 10 ⁹ /l	
Bone marrow—	
T-lymphocytes(cytotox.); number concentration	
10⁹/litre	
NPU21846	
Marrow—T-lymphocytes(cytotox.); num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	
T-lymphocytes(cytotox.); number fraction	
NPU21790	
Lymcs(B)—T-lymphocytes(cytotox.); num.fr. = ?	
Lymphocytes(Bone marrow)—	
T-lymphocytes(cytotox.); number fraction	
NPU21809	
Lymcs(Marrow)—T-lymphocytes(cytotox.); num.fr. = ?	
Blood—	
T-lymphocytes(cytotox.; memory); number concentration	
10⁹/litre	
NPU21830	
B—T-lymphocytes(cytotox.; memory); num.c. = ? × 10 ⁹ /l	
Bone marrow—	
T-lymphocytes(cytotox.; memory); number concentration	
10⁹/litre	
NPU21848	
Marrow—T-lymphocytes(cytotox.; memory); num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	
T-lymphocytes(cytotox.; memory); number fraction	
NPU21792	
Lymcs(B)—T-lymphocytes(cytotox.; memory); num.fr. = ?	
Lymphocytes(Bone marrow)—	
T-lymphocytes(cytotox.; memory); number fraction	
NPU21811	
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory); num.fr. = ?	
Blood—	
T-lymphocytes(cytotox.; memory; Th1); number concentration	
10⁹/litre	
NPU21831	
B—T-lymphocytes(cytotox.; memory; Th1); num.c. = ? × 10 ⁹ /l	
Bone marrow—	
T-lymphocytes(cytotox.; memory; Th1); number concentration	
10⁹/litre	
NPU21849	
Marrow—T-lymphocytes(cytotox.; memory; Th1); num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	
T-lymphocytes(cytotox.; memory; Th1); number fraction	
NPU21793	
Lymcs(B)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?	
Lymphocytes(Bone marrow)—	
T-lymphocytes(cytotox.; memory; Th1); number fraction	
NPU21812	
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?	
Blood—	
T-lymphocytes(cytotox.; memory; Th2); number concentration	
10⁹/litre	
NPU21832	
B—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? × 10 ⁹ /l	
Bone marrow—	
T-lymphocytes(cytotox.; memory; Th2); number concentration	
10⁹/litre	
NPU21850	
Marrow—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	
T-lymphocytes(cytotox.; memory; Th2); number fraction	
NPU21794	
Lymcs(B)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?	
Lymphocytes(Bone marrow)—	
T-lymphocytes(cytotox.; memory; Th2); number fraction	
NPU21813	
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?	

Blood—	Lymphocytes(Bone marrow)—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper);
number concentration	number fraction
10⁹/litre	NPU21804
NPU21829	Lymcs(Marrow)—T-lymphocytes(helper); num.fr. = ?
B—T-lymphocytes(cytotox.; virgin); num.c. = ? × 10⁹/l	
Bone marrow—	Lymphocytes(Blood)—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper/cytotox);
number concentration	numberratio
10⁹/litre	NPU21856
NPU21847	Lymcs(B)—T-lymphocytes(helper/cytotox); numberratio = ?
Marrow—T-lymphocytes(cytotox.; virgin); num.c. = ? × 10⁹/l	
Lymphocytes(Blood)—	Blood—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper; memory);
number fraction	number concentration
NPU21791	10⁹/litre
Lymcs(B)—T-lymphocytes(cytotox.; virgin); num.fr. = ?	NPU21825
Lymphocytes(Bone marrow)—	B—T-lymphocytes(helper; memory); num.c. = ? × 10⁹/l
T-lymphocytes(cytotox.; virgin);	Bone marrow—
number fraction	T-lymphocytes(helper; memory);
NPU21810	number concentration
Lymcs(Marrow)—T-lymphocytes(cytotox.; virgin); num.fr. = ?	10⁹/litre
Blood—	NPU21843
T-lymphocytes(gamma delta TCR);	Marrow—T-lymphocytes(helper; memory); num.c. = ? × 10⁹/l
number concentration	
10⁹/litre	Lymphocytes(Blood)—
NPU21834	T-lymphocytes(helper; memory);
B—T-lymphocytes(gamma delta TCR); num.c. = ? × 10⁹/l	number fraction
Bone marrow—	NPU21787
T-lymphocytes(gamma delta TCR);	Lymcs(B)—T-lymphocytes(helper; memory); num.fr. = ?
number concentration	
10⁹/litre	Lymphocytes(Bone marrow)—
NPU21852	T-lymphocytes(helper; memory);
Marrow—T-lymphocytes(gamma delta TCR); num.c. = ? × 10⁹/l	number fraction
Lymphocytes(Blood)—	NPU21806
T-lymphocytes(gamma delta TCR);	Lymcs(Marrow)—T-lymphocytes(helper; memory); num.fr. = ?
number fraction	
NPU21796	Blood—
Lymcs(B)—T-lymphocytes(gamma delta TCR); num.fr. = ?	T-lymphocytes(helper; memory; Th1);
Lymphocytes(Bone marrow)—	number concentration
T-lymphocytes(gamma delta TCR);	10⁹/litre
number fraction	NPU21826
NPU21815	B—T-lymphocytes(helper; memory; Th1); num.c. = ? × 10⁹/l
Lymcs(Marrow)—T-lymphocytes(gamma delta TCR); num.fr. = ?	
Blood—	Bone marrow—
T-lymphocytes(helper);	T-lymphocytes(helper; memory; Th1);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21823	NPU21844
B—T-lymphocytes(helper); num.c. = ? × 10⁹/l	Marrow—T-lymphocytes(helper; memory; Th1); num.c. = ? × 10⁹/l
Bone marrow—	
T-lymphocytes(helper);	Lymphocytes(Blood)—
number concentration	T-lymphocytes(helper; memory; Th1);
10⁹/litre	number fraction
NPU21841	NPU21788
Marrow—T-lymphocytes(helper); num.c. = ? × 10⁹/l	Lymcs(B)—T-lymphocytes(helper; memory; Th1); num.fr. = ?
Lymphocytes(Blood)—	
T-lymphocytes(helper);	Lymphocytes(Bone marrow)—
number fraction	T-lymphocytes(helper; memory; Th1);
NPU21785	number fraction
Lymcs(B)—T-lymphocytes(helper); num.fr. = ?	NPU21807
	Lymcs(Marrow)—T-lymphocytes(helper; memory; Th1); num.fr. = ?
Blood—	
	T-lymphocytes(helper; memory; Th2);
	number concentration
	10⁹/litre
	NPU21827
	B—T-lymphocytes(helper; memory; Th2); num.c. = ? × 10⁹/l

Bone marrow—
T-lymphocytes(helper; memory; Th2);
number concentration
10⁹/litre
NPU21845
Marrow—T-lymphocytes(helper; memory; Th2); num.c. = ? × 10⁹/l

Lymphocytes(Blood)—
T-lymphocytes(helper; memory; Th2);
number fraction
NPU21789
Lymcs(B)—T-lymphocytes(helper; memory; Th2); num.fr. = ?

Lymphocytes(Bone marrow)—
T-lymphocytes(helper; memory; Th2);
number fraction
NPU21808
Lymcs(Marrow)—T-lymphocytes(helper; memory; Th2); num.fr. = ?

Blood—
T-lymphocytes(helper; virgin);
number concentration
10⁹/litre
NPU21824
B—T-lymphocytes(helper; virgin); num.c. = ? × 10⁹/l

Bone marrow—
T-lymphocytes(helper; virgin);
number concentration
10⁹/litre
NPU21842
Marrow—T-lymphocytes(helper; virgin); num.c. = ? × 10⁹/l

Lymphocytes(Blood)—
T-lymphocytes(helper; virgin);
number fraction
NPU21786
Lymcs(B)—T-lymphocytes(helper; virgin); num.fr. = ?

Lymphocytes(Bone marrow)—
T-lymphocytes(helper; virgin);
number fraction
NPU21805
Lymcs(Marrow)—T-lymphocytes(helper; virgin); num.fr. = ?

Lymphocytes(Blood)—
T-lymphocytes;
compatibility(Plasma; donationID; absent present)
NPU21412
Lymcs(B)—T-lymphocytes; compatibility(P; donationID; absent present) = ?

Blood—
T-lymphocytes;
number concentration
10⁹/litre
NPU21822
B—T-lymphocytes; num.c. = ? × 10⁹/l

Bone marrow—
T-lymphocytes;
number concentration
10⁹/litre
NPU21840
Marrow—T-lymphocytes; num.c. = ? × 10⁹/l

Lymphocytes(Blood)—
T-lymphocytes;
number fraction
NPU21784
Lymcs(B)—T-lymphocytes; num.fr. = ?

Lymphocytes(Bone marrow)—
T-lymphocytes;
number fraction
NPU21803
Lymcs(Marrow)—T-lymphocytes; num.fr. = ?

Culture(Lymphocytes; Blood)—
Tuberculin stimulated lymphocytes;
relative number concentration(stimulated/unstimulated; procedure)
NPU21419
Culture(Lymcs; B)—Tuberculin stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?