

Supplementary Table 1 - Primers and probes for qRT-PCR.

GOI	5' to 3'	3' to 5'	UPL probe
STS	cggaagtaatgggatctataaagg	aacgaaggatgcctggaac	12
SULT1E1	tcatttgggaaaaggattgtaa	ccagccaccattagaaagaaa	5
SULT1A1	cccacgactcctgaagacac	gcgggcaacatagaccac	32
SULT2A1	tgagagaggagaaaaacttctgt	tcttcccaggaattgacaga	17
SULT2B1 v1 (SULT2B1a)	aacttctatttatcacctacgagga	ccaggaacccacagatgc	18
SLCO1A2	ggggcatgcaggatatatga	tggaacaaagcttgatcctctt	77
SLCO2B1	ataccgctacgacaacacca	tgagcagttgccattggag	57
SLCO1B3	gcatagccctgaagtgtgtc	ctgatgctggtttgaaatgat	10
SLCO1B1	ttcaagtggcaataaaaagccta	cacccaaatgggctgagtaa	54
ABCC1	aaggcctattacccagcat	atgcagttgccacacact	83
ABCC4	gaagcgctggaatctacaa	agagcccctggagagaagat	47
PAPSS1	tccatgatgtatgctggac	aaagttggctcctgaacc	59
PAPSS2	tgggggacaacatgtacaaa	aaccagccagtccccact	9