

Table S2. Cases reported as dead with tumor, with a reported NTE vs without a reported NTE. Related to Figure 1 and Table 2.

Type	Dead with Tumor with Reported NTE			Dead With Tumor w/o Reported NTE			Wilcoxon p_value
	# Deaths	Mean Time to NTE	Median Time to NTE	# Deaths	Mean Time to Death	Median Time to Death	
ACC	25	220.3	153	5	867.6	541	0.075
<i>BLCA</i>	<i>91</i>	<i>423.5</i>	<i>310</i>	<i>33</i>	<i>278.9</i>	<i>220</i>	<i>0.052</i>
BRCA	51	913.7	682	32	1248	944	0.184
CESC	30	490.3	328.5	23	475.7	471	0.34
CHOL	16	173.4	206.5	2	365.5	365.5	0.392
<i>COAD</i>	<i>31</i>	<i>427.3</i>	<i>304</i>	<i>33</i>	<i>230.9</i>	<i>153</i>	<i>0.009</i>
<i>ESCA</i>	<i>35</i>	<i>364.6</i>	<i>270</i>	<i>16</i>	<i>371.4</i>	<i>239</i>	<i>0.776</i>
<i>GBM</i>	<i>320</i>	<i>309.3</i>	<i>201</i>	<i>125</i>	<i>264</i>	<i>142</i>	<i>0.018</i>
HNSC	77	341	244	53	660.7	361	<i>0.036</i>
KICH	7	273.7	175	2	1097	1097	1
KIRC	74	365.5	245	35	722.5	459	<i>0.004</i>
KIRP	22	342.2	163	5	515.4	336	0.186
<i>LGG</i>	<i>86</i>	<i>738.8</i>	<i>425</i>	<i>27</i>	<i>497.9</i>	<i>316</i>	<i>0.085</i>
LIHC	74	379.7	256	6	443.8	404.5	0.668
<i>LUAD</i>	<i>90</i>	<i>483.9</i>	<i>408.5</i>	<i>23</i>	<i>490.7</i>	<i>385</i>	<i>0.977</i>
LUSC	75	550.6	390	15	608.5	543	0.502
MESO	27	300.5	238	14	316.6	297	1
<i>OV</i>	<i>250</i>	<i>460.2</i>	<i>400.5</i>	<i>51</i>	<i>545.9</i>	<i>346</i>	<i>0.244</i>
PAAD	51	326.7	228	26	376.5	379.5	0.071
<i>PCPG</i>	<i>1</i>	<i>648</i>	<i>648</i>	<i>3</i>	<i>386.3</i>	<i>309</i>	<i>1</i>
PRAD	3	841.7	626	2	737.5	737.5	0.8
READ	8	384.4	246	7	566.9	610	0.452
SARC	68	305.9	204	13	555.6	384	0.322
SKCM	156	1222.1	565.5	33	1592	1078	<i>0.003</i>
<i>STAD</i>	<i>71</i>	<i>358.7</i>	<i>282</i>	<i>28</i>	<i>329.4</i>	<i>257</i>	<i>0.43</i>
<i>TGCT</i>	<i>2</i>	<i>187</i>	<i>187</i>	<i>1</i>	<i>17</i>	<i>17</i>	<i>0.667</i>
<i>THCA</i>	<i>2</i>	<i>1320.5</i>	<i>1320.5</i>	<i>5</i>	<i>670.8</i>	<i>533</i>	<i>0.381</i>
<i>THYM</i>	<i>3</i>	<i>1102</i>	<i>1224</i>	<i>1</i>	<i>853</i>	<i>853</i>	<i>1</i>
<i>UCEC</i>	<i>45</i>	<i>557.3</i>	<i>424</i>	<i>15</i>	<i>483.9</i>	<i>346</i>	<i>0.484</i>
<i>UCS</i>	<i>25</i>	<i>436.4</i>	<i>274</i>	<i>6</i>	<i>225</i>	<i>185</i>	<i>0.355</i>
UVM	10	298.2	290.5	8	788.6	859.5	0.173
TCGA_Pan	1830	492.7	306.5	648	540.3	322.5	0.949

Note: The p-values were calculated from the Wilcoxon rank-sum tests of difference between median time to NTE and median time to death. Of the 33 cancers, except for LAML and DLBC, 31 had data for this analysis. Rows with bold face and italic texts are 14 cancers with a shorter median event time for those not having an NTE than those with an NTE. The others 17 cancers had a longer median event time for cases not having an NTE. Cancers showing a significant difference between the two median times had p-values shown in red. The last row of TCGA_PAN shows the data from all 31 cancer types.