

Supplementary Table S1: The clinical and pathological data of patients with AIH and hepatic cyst whose liver tissues were used to perform IF.

Patient number	1	2	3	4	5	6	7	10	13	14	15
Diagnosis	AIH	AIH	AIH	AIH	AIH	AIH	AIH	hepatic cyst	hepatic cyst	hepatic cyst	hepatic cyst
Sex	F	F	F	F	F	F	F	F	F	F	M
Age (yr)	74	38	51	58	59	34	75	55	63	53	48
AST (U/L)	75	952	138	506	880	316	777	15	11	20	14
ALT (U/L)	140	708	85	324	651	232	108	25	15	18	22
ALP (U/L)	145	153	96	71	146	74	77	82	84	45	70
GGT (U/L)	149	144	32	190	416	66	117	38	29	28	35
IgG (g/L)	1630	1790	1300	1610	1570	1736	1910	/	/	/	/
IgM (g/L)	180	76	98.2	203	87.1	230	220	/	/	/	/
ANA titer	1:200	1:100	1:100	1:400	1:800	1:1600	1:400	/	/	/	/
AMA titer	-	-	-	-	-	-	-	/	/	/	/
Cirrhosis	N	N	N	N	N	N	N	N	N	N	N
Histological finding											
Interface hepatitis	Y	N	Y	Y	N	Y	Y	N	N	N	N
Lymphocytic infiltration	Y	Y	Y	Y	Y	Y	Y	N	N	N	N
Rosetting	Y	N	Y	N	N	N	N	N	N	N	N

-, negative; /, not available; N, no; Y, yes.

-, negative; /, not available; N, no; Y, yes.