

Supplemental Information

Anti-cancer effect of a novel 2, 3-didithiocarbamate substituted naphthoquinone as a tumor metabolic suppressor in vitro and vivo

Xianling Ning^a, Yunqiao Li^{a, c}, Hailong Qi^{a, b}, Ridong Li^a, Yan Jin^a, Junyi Liu^{d*} and Yuxin Yin^{a, b, c*}

^a*Institute of Systems Biomedicine, School of Basic Medical Sciences, Beijing Key Laboratory of Tumor Systems Biology, Peking University Health Science Center, Beijing, China.*

^b*Peking-Tsinghua Center for Life Sciences, Peking University Health Science Center, Beijing, China.*

^c*Department of Pathology, School of Basic Medical Sciences, Peking University Health Science Center, Beijing, China.*

^d*State Key Laboratory of Natural and Biomimetic Drugs, Department of Chemical Biology, School of Pharmaceutical Sciences, Peking University Health Science Center, Beijing, China.*

Corresponding authors

*Email address: yinyuxin@hsc.pku.edu.cn

*Email address: jyliu@bjmu.edu.cn


* Corresponding author

Email address: jyliu@bjmu.edu.cn

* Corresponding author

Email address: yinyuxin@hsc.pku.edu.cn

¹H NMR of compound 3i:



¹³C NMR of compound 3i:




Table S1. The primers sequences of quantitative real-time PCR

	Forward Primer	Reverse Primer
GLUT1	CATCAACGCTGTCTTCTATTACT	CCACGATGCTCAGATAGGAC
C		
LDH	TGGTTGAGAGTGCTTATGAGG	CTGAGATTCCATTCTGTCCCA
CCND1	CCTCTAAGATGAAGGAGACCA	AAATGAACTTCACATCTGTGGC