		Intention to treat T0-T1			Intention to treat T0-T2		
Scale	Subscales	SES ¹	95% Cl ²	p-Value	SES ¹	95% CI ²	p-Value
CVS		19	-2.16 to 0.54	.24	21	-2.13 to 0.39	.17
PIP	Frequency	22	-13.51 to 3.07	.22	15	-11.71 to 4.36	.37
	Difficulty	.00	-9.68 to 9.42	.98	.07	-7.15 to 10.80	.69
MFI	General fatigue	.02	-0.94 to 1.10	.88	03	-1.14 to 0.95	.86
		.12	-0.61 to 1.38	.44	.08	-0.74 to1.25	.61
	Physical fatigue			+			+
	Mental fatigue	11	-1.60 to 0.85	.55	15	-1.63 to 0.61	.37
	Reduced motivation	.05	-0.90 to 1.20	.78	.04	-0.90 to 1.10	.85
	Reduced activity	02	-1.09 to 1.00	.93	08	-1.24 to 0.76	.64
PEPPI		11	-1.20 to 0.60	.51	06	-1.05 to 0.74	.74
FaMM	Child's daily life	07	-1.57 to 0.95	.63	02	-1.29 to 1.10	.88
	Condition management ability	19	-2.23 to 0.66	.29	16	-2.14 to 0.82	.38
	Condition management effort	02	-1.18 to 1.02	.89	10	-1.35 to 0.64	.48
	Family life difficulty	03	-3.00 to 2.37	.82	02	-2.96 to 2.21	.78
	Parental mutuality	.15	-0.88 to 2.11	.42	.12	-1.01 to 1.99	.52
	View on condition impact	01	-1.62 to1.57	.97	05	-1.76 to1.25	.74

¹SES: Standardized effect size, ²CI: Confidence Interval