

Supplementary table: Health conditions reported by people with limiting disability compared to no disability among Natsal-3 participants aged 17-34, stratified by gender

	WOMEN				MEN			
<i>Denominators</i>	3495/1983	458/245			2539/2098	247/186		
	% (95% C.I.) of those reporting no disability	% (95% C.I.) of those reporting limiting disability	AOR* (95% C.I.) for reporting outcome if reported limiting disability	p-value	% (95% C.I.) of those reporting no disability	% (95% C.I.) of those reporting limiting disability	AOR* (95% C.I.) for reporting outcome if reported limiting disability 95% C.I.	p-value
<i>≥ 1 mental health condition</i>								
Yes	16.1 (14.8-17.5)	49.8 (44.7-54.9)	5.19 (4.14-6.50)	p<0.0001	11.5 (10.2-13.0)	44.6 (37.1-52.4)	6.25 (4.44-8.81)	p<0.0001
No	83.9 (82.5-85.22)	50.2 (45.11-55.3)			88.5 (86.98-89.83)	55.4 (47.66-62.89)		
Treated for depression in past year	7.6 (6.7-8.5)	38.0 (33.3-43.0)	7.48 (5.85-9.55)	p<0.0001	2.6 (2.0-3.4)	22.4 (17.4-28.3)	10.12 (6.68-15.33)	p<0.0001
Treated for other mental health condition in past year	1.2 (0.8-1.8)	15.5 (12.0-19.7)	14.84 (8.99-24.49)	p<0.0001	1.2 (0.8-1.7)	18.0 (13.4-23.8)	17.4 (10.21-29.64)	p<0.0001
Screen positive for current depression	9.7 (8.7-10.8)	24.8 (20.7-29.4)	3.18 (2.44-4.14)	p<0.0001	8.8 (7.6-10.1)	28.9 (21.7-37.3)	4.49 (2.97-6.79)	p<0.0001
<i>≥ 1 physical health condition</i>								
Yes	9.7 (8.6-10.8)	52.3 (47.3-57.3)	10.26 (8.10-13.01)	p<0.0001	7.1 (6.1-8.4)	50.4 (43.2-57.6)	12.67 (9.06-17.73)	p<0.0001
No	90.3 (89.17-91.39)	47.7 (42.7-52.7)			92.9 (91.6-93.9)	49.6 (42.4-56.8)		

<i>conditions</i> ¹									
Yes	3.8 (3.1-4.6)	40.6 (35.8-45.7)	19.2 (14.1-26.2)	p<0.0001	2.1 (1.6-2.8)	39.9 (32.7-47.6)	42.3 (24.8-69.5)	p<0.0001	
No	96.2 (95.4-96.9)	59.4 (54.3-64.3)			97.9 (97.2-98.4)	60.1 (52.4-67.4)			

¹For the purposes of this variable was classified as *either* screen positive for current depression *or* reporting treatment for depression in the past year

*Age-adjusted odds ratio