

	<i>Greek NSCLC Cohort</i>
PD-L1 mRNA	HR
Histology	
Adeno vs squamous	1.03
Stage	
1-2 vs 3-4	0.499
TILS	
0-1 vs 2-3	1.085
PD-L1 pos vs neg	0.791
PD-L1 protein	
Histology	
Adeno vs squamous	0.943
Stage	
1-2 vs 3-4	0.5
TILs	
0-1 vs 2-3	1.17
PD-L1 pos vs neg	0.62

Table S1. Multivariate Cox proportional hazard model

	<i>P value</i>
95% CI	
0.715-1.484	.874
0.343-0.725	<.001
0.739-1.591	.678
0.547-1.145	.214
0.656-1.358	.754
0.33-0.731	<.001
0.794-1.73	.425
0.381-1.00	.05

odel of PD-L1 protein and mRNA s

<i>Yale NSCLC Cohort</i>	
HR	95% CI
0.666	0.334-1.329
0.269	0.151-0.479
0.865	0.423-1.766
0.301	0.154-0.589
1.03	0.74-1.45
0.257	0.16-0.413
0.826	0.527-1.293
0.631	0.384-1.035

status in the Greek and Yale NSCLC cohorts.

P value

.589

<.001

.69

<.001

.837

<.001

.4

.06